

DOUGLAS BATTERY MFG CO -- DRY CHARGED BATTERY -- 6140-01-134-5413

=====  
Product Identification  
=====

Product ID: DRY CHARGED BATTERY

MSDS Date: 05/01/1991

FSC: 6140

NIIN: 01-134-5413

MSDS Number: BXRCG

=== Responsible Party ===

Company Name: DOUGLAS BATTERY MFG CO

Address: 500 BATTERY DR

Box: 12159

City: WINSTON-SALEM

State: NC

ZIP: 27117

Country: US

Info Phone Num: 919-650-7278; FAX: 919-650-7057

Emergency P

hone Num: 800-368-4527, CHEMTREC 800-424-9300

Preparer's Name: A.L.CSONTAS

CAGE: 63432

=== Contractor Identification ===

Company Name: BATTERY CENTER THE (404-448-9273)

Address: 2245 BUTTON GWINNETT DR

Box: UNKNOWN

City: ATLANTA

State: GA

ZIP: 30340

Country: US

Phone: 770-448-9273

CAGE: 00HZ6

Company Name: CELL ENERGY INC

Address: 3190-B ORANGE GROVE AVE

Box: City: NORTH HIGHLANDS

State: CA

ZIP: 95660-5706

Country: US

Phone: 916-484-7974

CAGE: 1U269

Company Name: DOUGLAS BATTERY MFG CO

Address: 500 BATTERY DR

Box: 12159

City:WINSTON-SALEM  
State:NC  
ZIP:27107  
Country:US  
Phone:800-368-4527  
CAGE:63432

=====  
Composition/Information on Ingredients  
=====

Ingred Name:LEAD (SARA III)  
CAS:7439-92-1  
RTECS #:OF7525000  
Fraction by Wt: 94%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:SEE 1910.1025  
ACGIH TLV:0.15 MG/M3,DUST;9394  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:ANTIMONY (SARA III)  
CAS:7440-36-0  
RTECS #:CC4025000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:0.5 MG/M3  
ACGIH TL  
V:0.5 MG (SB)/M3; 9394  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:ARSENIC (SARA III)  
CAS:7440-38-2  
RTECS #:CG0525000  
Fraction by Wt: 160C  
Spec Gravity:13(LEAD)  
Appearance and Odor:BATTERY:RECTANGULAR POLYPROPYLENE CASE WITH LEAD  
TERMINALS. SOLID UNIT.

=====  
Stability and Reactivity Data  
=====

Stability Indicator/Materials to Avoid:YES  
KEEP BATTERY CASE AWAY FROM STRONG OXIDIZERS.  
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.  
Hazardous De

composition Products:NONE.

===== Disposal Considerations =====

Waste Disposal Methods:BATTERY PARTS MAY BE RECYCLED BY EPA PERMITTED SECONDARY LEAD SMELTING FACILITY OR DISPOSED OF AS HAZARDOUS WASTE PURSUANT TO RCRA REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.