

MONTGOMERY CHEMICAL CO INC -- MONCO RUST COAT -- 8030-01-370-6234

=====  
Product Identification  
=====

Product ID:MONCO RUST COAT

MSDS Date:09/10/1993

FSC:8030

NIIN:01-370-6234

MSDS Number: BXRCZ

=== Responsible Party ===

Company Name:MONTGOMERY CHEMICAL CO INC

Address:NORTH RAILROAD AND ESSEX ST

Box:109

City:GLOUCESTER CITY

State:NJ

ZIP:08030

Country:US

Info Phone Num:609-456-6100

Emergency Phone

Num:609-456-6100

Preparer's Name:RANDY BINTER

CAGE:0T853

=== Contractor Identification ===

Company Name:MONTGOMERY CHEMICAL CO

Address:511 ESSEX ST

Box:109

City:GLOUCESTER CITY

State:NJ

ZIP:08030

Country:US

Phone:609-456-6100

CAGE:0T853

Company Name:MONTGOMERY CHEMICAL CO

Box:UNKNOW

CAGE:0T8S3

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ETHANOL, 2-(2-BUTOXYETHOXY)-; (DIETHYLENE GLYCOL MONOBUTYL  
ETHER)

CAS:112-34-5

RTECS #:KJ9100000

OSHA PEL:N/K

ACGIH T

LV:5 GAL BY VOL. FOR 1 GAL CNTNRS, HEAD  
SPACE OFFGAS, AS MEASURED BY DRAEGER TUBE METH SHOWED (SUPDAT)  
Protective Gloves:WATERPROOF GLOVES.  
Eye Protection:ANSI APPRVD CHEM WORKERS GOGGLES .  
Other Protective Equipment:ANSI APPRVD EMERGENCY EYE WASH & DELUGE  
SHOWER .

Work Hygienic Practices:REMOVE & WASH CONTAMD CLOTHING BEFORE REUSE.  
WASH HANDS WITH SOAP AND WATER.

Supplemental Safety and Health

FIRST AID PROC:PERS. (NEVER GIVE ANYTHING BY MOUTH TO UNCON PERSON).

INHAL:REMOVE VICT

IM TO FRESH AIR. IF NOT BRTHG, GIVE ARTF RESP,

PREF MOUTH-TO-MOUTH. IF BRTHG IS LABORED, GIVE OXYG. CONSULT MED PE

RS. VENT:0.4 PPM RESIDUAL VCM TO STOR CNDTNS. PERSONAL MONITORS

SHOWED 0.1 PPM TO 0.2 PPM VCM AFTER 5 HRS OF USE (ING 3)

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F,100C

Vapor Density:LTR/AIR

Spec Gravity:1.28

pH:3-4

Evaporation Rate & Reference:SIMILAR TO WATER

Solubility in Water:NOT KNOWN

Appearance and Odor:MI

LKY WHITE LIQUID.

Percent Volatiles by Volume:41(WT)

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS, ALKALINE MATERIALS. ATTACKS MILD STEEL. DO NOT STORE  
IN STEEL CONTAINERS.

Stability Condition to Avoid:NONE KNOWN.

Hazardous Decomposition Products:COMBUST PROD OF DRY MATL INCL CO,

CO\*2, CHLORINE, HYDROGEN CHLORIDE & POSS TRACE AMTS OF CARBONYL  
CHLORIDE.

===== Disposal Considerations =====

Waste Disposal Methods:BECAUSE ITS PH MAY BE AS LOW AS IF NO RUST IS  
PRESENT AS 3-4, DISCARDED MATL MAY BE HAZ WASTE, DISPOSE OF IN  
FACILITY FOR HAZ WASTE. ALLOW TO SOLIDIFY TO SOLID BY EXPOS TO AIR.  
DISP MUST BE IN ACCORDANCE WITH FEDERAL, STATE & LOCAL REGS .

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner what

soever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.