

MOBIL OIL CORP -- MOBIL DTE OIL LIGHT -- 9150-01-043-9063

=====
Product Identification
=====

Product ID:MOBIL DTE OIL LIGHT

MSDS Date:05/08/1995

FSC:9150

NIIN:01-043-9063

MSDS Number: BXVDC

=== Responsible Party ===

Company Name:MOBIL OIL CORP

Address:3225 GALLONS ROAD

City:FAIRFAX

State:VA

ZIP:22037-0001

Country:US

Info Phone Num:800-662-4245

Emergency Phone Num:800-424-9300 CHEMTREC(609-737-441

1)

CAGE:3U728

=== Contractor Identification ===

Company Name:MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING

Address:3225 GALLOWES ROAD

Box:City:FAIRFAX

State:VA

ZIP:22037

Country:US

Phone:800-662-4525/ 856-224-4644

CAGE:3U728

=====
Composition/Information on Ingredients
=====

Ingred Name:PHOSPHORODITHOIC ACID, O-O-D1 C1-14-ALKYL ESTERS, ZINC
SALTS (2:1) (ZDDP)

CAS:68649-42-3

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >2000 MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRODUCT ASSESSED IN ACCORDANCE WITH
OSHA 29 CFR 1910.1200 AND DETERMINED NOT TO BE HAZARDOUS.

Explanation of Carcinogenicity:NOT CARCINOGENIC.

Effects of Overexposure:NO SIGNIFICANT EFFECTS EXPECTED.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====

First Aid Measures =====

First Aid:EYE:FLUSH THOROUGHLY W/WATER. IF IRRITATION OCCURS CALL PHYSICIAN. SKIN:WASH CONTACTED AREAS WITH SOAP & WATER. INHALATION:NOT EXPECTED TO BE A PROBLEM. INGESTION:NOT EXPECTED TO BE A PROBLEM. HOWEVER , IF GREATER THAN 1/2 LITER INGESTED, IMMEDIATELY GIVE 1-2 GLASSES OF WATER & CALL A PHYSICIAN, HOSPITAL OR POISON CONTROL CENTER. DO NOT INDUCE VOMITING OR GIVE ANYTHING TO UNCONSCIOUS PERSON.

=====
Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:>405F,>207C
Autoignition Temp:Autoignition Temp Text:NA
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER FOG. WATER OR FOAM MAY CAUSE FROTHING.
Fire Fighting Procedures:FOR FIRES IN ENCLOSED AREAS, FIRE FIGHTERS MUST USE SELF-CONTAINED BREATHING APPARATUS. USE WATER TO KEEP FIRE EXPOSED CONTAINERS COOL.
Unusual Fire/Explosion Hazard:NONE.

=====
Accidental Release Measures =====

Spill Release Procedures:ABSORB ON FIRE RETARDENT TREATED SAWDUST, DIATOMACEOUS EARTH, ETC. SHOVEL UP AND DISPOSE OF AT AN APPROPRIATE WASTE DISPOSAL FACILITY IN ACCORDANCE WITH CURRENT APPLICABLE LAWS AND REGULATIONS.

=====
Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE IN OPEN OR UNLABELED CONTAINERS. STORE AWAY FROM STRONG OXIDIZING AGENTS OR COMBUSTIBLE MATERIAL
S.
Other Precautions:NO SPECIAL PRECAUTIONS ARE NECESSARY BEYOUND NORMAL GOOD HYGIENE PRACTICES.

=====
Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIEMENTS UNDER ORDINARY CONDITIONS OF USE & W/ADEQUATE VENTILATION.
Ventilation:USE IN WELL VENTILATED AREA.
Protective Gloves:NO SPEICAL EQUIPMENT REUIRED.
Eye Protection:FOLLOW NORMAL INDUSTRIAL EYE PROT PRACTS
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Pr

actices:FOLLOW GOOD HYGENIC PRACTICES.

Supplemental Safety and Health

NONE.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>600F,>316C

Vapor Pres:2.0

Spec Gravity:0.87

Viscosity:5.1

Solubility in Water:NEGLIGIBLE

Appearance and Odor:LIGHT AMBER LIQUID, MILD ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Stability Condition to Avoid:EXTREME HEAT.

Hazardous D

ecomposition Products:CARBON MONOXIDE. ELEMENTAL OXIDES.

METAL OXIDES.

===== Disposal Considerations =====

Waste Disposal Methods:PRODUCT IS SUITABLE FOR BURNING IN AN ENCLOSED,
CONTROLLED BURNER FOR FUEL VALUE OR DISPOSAL BY SUPERVISED
INCINERATION.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner what
soever,

expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.