

REICHHOLD CHEMICALS INC -- DION ISO 33-597-00

=====
MSDS Safety Information
=====

FSC: 8040
NIIN: 00-633-8373
MSDS Date: 10/06/1993
MSDS Num: BXWCK
Product ID: DION ISO 33-597-00
MFN: 02
Responsible Party
Cage: ODR81
Name: REICHHOLD CHEMICALS INC
Address: 9 WOODLAWN GREEN SUITE 208
City: CHARLOTTE N
C 28217
Info Phone Number: 800-334-5905
Emergency Phone Number: 800-424-9300 (CHEMTREC)
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: ODR81
Name: REICHHOLD CHEMICALS INC
Address: 9 WOODLAWN GREEN SUITE 208
City: CHARLOTTE NC 28217
Phone: 800-424-9300 (CHEMTREC)

=====
Item Description Information
=====

Item Manager: GSA
Item Name: ADHESIVE
Unit of Issue: GL
UI Container Qty: 4

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

=====
Handling an

d Disposal

=====
=====
Fire and Explosion Hazard Information

=====
Flash Point: =29.4C, 85.F

Lower Limits: 1.1%

Extinguishing Media: WATER SPRAY, FOAM, DRY CHEMICAL, CARBON DIOXIDE OR ANY CLASS B EXTINGUISHING AGENT.

Fire Fighting Procedures: FIREFIGHTERS & OTHERS EXPOSED TO VAPORS OR PRODUCTS OF COMBUSTION SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS.

EQUIPMENT SHOULD BE DECONTAMINATED AFTER USE.

Unusual Fire/Explosion Hazard: AT ELEVATED TEMPERATURES, POLYMERIZATION MAY TAKE PLACE, WHICH IF IN A CLOSED CONTAINER, THERE IS THE POSSIBILITY OF VIOLENT RUPTURE OF THE CONTAINER.

=====
Control Measures

=====
Physical/Chemical Properties

=====
HCC: F3

Boiling Point: =146.1C, 295.F

Vapor Density: >AIR

Spec Gravity: 1.15-1.20

Evaporation Rate & Reference: SLOWER N-BUTYL ACETATE

Appearance and Odor: LIQUID WITH PUNGENT ODOR.

Percent Volatiles by Volume: 40

=====
Reactivity Data

=====
Stability Indicator: YES

Stability Condition To Avoid: HEAT & DIRECT SUNLIGHT.

Materials To Avoid: STRONG ACIDS & OXIDIZING AGENTS.

=====
Toxicological Information

=====
Ecological Information

=====
MSDS Transport Information

=====
Regulatory Information

==

=====
=====
Other Information
=====
=====

=====
=====
Transportation Information
=====

Responsible Party Cage: 0DR81
Trans ID NO: 80346
Product ID: DION ISO 33-597-00
MSDS Prepared Date: 10/06/1993
Review Date: 10/26/1995
MFN: 2
Net Unit Weight: 9.6 LBS
AF MMAC
Code: NR
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: GL
Container QTY: 4
=====

=====
=====
Detail DOT Information
=====

DOT PSN Code: GJL
Symbols: G
DOT Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.
Hazard Class: 3
UN ID Num: UN1993
DOT Packaging Group: III
Label: FLAMMABLE LIQUID
Special Provision: B1,B52,T7,T30
Packaging Exception: 150
Non Bulk Pack: 203
Bulk Pack: 242
Max Qty Pass: 60 L
Max Qty
Cargo: 220 L
Vessel Stow Req: A
=====

=====
=====
Detail IMO Information
=====

IMO PSN Code: HIA
IMO Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. o
IMDG Page Number: 3345
UN Number: 1993
UN Hazard Class: 3.3
IMO Packaging Group: III
Subsidiary Risk Label: -
EMS Number: 3-07
MED First Aid Guide NUM: T
=====

=====
=====
Detail IATA Information
=====

=====
IATA PSN CA
IATA UN ID Num: 1993
IATA Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. *
IATA UN Class: 3
IATA Label: FLAMMABLE LIQUID
UN Packing Group: III
Packing Note Passenger: 309
Max Quant Pass: 60L
Max Quant Cargo: 220L
Packaging Note Cargo: 310
=====

=====
Detail AFI Information
=====

AFI PSN CA
AFI Symbols: *
AFI Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.
AFI H
azard Class: 3
AFI UN ID NUM: UN1993
AFI Packing Group: III
Special Provisions: P5
Back Pack Reference: A7.3
=====

=====
HAZCOM Label
=====

Product ID: DION ISO 33-597-00
Cage: 0DR81
Company Name: REICHHOLD CHEMICALS INC
Street: 9 WOODLAWN GREEN SUITE 208
City: CHARLOTTE NC
Zipcode: 28217
Health Emergency Phone: 800-424-9300 (CHEMTREC)
Label Required IND: Y
Date Of Label Review: 12/16/1998
Status Code:
C
Label Date: 12/16/1998
Origination Code: G
=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any p

erson or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.