View NSN Online: https://aerobasegroup.com/nsn/9150-01-353-5788 AEROSPACE LUBRICANTS INC. -- TRIBOLUBE-15 -- 9150-01-353-5788 ============= Product Identification ======================== Product ID:TRIBOLUBE-15 MSDS Date:09/26/1996 FSC:9150 NIIN:01-353-5788 MSDS Number: BXWGQ === Responsible Party === Company Name: AEROSPACE LUBRICANTS INC. Address:1505 DELASHMUT AVE City:COLUMBUS State:OH ZIP:43212 Country:US Info Phone Num:614-291-3045 Emergency Phone Num:614-291-3045 Preparer's Name :STEPHEN E. GATES CAGE:66164 === Contractor Identification === Company Name: AEROSPACE LUBRICANTS INC. Address:1600 GEORGESVILLE RD Box:City:COLUMBUS State:OH ZIP:43228 Country:US Phone:614-878-3600 CAGE:66164 ======= Composition/Information on Ingredients ========

Ingred Name: NON-HAZARDOUS INGREDIENTS

Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

========= Hazards Identification ===========

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS >5000 MG/KG.

Route

| s of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN. ACUTE-EYE:DIRECT CONTACT MAY IRRITATE SLIGHTLY. SKIN:PROLONGED/REPEATED CONTACT MAY CAUSE MILD IRRITATION. INJECTION UNDER SKIN MAY CAUSE LOCAL NECROSIS. INHALE: SLIGHTLY TOX IC BY INHALATION. ORAL:VERY LOW TOXICITY BY INGESTION. CHRONIC- NONE. Explanation of Carcinogenicity:NONE. |
|--|
| Effects of Overexposure:SLIGHT IRRITATION Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING SKIN DISORDERS MAY BE MORE SUCCEPTIBLE TO THE EFFECTS FROM EXPOSURE TO THIS PRODUCT. |
| ====================================== |
| First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. EYES:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:WIPE OFF EXCESS & WASH SKIN WITH MILD SOAP & WATER OR WATERLESS CLEANER. IF INJECTED UNDER SKIN, REGARDLESS OFITS SIZE |
| CONTACT A PHYSICIAN IMMEDIATELY. ORAL:DRINK LARGE AMOUNT OF WATER. CALL PHYSICIAN. INFORM PHYSICIAN THAT PRODUCT IS INERT/NON-TOXIC. |
| ====================================== |
| Flash Point:NONE Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. |
| Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF CONTAINED BREATHING APPARAT US. TOXIC FUMES MAY BE FORMED. |
| Unusual Fire/Explosion Hazard:TOXIC FLUORINE GASES MAY BE FORMED. |
| =========== Accidental Release Measures =========== |
| Spill Release Procedures:SCOOP UP EXCESS GREASE. PICK-UP RESIDUE WITH INERT ABSORBENT MATERIAL SUCH AS DIATOMACEOUS EARTH, SAND OR VERMICULITE. SWEEP UP AND TRANSFER TO A CONTAINER FOR PROPER DISPOSAL. CLEAN AREA WITH SOAPY W ATER. Neutralizing Agent:NOT RELEVANT |
| ======== Handling and Storage ===== |

===========

Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLE
MATERIALS. DO NOT STORE ABOVE 250F OR NEAR FLAMMABLE OR EXPLOSIVE
MATERIAL. KEEP OUT OF REACH OF CHILDREN.

Other Precautions: WASH THOROUGHLY AFTER HANDLING.

====== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE NORMALLY REQUIRED. IF VAPOR, MIST OR DUST IS GENERATED, WEAR NIOSH-APPROVED RESPIRATORY PROTECTION.

Ventilation: ADEQUATE

Protective Gloves:PLASTIC RECOMME

NDED

Eve Protection: SAFETY GLASSES RECOMMENDED

Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

======== Physical/Chemical Properties ==========

HCC:V6

NRC/State Lic Num: NOT RELEVANT

Melt/Freeze Pt:M.P/F.P Text:DECOMPOSES

Decomp

Temp:Decomp Text:>482F,>250C

Vapor Pres:NEGLIGIBLE

Spec Gravity: 1.90

Viscosity: NOT RELEVANT

Evaporation Rate & Evaporation Relevant

Solubility in Water: INSOLUBLE

Appearance and Odor:WHITE GREASE - ODORLESS

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

MOLTEN ALKALI METALS, HALOGENATED COMPOUNDS, STRONG BASES OR NONAQUEOUS ALKALI AND LEWIS ACIDS ABOVE 212F (100C)

Stability Condition to Avoid: EXCESSIVE HEAT (ABOVE 482F/25

| 0C) | | | |
|--|--------------------------------|---|--|
| Hazardous Decomposition Products: TOXIC FLUORINE GASES | | | |
| · | | | |
| ======================================= | Disposal Considerations | ======================================= | |

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH CURRENT LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.