View NSN Online: https://aerobasegroup.com/nsn/6810-01-412-0075

FISHER SCIENTIFIC CO CHEMICAL DIV. -- ACETONE -- 6810-01-412-0075

Product ID:ACETONE MSDS Date:12/02/1994 FSC:6810 NIIN:01-412-0075 **MSDS Number: BXWHG** === Responsible Party === Company Name: FISHER SCIENTIFIC CO CHEMICAL DIV. Address:1 REAGENT LANE City:FAIR LAWN State:NJ ZIP:07410 Country:US Info Phone Num:201-796-7100 Emergency Phone Num:201-796-7100 OR 201-796 -7523 CAGE:1B464 === Contractor Identification === Company Name: FISHER SCIENTIFIC CO. CHEMICAL MFG DIV Address:1 REAGENT LANE Box:City:FAIRLAWN State:NJ ZIP:07410-2802 Country:US Phone:201-796-7100 CAGE:1B464

Ingred Name:ACETONE (SARA III) CAS:67-64-1 RTECS #:AL3150000 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED OSHA PEL:1000PPM ACGIH TLV:750PPM/1000STEL;9293 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

=============

Flash Point Method:CC Flash Point:-4F,-20C Autoignition Temp: Autoignition Temp Text: 869F Lower Limits: 2.5 % Upper Limits:13 % Extinguishing Media:WATER SPRAY, DRY CHEMICAL, CARBON DIOXIDE, ALCOHOL-**RESISTANT FOAM** Fire Fighting Procedures: MOVE CONTAINER FROM FIRE AREA IF CAN DO SO. APPLY COOLING WATER TO SIDES OF CONTAINERS THAT ARE EXPOSED TO FLAMES. STAY AWAY FROM ENDS OF TANKS. Unusual Fire/Explosion Hazard: VAPORS ARE HEAVIE R THAN AIR AND MAY TRAVEL A CONSIDERABLE DISTANCE TO A SOURCE OF IGNITION AND FLASH BACK. Supplemental Safety and Health HCC:F2 Boiling Pt:B.P. Text:133F,56C Melt/Freeze Pt:M.P/F.P Text:-139F,-95C Vapor Pres:180 Vapor Density:2.0 Spec Gravity:0.7899 Evaporation Rate & amp; Reference:6 (BUTYL ACETATE = 1) Solubility in Water: VERY SOLUBLE Appearance an d Odor:CLEAR, COLORLESS, VOLATILE LIQUID WITH A CHARACTERISTIC SWEETISH ODOR Percent Volatiles by Volume:100 %

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, ACIDS, AMINES, BROMINE, NITRIC ACID Stability Condition to Avoid:HEAT, OPEN FLAME

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The Unit ed States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.