View NSN Online: https://aerobasegroup.com/nsn/8030-00-111-6294

Product ID:C-562 MICROWAX, M-0012 MSDS Date:08/23/1994 FSC:8030 NIIN:00-111-6294 MSDS Number: BXXJJ === Responsible Party === Company Name: MICHIGAN CHROME & CHEMICAL CO Address:8615 GRINNEL AVENUE City:DETROIT State:MI ZIP:48213 Country:US Info Phone Num:313-267-5200 **Emergency Phone Num:** 313-267-5200 CAGE:01058 === Contractor Identification === Company Name: MICHIGAN CHROME AND CHEMICAL CO Address:8615 GRINNELL AVE Box:City:DETROIT State:MI ZIP:48213-1152 Country:US CAGE:01058 

Ingred Name:PARAFFIN; (PARAFFIN WAX) CAS:8002-74-2 RTECS #:RV0350000 Fraction by Wt: 100% OSHA PEL:2 MG/M3 (FUME) ACGIH TLV:2 MG/M3 (FUME)

LD50 LC50 Mixture:NONE SPEC

IFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: CONTACT W/MOLTEN MATERIAL MAY RESULT IN THERMAL BURNS. MAY CAUSE NAUSEA & VOMITING IF SWALLOWED. IF HEATED TO DECOMPOSITION FUMES GENERATED MAY RESULT IN RESPIRATORY **IRRITATION.** Explanation of Carcinogenicity:NOT RELEVANT. Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY M ANUFACTURER. First Aid:SKIN: WASH THOROUGHLY W/SOAP & WATER. EYE: FLUSH W/WATER FOR AT LEAST 15 MINUTES. INHAL: REMOVE TO FRESH AIR. SUPPORT BREATHING(GIVE O\*2/ARTF RESP). INGEST: CALL MD IMMEDIATELY. Flash Point Method:COC Flash Point:350F,177C Extinguishing Media:WATER SPRAY OR FOG, ALCOHOL FOAM, DRY CHEMCIAL, CO\*2. Fire Fighting Procedures:W EAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT. KEEP FIRE-EXPOSED CONTAINERS COOL W/WATER SPRAY. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER. Spill Release Procedures: SWEEP UP LOOSE MATERIAL & PLACE IN APPROPRIATE DISPOSAL CONTAINERS. IF MOLTEN, DIKE UP SPILLS W/INERT MATERIAL. ONCE SOLID IT CAN BE RECOVERED. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. ==========================H Handling and Storage Precautions: STORE IN COOL, DRY PLACE AWAY FROM EXTREME HEAT. Other Precautions:NONE KNOWN. Respiratory Protection: RESPIRATOR USE NOT EXPECTED TO BE NECESSARY UNDER NORMAL CONDITIONS. USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN. Ventilation:SUFFICIENT TO MAINTAIN AMBIENT CONCENTRATIONS BELOW NUISANCE LEVELS. Protective G

Spec Gravity:0.85 Solubility in Water:INSOLUBLE Appearance and Odor:BROWN SOLID, PETROLEUM ODOR. Percent Volatiles by Volume:0

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:NONE KNOWN. Hazardous Decomposition Products:CARBON MONOXIDE.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS FOR ALIPHATIC HYDROCARBON WAX.

Disclaimer (provided with this in

formation by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.