

CROSSFIELD PRODUCTS CORP -- DEX-O-TEX QUICK SET PASTE -- 5610-00-618-0258

=====
Product Identification
=====

Product ID:DEX-O-TEX QUICK SET PASTE

MSDS Date:01/01/1992

FSC:5610

NIIN:00-618-0258

MSDS Number: BXXKL

=== Responsible Party ===

Company Name:CROSSFIELD PRODUCTS CORP

Address:140 VALLEY RD

City:ROSELLE PARK

State:NJ

ZIP:07204-1402

Country:US

Info Phone Num:310-886-9100

Emergency Phone Num:

310-886-9100

CAGE:60782

=== Contractor Identification ===

Company Name:CROSSFIELD PROD CORP

CAGE:8A302

Company Name:CROSSFIELD PRODUCTS CORP.

Address:3000 EAST HARCOURT ST.

Box:City:COMPTON

State:CA

ZIP:90221

Country:US

Phone:310-886-9100

CAGE:60782

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS

OSHA PEL:N/K

ACGIH TLV:N/K

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUF

ACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:MAY CAUSE EYE AND SKIN IRRITATION.

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHAL:MOVE SUBJECT TO FRESH AIR. EYES:FLUSH WITH WATER FOR @

LEAST 15 MINUTES & CALL PHYS. SKIN:WASH AFFECTED AREAS WITH SOAP AND WATER - REMOVE CONTAMINATED CLOTHING. INGEST:INDUCE VOMITING AND CALL PHYS AT ONCE.

===== Fire Fighting Measures =====

Flash Point:212F,100C

Extinguishing Media:WATER/CO*2/DRY CHEMICAL.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE KNOWN.

===== Accidental Release Measures =====

Spill Release Procedures:CLEAN UP WITH WATER AND ALLOW TO DRY. SODIUM/CALCIUM CHLORIDE CAN BE SPRINKLED ON SPILL WHICH WILL COAGULATE LATEX, THEN FLUSH WITH WATER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:PROTECTIVE GLOVES AND GOGGLES SHOULD BE WORN - AVOID BREATHING SPRAY MISTS OR HEATED VAPORS.

Other Precautions:KEEP PRODUCT FROM FREEZING TO AVOID COAGULATION.

=====

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED OF GOOD VENTILATION IS MAINTAINED - IF NOT, USE NIOSH/MSHA APPROVED RESPIRATOR.

Ventilation:LOCAL & MECHANICAL EXHAUST.

Protective Gloves:CHEMICAL RESISTANT/RUBBER.

Eye Protection:ANSI APPRVD CHEM WORKERS GOGGLES .

Other Protective Equipment:ANSI APPRVD EMERGENCY EYE WASH & DELUGE SHOWER .

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

SPEC GRAV:1.01-1.

02 (H*20=1).

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F,100C
Vapor Pres:AS WATER
Vapor Density:AS WATER
Spec Gravity:SUPP DATA
Evaporation Rate & Reference:AS WATER
Solubility in Water:DISPERSIBLE
Appearance and Odor:MILKY WHITE LIQUID EMULSION-WITH SLIGHT STYRENE
ODOR.
Percent Volatiles by Volume:70

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NOT APPLICABLE.
Stability Condition to Avoid:NON-REACTIVE, MAY COAGULATE IF FROZEN AT
32F.
Hazardous Decomposition Products:NOT APPLICABLE.

===== Disposal Considerations =====

Waste Disposal Methods:MAY BE INCINERATED OR DISPOSED OF IN SANITARY
LANDFILL IN ACCORDANCE WITH PROCEDURES USED WITH LATEX PRODUCTS AND
WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.