View NSN Online: https://aerobasegroup.com/nsn/6505-01-153-4373

WYETH-AYERST LABORATORIES -- WALPB046 PENTOBARBITAL SODIUM INJECTION 6505-01-153-4373

Product ID:WALPB046 PENTOBARBITAL SODIUM INJECTION MSDS Date:11/16/1992 FSC:6505 NIIN:01-153-4373 MSDS Number: BXXPF === Responsible Party === Company Name:WYETH-AYERST LABORATORIES Box:8299 City:PHILADELPHIA State:PA ZIP:19101-5000 Country:US Info Phone Num:610-902-5171/215 -688-4400 Emergency Phone Num:610-902-5171/215-688-4400 CAGE:0HMG4 === Contractor Identification === Company Name:WYETH-AYERST LABORATORIES Box:City:PHILADELPHIA State:PA ZIP:19101-5000 Country:US Phone:610-902-5171 CAGE:0HMG4

Ingred Name:PHENOBARBITAL SODIUM (IARC CANCER REVIEW ANIMAL SUFFICIENT EVIDENCE) CAS:57-30-7 RTECS #:CQ7000000 Fraction by Wt: 6%

Ingred Name:ETHANOL (ETHYL ALCOHOL), TECSOL, ALCOHOL, SYNASOL CAS:

64-17-5 RTECS #:KQ6300000 Fraction by Wt: >1% Other REC Limits:1900 MG/CUM OSHA PEL:1000 PPM ACGIH TLV:1000 PPM

Ingred Name:1,2-PROPANEDIOL (PROPYLENE GLYCOL) CAS:57-55-6 RTECS #:TY2000000 Fraction by Wt: >1%

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: >1%

LD50 LC50 Mixture:ORAL LD50 (RAT): 118 MG/KG Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA :NO

Health Hazards Acute and Chronic:INGESTION: NARCOTIC/GI TRACT HEMORRHAGE/CNS DEPRESSION/ANESTHESIA/POSITIVE BABINSKI RESPONSE/PERSISTENT RESPIRATORY DEPRESSION/CHEYNE-STOKES RESPIRATION/TACHYCARDIA/CESSATION OF BRAIN ACTIVITY/DEATH/R ESPIRATORY ARREST/CIRCULATORY SHOCK/MICROSCOPIC NECROSIS OF SWEAT GLANDS/PULMONARY EDEMA/CARDIAC ARRHYTHMIAS (SEE SUPP)

Explanation of Carcinogenicity:NONE

Effects of

Overexposure:NAUSEA/VOMITING/CONSTIPATION/DIARRHEA/DEHYDRATION/EPIG

ASTRIC

PAIN/DROWSINESS/ATAXIA/VERTIGO/LETHARGY/HYPNOSIS/DYSARTHRIA/STUPOR/ COMA/LARYNGOSPASM/BRONCHOSPASM/HYPOREFLEXIA/AREFLEXIA/CONSTRICTION OF PU PILS/PARALYTIC

DILATION/APNEA/ACIDOSIS/BRADYCARDIA/SHOCK/HYPOTENSION/HYPOXIA/CYANO SIS/HYPOTHERMIA/HYPOTONIA/PNEUMONIA.

Medical Cond Aggravated by Exposure:IMPAIRED LIVER-RENAL FUNCTION/MANIFEST-LATENT PORPHYRIA/PULMONARY DISORDERS/CARDIAC DISEASE/HYPERTHYROIDISM/DIABETES MELLITUS/SEVERE ANEMIA/FEVER/DRUG ABUSE/ACUTE- CHRONIC PAIN/EMOTIONAL INSTABILITY.

First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE CPR IF NEEDED. KEEP WARM & QUIET. SKIN: WASH W/SOAP/MILD DETERGENT & WATER FOR 15-20 MINS. EYES: FLUSH W/WATER/NORMAL SALINE FOR 15-20 MINS. INGESTION: IF VOMITIN G OCCURS, KEEP HEAD LOWER THAN HIPS TO PREVENT ASPIRATION. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Extinguishing Media:DRY CHEMICAL, CO2, WATER SPRAY, ALCOHOL-RESISTANT FOAM. LARGE: WATER SPRAY, FOG, ALCOHOL-RESISTANT FOAM. Fire Fighting Procedures:SAFELY REMOVE CONTAINER. COOL CONTAINERS W/WATER FROM SIDES. EXTINGUISH ONLY IF FLOW CAN BE STOPPED. USE WATER IN FLOODING AMOUNTS AS FOG. KEEP UPWIND. (SUPP) Unusual Fire/Explosion Hazard:VAPORS ARE >AIR, MAY TRAVEL TO DISTANT IGNITION SOURCE & FLASH BACK. VAPOR-AIR MIXTURES ARE EXPLOSIVE. DANGEROUS FIRE HAZARD WHEN EXPOSED TO HEAT/FLAME.

Spill Release Procedures: REMOVE IGNITION SOURCES. SAFELY STOP LEAK. USE WATER SPRAY TO REDUCE VAPORS. SMALL: TAKE UP W/SAND/OTHER ABSORBENT MATERIAL & PLACE INTO CONTAINERS FOR LATER DISPOSAL. LARGE: DIKE FOR LATER DISPOSAL. EVACUATE & ISOLATE AREA.

Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLE SUBSTANCES & IGN
ITION SOURCES. STORED CONTAINERS SHOULD MEET BONDING & GROUNDING GUIDELINES SPECIFIED IN NFPA 77-1983.
Other Precautions:VAPORS MAY BE EXPLOSIVE & POISONOUS. DON'T ALLOW UNNECESSARY PERSONNEL IN AREA. DON'T OVERHEAT CONTAINERS BECAUSE THEY MAY VIOLENTLY RUPTURE & TRAVEL A CONSIDERABLE DISTANCE IN HEAT OF FIRE. AVOID REP EATED/PROLONGED CONTACT W/SUBSTANCE.

Respiratory Protection:WEAR A NIOSH/MSHA APPROVED RESPI

RATOR BASED ON CONTAMINATION LEVELS FOUND IN WORK PLACE, BASED ON SPECIFIC **OPERATION & MUST NOT EXCEED WORKING LIMITS OF RESPIRATOR.** Ventilation: LOCAL EXHAUST &/GENERAL DILUTION TO MEET PUBLISHED EXPOSURE LIMITS. Protective Gloves:RECOMMENDED Eye Protection: SPLASH-PROOF SAFETY GLASSES Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING & SHOES BEFORE REUSE. Supplemental Safety and Health SPECIAL FIRE CONT'D: MASSIVE IN CARGO AREA-USE UNMANNED HOSE HOLDER/MONITOR NOZZ LES. IF IMPOSSIBLE, W/DRAW & LET BURN. HEALTH HAZARDS CONT'D: CONGESTIVE HEART & RENAL FAILURE/SPONTANEOUS ABORTION/HYPE RSENSITIVITY REACTION/DEPENDENCE/W/DRAWAL/NEONATAL W/DRAWAL/READILY CROSSES PLACENTAL BARRIER/DEATH RESULTS IN NEWBORN. Solubility in Water:COMPLETE Appearance and Odor: CLEAR SOLUTION Stability Indicator/Materials to Avoid :YES ACIDS, BASES, OXIDIZERS. Stability Condition to Avoid: HEAT, SPARKS, FLAMES/OTHER IGNITION SOURCES. Hazardous Decomposition Products: TOXIC &/HARZARDOUS GASES. Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL **REGULATIONS.**

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America

in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.