

OCTAGON PROCESS INC. -- VV-P-216C TYPE I AND CID A-A-50493, TYPE I -- 9150-00-261-7899
===== Product Identification =====

Product ID:VV-P-216C TYPE I AND CID A-A-50493, TYPE I

MSDS Date:01/23/1992

FSC:9150

NIIN:00-261-7899

MSDS Number: BXYSG

=== Responsible Party ===

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Info Phone Num:201-313-1187

E

mergency Phone Num:201-945-9400/800-424-9300(CHEMTREC)

Preparer's Name:J.J. BURGARD

CAGE:82925

=== Contractor Identification ===

Company Name:AMERICAN INK AND OIL CORP

Address:33 ENDICOTT STREET

Box:City:NORWOOD

State:MA

ZIP:02062-3006

Country:US

Phone:781-762-0026 / FAX: 781-762-1617

CAGE:82956

Company Name:OCTAGON PROCESS INC.

Address:596 RIVER ROAD

Box:City:EDGEWATER

State:NJ

ZIP:07020

Country:US

Phone:201-945-9400

CAGE:82925

===== Composition/Information on Ingredients =====

==

Ingred Name:NON-HAZARDOUS INGREDIENTS

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NOT EXPECTED TO CAUSE ADVERSE HEALTH EFFECTS WHEN IN NORMAL USE.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT

CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSIST, GET MEDICAL ATTENTION.

INH ALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. IF OCCURS, KEEP HEAD BELOW HIPS. GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:150F,66C

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:USE DRY CHEMICAL, FOAM OR CARBON DIOXIDE. WATER MAY BE INEFFECTIVE UNLESS APPLIED BY EXPERIENCED FIRE-FIGHTERS.

Fire Fighting Procedures:KEEP

P FIRE EXPOSED CONTAINERS COOL WITH WATER

FOG. WEAR FULL TURNOUT GEAR AND SCBA - AS RECOMMENDED BY NFPA.

Unusual Fire/Explosion Hazard:INCOMPLETE COMBUSTION MAY GENERATE CARBON MONOXIDE, CARBON DIOXIDE AND OTHER TOXIC COMPOUNDS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE ALL UNPROTECTED PERSONNEL. EXTINGUISH ALL FLAMES IN THE VICINITY. CONTAIN SPILL AND SOAK UP ON INERT ABSORBENT MATERIAL. PLACE IN APPROPRIATE CONTAINER

S AND AFFIX

PROPER LABELS FOR DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HEAT. KEEP AWAY FROM CHILDREN.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED UNDER NORMAL CIRCUMSTANCES.

Ventilation:RECOMMENDED.

Protective Gloves:RECOMMENDED.

Eye

Protection:SAFETY GLASSES

Other Protective Equipment:CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

=====
===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:338F,170C

Melt/Freeze Pt:M

.P/F.P Text:NOT GIVEN

Vapor Pres:1 MMHG

Vapor Density:NOT GIVEN

Spec Gravity:0.81

Evaporation Rate & Reference:0.001 (N-BUTYL ACETATE=1)

Solubility in Water:NEGLIGIBLE

Appearance and Odor:PALE YELLOW LIQUID, PETROLEUM-LIKE ODOR.

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:OPEN FLAMES, HIGH HEAT, SPARKS AND ARC WELDING.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBO

N DIOXIDE, OTHER
TOXINS

===== Disposal Considerations =====

Waste Disposal Methods: PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.