EAST PENN MANUFACTURING CO INC -- HYSTER PART NUMBER 116103 -- 6160-01-091-5392

Product ID: HYSTER PART NUMBER 116103 MSDS Date:11/14/1984 FSC:6160 NIIN:01-091-5392 MSDS Number: BXYTG === Responsible Party === Company Name: EAST PENN MANUFACTURING CO INC Address:DEKA RD **City:LYON STATION** State:PA ZIP:19536 Country:US Info Phone Num:215-682-6361 **Emergency Phone Num** :800-424-9300 (CHEMTREC) CAGE:DO231 === Contractor Identification === Company Name: EAST PENN MANUFACTURING CO., INC. Address: DEKA ROAD **City:LYON STATION** State:PA ZIP:19536 Phone:215-682-6361/800-424-9300(CHEMTREC) CAGE:DO231 Company Name: EAST PENN MFG CO INC Address:DEKA RD Box:City:LYON STATION State:PA ZIP:19536 Country:US Phone:610-682-6361 CAGE:04055 Company Name: HYSTER CO., CORP MFG FACILITY Address:2120 NW 27TH AVE. Box:2902 City:PORTLAND State:OR ZIP:97208-2902 Country:US Phone:503-721-60

00 CAGE:30076

Ingred Name:SULFURIC ACID (SARA III) CAS:7664-93-9 RTECS #:WS5600000 Fraction by Wt: 30% OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3; 9192 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

LD50 LC50 Mixture:TLV: 1 MG/M3
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chroni
c:SULFURIC ACID MAY CAUSE IRRITATION OF
EYES, NOSE & THROAT. BREATHING OF MIST PRODUCED RESPIRATORY
DIFFICULTY.
Explanation of Carcinogenicity:NOT CARCINOGENIC.
Effects of Overexposure:CONTACT WITH EYES AND SKIN CAUSE IRRITATION AND SKIN BURNS.
Medical Cond Aggravated by Exposure:PULMONARY EDEMA, BRONCHITIS, EMPHYSEMA, DENTAL EROSION AND TRACHEOBRONCHITIS.

First Aid:1) FLUSH CONTACTED AREA WITH LARGE AMOUNTS O F WATER FOR AT

LEAST 15 MIN, REMOVE CONTAMINATED CLOTHING AND OBTAIN MEDICAL ATTENTION. 2) IF SWALLOWED, GIVE LARGE VOLUMES OF WATER. DO NOT INDUCE VOMITING, OBTAIN MEDICAL TREATMENT. 3) EYEWASH AND SHOWER STATION SHOULD BE AVAILABLE.

Flash Point:NON-FLAMMABLE

Fire Fighting Procedures:SULFURIC ACID WILL NOT BURN BUT IS CAPABLE OF IGNIT FINELY DIVIDED COMBUST MATL ON CONTACT. COMBUST MAY BE SMOTHERED B

Y DRY CHEM EXTINGUISHING MEDIA. (SUP DATA)

Spill Release Procedures:DILUTE SPILL CAUTIOUSLY WITH FIVE TO SIX VOLUMES OF WATER & GRADUALLY NEUTRALIZE WITH SODIUM BICARBONATE, SODA ASH OR LIME. WHEN EXPOSURE LEVEL IS NOT KNOWN, WEAR NIOSH APPROVED POSITIVE PRESSURE SELF -CONTAINED RESPIRATOR. Neutralizing Agent:SODIUM BICARBONATE, SODA ASH OR LIME.

Handling and Storage Precautions:STORE AWAY FROM REACTIVE MATERIAL. Other Precautions:SODA ASH, SAND OR LIME SHOULD BE KEPT IN SAME GENRAL AREA FOR EMERGENCY USE.

======= Exposure Controls/Personal Protection ==========

Ventilation:ADEQUATE VENTILATION. Protective Gloves:ACID RESISTANT GLOVES. Eye Protection:CHEMICAL GOGGLES OR FACE SHIELD. Other Protective Equipment:ACID-RESISTANT APRONS, BOOTS & PROTECTIVE CLOTHING. Work Hygienic Practices:GOOD PERSONAL HYGIENE AND WORK P RACTICES ARE MANDATORY. Supplemental Safety and Health NONE

HCC:C1 Boiling Pt:=112.8C, 235.F Vapor Pres:13 Spec Gravity:1.265 Evaporation Rate & amp; Reference: