

PRODUCTS RESEARCH & CHEMICAL CORPORATION -- PR1826 B-2, ACCELERATOR --  
8030-01-290-5139

===== Product Identification =====

Product ID:PR1826 B-2, ACCELERATOR

MSDS Date:10/21/1993

FSC:8030

NIIN:01-290-5139

Kit Part:Y

MSDS Number: BXYTR

=== Responsible Party ===

Company Name:PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:818-240-2060

CAGE:DO563

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

Company Name:PRODUCTS RESEARCH & CHEMICAL

Address:NOW DBA COURTAULDS AEROSPACE

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Phone:818-240-2060

CAGE:DO563

===== Composition/Information on Ingredients =====

=====

Ingred Name:EPOXY NOVOLAC RESIN (EPOXY RESIN)

CAS:28064-14-4

Fraction by Wt: 20%

Other REC Limits:NONE SPECIFIED

Ingred Name:5-ETHYL-1,3-DIGLYCIDYL-5-METHYL HYDANTOIN (EPOXY RESIN)

CAS:15336-82-0

RTECS #:MT1919100

Fraction by Wt: 35%

Other REC Limits:NONE SPECIFIED

Ingred Name:TRIMETHOXY, 1-2-PROPOXY-SILANE (EPOXY SILANE)

CAS:2530-83-8

RTECS #:VV4025000

Fraction by Wt: 5%

Other REC Limits:NONE SPECIFIED

Ingred Name:CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000

Fraction by Wt: 5%

Other

REC Limits:NONE SPECIFIED

OSHA PEL:3.5 MG/M3

ACGIH TLV:3.5 MG/M3

Ingred Name:CALCIUM CARBONATE

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 35%

Other REC Limits:NONE SPECIFIED

OSHA PEL:15 MG/M3

ACGIH TLV:10 MG/M3

===== Fire Fighting Measures =====

Flash Point:>200F,>93C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY.

Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR.

Unusual Fire/Explosion Hazard:NONE KNOWN.

===== Exposur

e Controls/Personal Protection =====

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:1.451

Appearance and Odor:BLACK PASTE

Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG AMINES.

Stability Condition to Avoid:NOT KNONW.

Disclaimer (provided with this information by the compiling agencies):

This information is f

ormulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.