View NSN Online: https://aerobasegroup.com/nsn/7930-00-963-4068

DRACKETT PRODUCTS CO -- VINEGAR WINDEX GLASS CLEANER (GREEN) - RETAIL 7930-00-963-4068

Product ID: VINEGAR WINDEX GLASS CLEANER (GREEN) - RETAIL

MSDS Date:10/03/1988

FSC:7930

NIIN:00-963-4068

MSDS Number: BXYWV === Responsible Party ===

Company Name: DRACKETT PRODUCTS CO

Address:5020 SPRING GROVE AVE

City:CINCINNATI

State:OH

ZIP:45232-1988

Country:US Info Phone

Num:513-632-1500

Emergency Phone Num:513-632-1500

CAGE:DRACK

=== Contractor Identification === Company Name:DRACKETT CO Address:5020 SPRING GROVE AVE

Box:City:CINCINNATI

State:OH

ZIP:45232-1926

Country:US

Phone:513-632-7409

CAGE:85234

Company Name: DRACKETT PRODUCTS CO

Address:5020 SPRING GROVE AVE

City:CINCINNATI

State:OH

ZIP:45232-1988 Country:US

Phone:513-632-1500

CAGE:DRACK

======= Composition/Information on Ingredients ========

Ingred Name: ETHANOL, 2-BUTOXY-; (2-BUTOXYETHANOL

) CAS:111-76-2 RTECS #:KJ8575000 Fraction by Wt: 10% OSHA PEL:S, 50 PPM ACGIH TLV:S, 25 PPM; 9293
=========== Hazards Identification =============
LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NOT APPLICABLE. Effects of Overexposure:EYE CONTACT - SENSATION OF IRRITATION. Medical Cond Aggravated by Exposure:NONE KNOWN.
======================================
First Aid:EYE AND SKIN: FLUSH EYES OR SKIN WITH WATER. IF INGESTED: DRINK MILK OR WATER FREELY.
======================================
Flash Point Method:SCC Flash Point:>212F,>100C Extinguishing Media:USE WATER, DRY ALCOHOL-TYPE OR ALL PURPOSE FOAM, DRY CHEMICAL, CARBON DIOXIDE OR OTHER CLASS B EXTINGUISHING AGENTS. Fire Fighting Procedures:FULL PROTECTIVE EQUIPMENT, INCLUDING PRESSURE DEMAND SEL F-CONTAINED BREATHING APPARATUS & TURNOUT EQUIPMENT SHOULD BE WORN BY FIREFIGHTERS & OTHER EXPOSED. Unusual Fire/Explosion Hazard:NOT APPLICABLE.
========= Accidental Release Measures ==========
Spill Release Procedures:IN CASE OF SPILL OR LEAK, FLUSH AREA WITH WATER. KEEP OUT OF WATERSHEDS & WATER SYSTEMS. Neutralizing Agent:NONE.
======================================
Handling and Storage Precautions:NOT APPLICABLE. Other Precautions:

UNPLUG ELECTRICAL APPLIANCES BEFORE USING PRODUCT ON THEM.
====== Exposure Controls/Personal Protection ========
Supplemental Safety and Health ITEM IS WINDEX.
======== Physical/Chemical Properties =========
HCC:N1 Boiling Pt:B.P. Text:212F,100C Vapor Pres:17.3 Vapor Density:1.2 Spec Gravity:0.99 (H2O=1) pH:4 Evaporation Rate & Description (BUTYL ACETATE=1) Solubility in Water:100 Appearance and Odor:CLEAR GREEN LIQUID W/A "GREEN APPLE" ODOR.
=== ========= Stability and Reactivity Data ===========
Stability Indicator/Materials to Avoid:YES NOT APPLICABLE. Stability Condition to Avoid:NOT APPLICABLE. Hazardous Decomposition Products:NOT APPLICABLE.
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSE ONLY IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE & LOCAL LAWS & REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is form ulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.