

FINE ORGANICS CORP -- M-1000-66,MEGAPOWER EXTERIOR AIRCRAFT CLEANER --
6850-01-237-8004

=====
===== Product Identification =====

Product ID:M-1000-66,MEGAPOWER EXTERIOR AIRCRAFT CLEANER

MSDS Date:02/07/1992

FSC:6850

NIIN:01-237-8004

MSDS Number: BXZHN

=== Responsible Party ===

Company Name:FINE ORGANICS CORP

Address:205 MAIN ST

Box:687

City:LODI

State:NJ

ZIP:07644-0687

Country:US

Info Phone Num:201-472

-6800

Emergency Phone Num:800-526-7480,800-424-9300(CHEMTREC)

Preparer's Name:I.J.GREENBERG

CAGE:05867

=== Contractor Identification ===

Company Name:FINE ORGANICS CORP

Address:420 KULLER RD

Box:2277

City:CLIFTON

State:NJ

ZIP:07015

Country:US

Phone:973-478 1000

CAGE:05867

=====
===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM DISTILLATE

CAS:64742-94-5

RTECS #:WF3100000

Fraction by Wt: 8.0%

Other REC Limits:100 PPM (MFR)

Ingred Name:HEXYLENE GLYCOL

CAS:107-4

1-5
RTECS #:SA0810000
Fraction by Wt: 8.0%
Other REC Limits:25 PPM
OSHA PEL:C 25 PPM
ACGIH TLV:C 25 PPM; 9495

Ingred Name:DIETHYLENE GLYCOL MONOBUTYL ETHER (SARA SEC 313).
CAS:112-34-5
RTECS #:KJ9100000
Fraction by Wt: 10%
Other REC Limits:NONE RECOMMENDED

Ingred Name:D-LIMONENE
CAS:5989-27-5
RTECS #:GW6360000
Fraction by Wt: 2.0%
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of
Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: EYES: CONTACT WILL CAUSE BURNS,
IRRITATION. SKIN: REPEATED CONTACT MAY CAUSE DRYNESS, IRRITATION.
INHALATION: OVEREXPOSURE OF HIGH VAPOR CONCENTRATIONS MAY CAUSE
HEADACHES, RESPIRATORY TRACT IRRITATION. INGESTION: NOT A LIKELY
SOURCE OF EXPOSURE. CHRONIC: NONE WITH NORMAL INDUSTRIAL USE.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:
EYES: BURNS, IRRITATION. SKIN: DRYNESS,
IRRITATION. INHALATION: HEADACHES, IRRITATION. INGESTION: NOT A
LIKELY SOURCE OF EXPOSURE.
Medical Cond Aggravated by Exposure:NONE CURRENTLY KNOWN.

=====
===== First Aid Measures =====
=====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER WITHIN ONE MINUTE OF
CONTACT. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN:
REMOVE CONTAMINATED CLOTHING. WASH AREA WITH WATER. INHALATION: IF
OVERCOME, MOVE TO

O FRESH AIR. RESTORE NORMAL BREATHING AS NECESSARY. GET MEDICAL ATTENTION IF NEEDED. INGESTION: DO NOT INDUCE VOMITING. GIVE WATER. GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:148F,64C
Lower Limits:0.7%
Upper Limits:6.1%
Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL.
Fire Fighting Procedures:USE SCBA IF PRODUCT IS PRESENT DURING FIRE.
Unusual Fire/Explosion Hazard:FIRE HAZARD IF EXPOSED TO HEAT OR FLAMES.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNITION SOURCES. ADD SAND, EARTH OR OTHER SUITABLE ABSORBENT TO SPILL AREA. SWEEP UP ABSORBENT AND FOLLOW WASTE DISPOSAL METHODS BELOW.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:USE STANDARD INDUSTRIAL WORK AND HYGINE PRACTICES. OBSERVE ALL LABELED HAZARD PRECAUTIONS.
Other Precautions:EMPTY CONTAINERS MAY RETAIN PRODUCT RESIDUES (VAPORS OR LIQUIDS). DO NOT CUT OR WELD ON OR NEAR CONTAINER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WITH NORMAL USE.
Ventilation:MECHANICAL (GENERAL) SHOULD BE SUFFICIENT TO REDUCE THE LEVELS BELOW THE TLV OF THE PRODUCT.
Protective Gloves:NEOPRENE GLOVES RECOMMENDED.
Eye Protection:WEAR SAFETY GOGGLES.
Other Protective Equipment:RUBBER APRON OR PROTECTIVE CLOTHING RECOMMENDED.
Work Hygienic Practices:USE STANDARD INDUSTRIAL WORK AND HYGINE PRACTICES.
Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:V4
Boiling Pt:B.P. Text:212F,100C
Spec Gravity:1.002
pH:9-9.8
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR, GOLDEN COLORED LIQUID. MILD ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS,

OXIDIZERS (LIQUID CHLORINE).

Stability Condition to Avoid:AVOID STRONG ACIDS, OXIDIZERS (LIQUID CHLORINE).

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS. DISPOSAL RECOMMENDATIONS APPLY TO ORIGINAL MATERIAL AND ITS CONTAINER; NOT ANY MATERIALS WHICH ARE A WASTE BY-PRODUCT OF THE USERS' OPERATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.