

CANON INC, TOKYO, JAPAN -- EP-N, EP-NII CARTRIDGE BLACK (SUPPLEMENTAL FO

=====
MSDS Safety Information
=====

FSC: 6850

NIIN: 01-387-8378

MSDS Date: 10/01/1994

MSDS Num: BYCFH

Product ID: EP-N, EP-NII CARTRIDGE BLACK (SUPPLEMENTAL FOR ITEM #)

MFN: 01

Responsible Party

Cage: EO274

Name: CANON INC, TOKYO, JAPAN

Address: 30-2 SHI

MOMARUKO 3-CHOME, OHTA-KU

City: TOKYO, JAPAN NK 00000

Info Phone Number: 03-3758-2111

Emergency Phone Number: 716-722-5151

Proprietary Ind: Y

Review Ind: Y

Published: Y

=====
Preparer Co. when other than Responsible Party Co.
=====

Cage: EO274

Assigned Ind: Y

Name: CANON INC

Address: 30-2 SHIMOMARUKO 3-CHOME, OHTA-KU

City: TOKYO NK 00000

=====
Con

tractor Summary
=====

Cage: EO274

Name: CANON INC

Address: 30-2 SHIMOMARUKO 3-CHOME, OHTA-KU

City: TOKYO NK 00000

Country: JA

Phone: 03-3758-2111/ 516-328-5600(USA)

Cage: 1BS40

Name: HITACHI, LTD

Address: 1-1, HIGASHITAGA-CHO 1-CHOME

City: HITACHI-SHI,IBARAKI-KEN, 316 NK 00000

Country: JA

Phone: 205-633-4300

Cage: 0YL79

Name: TONER ETC

Address: 124 HERITAGE AVE

City: PORTSMOUTH NH 03801

Phone: 800-370-8663 603-431-3624
=====

=====

Item Description Information

=====

Item Manager: S9G
Item Name: TONER,DIRECT ELECTROSTATIC PROCESS
Specification Number: UNKNOWN
Unit of Issue: EA
UI Container Qty: 0
Type of Container: UNKNOWN

=====

Ingredients

=====

Name: *** PROPRIETARY ***

=====

=====

Health Hazards Data

=====

=====

Handling and Disposal

=====

=====

Fire and Explosion Hazard Information

=====

Extinguishing Media: NON-FLAMM SOLID (ACCORDING TO TEST METHOD 16 CFR 1500.44).
WATER SPRAY, CARBON DIOXIDE (CO2), DRY CHEM
ICAL.

Fire Fighting Procedures: NONE.

Unusual Fire/Explosion Hazard: TONER MATL, LIKE MOST ORGANIC MATL IN POWDER
FORM, IS CAPABLE OF CREATING DUST EXPLOSION.

=====

Control Measures

=====

=====

Physical/Chemical Properties

=====

HCC: N1

M.P/F.P Text: 212F,100C

Spec Gravity: 1.4-1.6

Solubility in

Water: NEGLIGIBLE.

Appearance and Odor: FINE POWDER, BLACK, TYPICAL PLASTIC ODOR.

Percent Volatiles by Volume: NEGLIG

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: DUST GENERATION/ACCUMULATION.

Materials To Avoid: STRONG OXIDIZING AGENTS.

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Transportation Information
=====

Responsible Party Code: EO274

Trans ID NO: 132804

Product ID: EP-N, EP-NII CARTRIDGE BLACK (SUPPLEMENTAL FOR ITEM #)

MSDS Prepared Date: 10/01/1994

Review Date: 01/24/1996

MFN: 1

Net Unit Weight: 1 EACH

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: EA

Container QTY: 0

Type Of Container: UNKNOWN

N

Additional Data: PER MSDS:DTO SHIPPING NAME:MAGNETIZED MATL (10 OR MORE CARTRIDGES), HAZ CLASS 9, UN2807.

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail IMO Information
=====

IMO PSN Code: ZZZ

IMO Proper

Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF T
RANSPORTATION
=====

=====
HAZCOM Label
=====

Product ID: EP-N, EP-NII CARTRIDGE BLACK (SUPPLEMENTAL FOR ITEM #)

Cage: EO274

Assigned IND: Y

Company Name: CANON INC

Street: 30-2 SHIMOMARUKO 3-CHOME, OHTA-KU

City: TOKYO NK

Zipcode: 00000

Country: JA

Health Emergency Phone: 03-3753-2111/800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998

Orig

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.