

L AND R MFG CO -- WATCH RINSING SOLUTION,3

=====  
MSDS Safety Information  
=====

FSC: 6850  
NIIN: 00-270-9971  
MSDS Date: 02/04/1997  
MSDS Num: BYCLH  
Product ID: WATCH RINSING SOLUTION,3  
MFN: 02  
Responsible Party  
Cage: 17656  
Name: L AND R MFG CO  
Address: 577 ELM  
City: KEARNY NJ 07032-3604  
Info Phone N  
umber: 201-991-5330/FAX -5870  
Emergency Phone Number: 201-991-5330  
=====

=====  
Item Description Information  
=====

Item Manager: S9G  
Item Name: RINSING SOLUTION,WATCH  
Specification Number: NONE  
Type/Grade/Class: NONE  
Unit of Issue: GL  
UI Container Qty: 6  
Type of Container: PLASTIC BOTTL  
=====

=====  
Ingredients  
=====

=====  
Cas: 8052-41-3  
RTECS #: WJ8925000  
Name: STODDARD SOLVENT  
% low Wt: 70.  
% high Wt: 80.  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: 500 PPM  
ACGIH TLV: 100 PPM; 9596  
-----

Cas: 8032-32-4  
RTECS #: OI6180000  
Name: VM&P NAPHTHA (LIGROINE)  
% low Wt: 20.  
% high Wt: 30.  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: 300 PPM  
ACGIH TLV: 300 PPM; 9596  
-----

RTECS #: 9999999VC  
Name: VOLATILE ORGANIC CONTENT AS LISTED ON MSDS: 759.8 G/L OR 6.34 LBS/G

AL  
Other REC Limits: NONE RECOMMENDED  
OSHA PEL: NOT RELEVANT  
ACGIH TLV: NOT RELEVANT

=====  
Health Hazards Data  
=====

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE EYES: DIRECT CONTACT CAUSES IRRITATION, REDNESS AND POSSIBLE TEARING. ACUTE SKIN:PROLONGE D OR REPEATED CONTACT CAUSES REDNESS ABD DRYING OF

THE SKIN. ACUTE INHALATION:BREATHING HIGH CONCENTRATI ONS OF VAPORS MAY CAUSE IRRITATION TO THE NOSE AND DROWSINESS. ACUTE INGESTION:NOT KNOWN, BUT EXPECTED TO CAUSE NAUSEA AND DIARRHEA. CHRONIC EFFECTS:THIS PRODUCT DOES NOT CONTAIN ANY INGRESIENT DESIGN ATED BY IARC, NTP, ACGIH OR OSHA AS PROBABLE OR SUSPECTED HUMAN CARCINOGENS.

Explanation Of Carcinogenicity: THIS PRODUCT DOES NOT CONTAIN ANY INGREDIENT DESIGNED BY IARC, NTP, ACGIH OR OSHA AS POSSIBLE OR SUSPECTED HUMAN CARCINOGENS

Signs And Symptions Of Overexposure: ACUTE EYES: DIRECT CONTACT CAUSES IRRITATION, REDNESS AND POSSIBLE TEARING. ACUTE SKIN:PROLONGE D OR REPEATED CONTACT CAUSES REDNESS ABD DRYING OF THE SKIN. ACUTE INHALATION:BREATHING HIGH CONCENTRATI ONS OF VAPORS MAY CAUSE IRRITATION TO THE NOSE AND DROWSINESS. ACUTE INGESTION:NOT KNOWN, BUT EXPECTED TO CAUSE NAUSEA AND DIARRHEA.

Medical Cond Aggravated By Exposure: SKIN CONTACT MAY AGGREVATE EXISTING SKIN DISEASE.

First Aid: EYE EXPOSURE:HOLD

EYELIDS OPEN AND FLUSH WITH A STEADY, GENTLE

STREAM OF WATER FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION. SKIN:WASH THOROUGHLY WITH WATER. IF IRRITATION OR REDNESS DEVELOPS, SEEK MEDICAL ATTENTION. INHALATION:IF RESPIRATORY IRRITATION OR DISTREASS OCCURS, MOVE VICTIM TO FRESH AIR. SEEK MEDICAL ATTENTION IF RESPIRATORY IRRITATION OR DISTRESS CONTINUES. INGESTION:SEEK IMMEDIATE MEDICAL ATTENTION. DO NOT INDUCE VOMITING.

=====  
Hand

ling and Disposal

Spill Release Procedures: VENTILATE AREA OF SPILL, USE NON-REACTIVE MATERIAL TO PICK UP SPILL. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Waste Disposal Methods: THIS MATERIAL IS A FLAMMABLE LIQUID AND MUST BE DISPOSED OF IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS. IT CANNOT BE DISPOSED OF IN A SANITARY SEWER SYSTEM.

Handling And Storage Precautions: MINIMUM/MAXIMUM STORAGE TEMPERATURE: 39 TO 100 F. AVOID CONTACT WITH SKIN, EYES, OR CLOTHING.

Fire and Explosion Hazard Information

Flash Point Method: TCC

Flash Point: =30.C, 86.F

Flash Point Text: 86-88 F

Lower Limits: NO DATA

Upper Limits: NO DATA

Extinguishing Media: EXTINGUISH WITH DRY CHEMICAL, CARBON DIOXIDE (CO2), OR A BC/ABC EXTINGUISHER.

Fire Fighting Procedures: NONE KNOWN.

Unusual Fire/Explosion Hazard:

PRODUCT WILL BURN UNDER FIRE CONDITIONS. CLOSED CONTAINERS MAY EXPLODE DUE TO BUILDUP OF PRESSURE WHEN EXPOSED TO EXTREME HEAT. HAZARDOUS DECOMPOSITION MATERIALS:(UNDER FIRE CONDITIONS) OXIDES OF NITROGEN AND CARBON.

Control Measures

Respiratory Protection: FOR REASONABLE USES OF THIS MATERIAL, RESPIRATORY PROTECTION SHOULD NOT BE NECESSARY.

Ventilation: NORMAL ROOM VENTILATION.

Protective Gloves: RUBBER OR PLASTIC GLOVES

Eye Protection: SAFETY GLASSES WITH SIDE SHIELD/GOGGLES

Work Hygienic Practices: NORMAL HYGIENE IN THE WORK AREA SHOULD BE TAKEN WHEN WORKING WITH OR HANDLING THIS PRODUCT.

Supplemental Safety and Health: FORMULA CHANGED. FOR PREVIOUS FORMULATION, SEE MFN 1, SAME NSN & CAGE.

Physical/Chemical Properties

HCC: F3

Boil

ing Point: >100.C, 212.F

Vapor Pres: N/E

Vapor Density: N/E

Spec Gravity: 0.81

VOC Pounds/Gallon: 5.67

PH: N/E

Solubility in Water: NIL

Appearance and Odor: WATER WHITE; BLAND SOLVENT ODOR

Percent Volatiles by Volume: 100

=====  
Reactivity Data  
=====

Stability Indicator: YES

Stability Condition To Avoid: HEAT, OPEN FLAME.

Materials To Avoid: STRONG ACIDS

Hazardous Decomposition Products: OXIDES  
OR CARBON AND NITROGEN.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====  
Toxicological Information  
=====

Toxicological Information: ACUTE EYE IRRITATION: IRRITATING TO THE ETES. ACUTE  
SKIN IRRITATION: NO TRST DATA FOUND FOR THE PRODUVT. ACUTE DERMAL TOXICITY:  
NO TEST DATA FOUND FOR THE PRODUCT. ACUTE RESPIRATORY IRRITATION: NO TES T  
DATA FOUN

D FOR THE PRODUCTACUTE INHALATION TOXICITY: NO TEST DATA FOUND FOR  
THE PRODUCTACUTE ORAL TOXICITY: LD50 (RAT): >5 GM/KG FOR STODDARD SOLVENT.  
LD50 (RAT): >5 GM/KG FOR VM & P NAPHTHA. CHRONI C TOXICITY: THIS  
PRODUCT DOES NOT CONTAIN ANY SUBSTANCES THAT ARE CONSIDERED BY OSHA, NTP,  
IARC OR ACGIH TO BE A PROBABLE OR SUSPECTED HUMAN CARCINOGENS.

=====  
Ecological Information  
=====

Ecological: ECOTOXICOLOGICAL INFORMATION: NO DATA FOUND.

=====  
MSDS Transport Information  
=====

Transport Information: THIS PRODUCT IS CLASSIFIED AS A FLAMMABLE LIQUID FOR  
DOMESTIC SHIPMENTS PER 49 CFR. FOR DOMESTIC GROUND SHIPMENTS OF ANY CONTAINER  
OF 1 GALLON OR LESS,THIS MATERIAL IS LISTED AS ORM-D. FOR ALL OTHER C  
ONTAINERS: COMPOUNDS, CLEANING LIQUID (CONTAINS NAPHTHA PETROLEUM), 3, NA199

3,  
PACKING GROUP II.

=====  
Regulatory Information  
=====

Sara Title III Information: SARA TITLE III HAZARD CLASS: FIRE HAZARD: YES;  
REACTIVE HAZARD: NO; RELEASE OF PRESSURE. NO. CHRONIC HEALTH PROBLE: NO.  
Federal Regulatory Information: ALL COMPONENTS OF THIS PRODUCT ARE LISTED ON  
THE US TSCA CHEMICAL LISTINGS.

=====  
Other Information  
=====

Other Information: ALL COMPONENTS OF THIS PRODUCT ARE LISTED ON THE CANADIAN  
DSL, EINECS/ELINS CHEMICAL LISTINGS.

=====  
Transportation Information  
=====

Responsible Party Code: 17656  
Trans ID NO: 64563  
Product ID: WATCH RINSING SOLUTION,3  
MSDS Prepared Date: 02/04/1997  
Review Date: 02/24/2000  
MFN: 2  
Tech Entry NOS Shipping Nm: NAPHTHA, PETROLEU  
M  
Net Unit Weight: 6.723 LBS  
Limited Quantity IND: Y  
Multiple KIT Number: 0  
Review IND: Y  
Unit Of Issue: GL  
Container QTY: 6  
Type Of Container: PLASTIC BOTTL  
Additional Data: PROPER SHIPPING NAME, HAZARD CLASS PER CTFD. PER MSDS: FOR  
DOMESTIC GROUND SHIPMENTS OF ANY CONTAINER OF 1 GALLON OR LESS, THIS MATERIAL  
IS LISTED AS ORM-D. FOR ALL OTHER CONTAINERS: COMPOUNDS, CLEANING LIQUID  
(CONTAINS NAPHTHA, PETROLEUM), 3, NA1993, PG II.

=====  
Detail  
I DOT Information  
=====

DOT PSN Code: GJL  
Symbols: G  
DOT Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.  
Hazard Class: 3  
UN ID Num: UN1993  
DOT Packaging Group: III  
Label: FLAMMABLE LIQUID  
Special Provision: B1, B52, T7, T30  
Packaging Exception: 150  
Non Bulk Pack: 203  
Bulk Pack: 242  
Max Qty Pass: 60 L  
Max Qty Cargo: 220 L  
Vessel Stow Req: A

=====  
Detail IMO Information  
=====

=====

IMO PSN Code: HIA  
IMO Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. o  
IMDG Page Number: 3345  
UN Number: 1993  
UN Hazard Class: 3.3  
IMO Packaging Group: III  
Subsidiary Risk Label: -  
EMS Number: 3-07  
MED First Aid Guide NUM: T

=====

Detail IATA Information

=====

IATA PSN CA  
IATA UN ID Num: 1993  
IATA Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. \*  
IATA UN Class: 3  
IATA Lab  
el: FLAMMABLE LIQUID  
UN Packing Group: III  
Packing Note Passenger: 309  
Max Quant Pass: 60L  
Max Quant Cargo: 220L  
Packaging Note Cargo: 310

=====

Detail AFI Information

=====

AFI PSN CA  
AFI Symbols: \*  
AFI Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.  
AFI Hazard Class: 3  
AFI UN ID NUM: UN1993  
AFI Packing Group: III  
Special Provisions: P5  
Back Pack Reference: A7.3

=====

HAZCOM Label

=====

Product ID: WATCH RINSING SOLUTION,3  
Cage: 17656  
Company Name: L AND R MFG CO  
Street: 577 ELM  
City: KEARNY NJ  
Zipcode: 07032-3604  
Health Emergency Phone: 201-991-5330  
Label Required IND: Y  
Date Of Label Review: 02/24/2000  
Status Code: C  
Label Date: 11/04/1998  
Year Procured: 2000  
Origination Code: F  
Eye Protection IND: YES  
Skin Protection IND: YES  
Signal Word: DANGER  
Respiratory Protection IND: NO  
Health

Hazard: Slight  
Contact Hazard: Slight  
Fire Hazard: Severe  
Reactivity Hazard: None

=====  
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.