

NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC -- ACCENT HIGH SPEED MOP ON RESTORER #0530 -- 7930-01-381-3488

=====
Product Identification
=====

Product ID:ACCENT HIGH SPEED MOP ON RESTORER #0530

MSDS Date:03/17/1995

FSC:7930

NIIN:01-381-3488

MSDS Number: BYCVJ

=== Responsible Party ===

Company Name:NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH ST

City:PHILADELPHIA

Sta

te:PA

ZIP:19123-3803

Country:US

Info Phone Num:215-922-1200

Emergency Phone Num:215-922-1200

Preparer's Name:F.C.

CAGE:93607

=== Contractor Identification ===

Company Name:NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH ST

Box:City:PHILADELPHIA

State:PA

ZIP:19123-3803

Country:US

Phone:215-922-1200

CAGE:93607

=====
Composition/Information on Ingredients
=====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: PROP.

Other REC Limits:NONE REC

RECOMMENDED

Ingredient Name: ACRYLIC ACID POLYMER
Fraction by Wt: PROP.
Other REC Limits: NONE RECOMMENDED

Ingredient Name: 2-(2-METHOXYETHOXY)-ETHANOL
CAS: 111-77-3
RTECS #: KL6125000
Fraction by Wt: PROP.
Other REC Limits: NONE RECOMMENDED

Ingredient Name: 2-(2-BUTOXYETHOXY)-ETHANOL
CAS: 112-34-5
RTECS #: KJ9100000
Fraction by Wt: PROP.
Other REC Limits: NONE RECOMMENDED

Ingredient Name: TRIBUTOXYETHYLPHOSPHATE (LD50 ORAL=9.5 G/KG)
CAS: 78-51-3
RTECS #: KJ9800000
Fraction by Wt: PROP
Other REC Limits: NONE RECOMMENDED

=

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN/EYES: MAY IRRITATE. INGESTION:
MAY CAUSE SEVERE GASTRIC DISTRESS & BLOCKAGE.
Medical Cond Aggravated by Exposure:NONE

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER AT LEAST 15 MINUTES. GET MEDICAL AID.
SKIN: FLUSH THOROUGH
LY W/WATER. IF IRRITATION PERSISTS, GET MEDICAL
AID. INGESTION: INDUCE VOMITING. GIVE LARGE QUANTITIES WATER. GET
MEDICAL AID.

=====
===== Fire Fighting Measures =====

Flash Point Method:TOC
Flash Point:NONE TO BOILING
Lower Limits:NA
Upper Limits:NA
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:RECONTAINERIZE BY MOPPING, WET VACUUM OR
SUITABLE ABSORBENT. RINSE REMAINING

MATERIAL TO DRAINS. BE CAUTIOUS
OF SLIPPERY FLOORS.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE BETWEEN 40-140F.
Other Precautions:KEEP OUT OF REACH OF CHILDREN. FOR SALE TO, USE &
STORAGE BY SERVICE PERSONNEL ONLY.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT REQUIRED
Ventilation:LOCAL
Protective Gloves:NOT REQUIRED
Eye Protection:SAFETY GLASSES
Other Protective Equipmen
t:NONE
Supplemental Safety and Health
NK

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:212F,100C
Vapor Pres:=WATER
Vapor Density:=WATER
Spec Gravity:1.03
pH:9.4
Evaporation Rate & Reference:=WATER
Solubility in Water:DISPERSES
Appearance and Odor:CLEAR, COLORLESS LIQUID. ODOR IS CHARACTERISTICALLY
ACRYLIC.

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS & OXIDIZERS
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:CARBON OXIDES & ACRYLATES

=====
Disposal Considerations
=====

Waste Disposal Methods:IN ACCORDANCE W/FEDERAL, STATE, LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information

to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.