View NSN Online: https://aerobasegroup.com/nsn/7930-01-381-3498

NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC -- PURGE FLOOR FINISH

RELIQUIFIER #1055 -- 7930-01-381-3498

Product ID:PURGE FLOOR FINISH RELIQUIFIER #1055

MSDS Date:03/10/1995

FSC:7930

NIIN:01-381-3498

MSDS Number: BYCVL === Responsible Party ===

Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH ST City:PHILADELPHIA

State:PA

ZIP:19123-3803

Country:US

Info Phone Num:215-922-1200

Emergency Phone Num:215-922-1200

Preparer's Name:F.C.

CAGE:93607

=== Contractor Identification ===

Company Name: NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH ST Box:City:PHILADELPHIA

State:PA

ZIP:19123-3803 Country:US

Phone:215-922-1200

CAGE:93607

======= Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: PROP.

Other REC Limits: NONE RECOMMEND

ED

Ingred Name:2-AMINO ETHANOL

CAS:141-43-5

RTECS #:KJ5775000 Fraction by Wt: PROP.

Other REC Limits: NONE RECOMMENDED

OSHA PEL:3 PPM ACGIH TLV:3 PPM

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000 Fraction by Wt: PROP.

Other REC Limits: NONE RECOMMENDED

OSHA PEL:25 PPM ACGIH TLV:25 PPM

Ingred Name:XYLENESULFONIC ACID, SODIUM SALT

CAS:1300-72-7

ACGIH TLV:2 MG/M3 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS
======================================
Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Effects of Overexposure:CAUSES SKIN/EYE IRRITATION. HARMFUL IF SWALLOWED. MAY CAUSE SEVERE MUCOSAL DAMAGE & GASTRIC DISTRESS. MAY CAUSE SYSTEMIC INTOXICATION. Medical Cond Aggravated by Exposure:CAUSES SK IN IRRITATION AGGRAVATING DERMATITIS & INHALATION MAY IRRITATE EXISTING BRONCHIAL CONDITIONS.
======================================
First Aid:EYES: FLUSH W/WATER AT LEAST 15 MINUTES. GET MEDICAL AID. SKIN: FLUSH THOROUGHLY W/WATER. IF IRRITATION PERSISTS, GET MEDICAL AID. INGESTION: DO NOT INDUCE VOMITING. GIVE MILK, WHITE, GELATIN, OR IF N OT AVAILABLE GIVE LARGE QUANTITIES WATER. GET MEDICAL AID.
======================================
Flash Point Method:TOC Flash Point:NONE TO BOILING Lower Limits:NA Upper Limits:NA Unusual Fire/Explosion Hazard:NONE
========= Accidental Release Measures ===========
Spill Release Procedures:RECONTAINERIZE BY MOPPING, WET VACUUM OR SUITABLE ABSORBENT. RINSE REMAINING MATERIAL TO DRAINS. BE CAUTIOUS OF SLIPPERY FLOORS.
======================================
Handling and Storage Precautions:STORE BETWEEN 40-120F. Ot

her REC Limits:NONE RECOMMENDED

OSHA PEL:2 MG/M3

her Precautions: THOROUGHLY WASH ALL CONTAMINATED CLOTHING BEFORE REUSE. KEEP OUT OF REACH OF CHILDREN. FOR SALE TO, USE & STORAGE BY SERVICE PERSONNEL ONLY. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NOT REQUIRED Ventilation:LOCAL Protective Gloves: RUBBER OR LATEX Eye Protection: GOGGLES/SAFETY GLASSES W/SHIELDS. Other Protective Equipment: RUBBER BOOTS SHOULD BE WORN IF WORKING IN STANDING SOLUTIONS. Supplemental Safety and Health NK ======== Physical/Chemical Properties =========== Boiling Pt:B.P. Text:212F,100C Vapor Pres:=WATER Vapor Density:=WATER Spec Gravity:1.035 pH:13.6 Evaporation Rate & Evaporation R Solubility in Water: DISPERSES Appearance and Odor: CLEAR, THIN, BLUE LIQUID, SASSAFRAS SCENT ======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES STRONG ACIDS & OXIDIZERS Stability Condition to Avoid: NONE Hazardous Decomposition Produ cts: CARBON OXIDES & AMINES

======= Disposal Considerations ============

Waste Disposal Methods: IN ACCORDANCE W/FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any per

son utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.