

TEXACO REFINING AND MARKETING INC. -- 00731 MILITARY SYMBOL 2075 T-H -- 9150-00-985-7233

=====
Product Identification
=====

Product ID:00731 MILITARY SYMBOL 2075 T-H

MSDS Date:07/05/1995

FSC:9150

NIIN:00-985-7233

MSDS Number: BYFFZ

=== Responsible Party ===

Company Name:TEXACO REFINING AND MARKETING INC.

Address:1111 RUSK STREET

City:HOUSTON

State:TX

ZIP:77002-3310

Country:US

Info Phone Num:713-6

50-5206

Emergency Phone Num:713-650-5206, CHEMTREC 800-424-9300

CAGE:2R503

=== Contractor Identification ===

Company Name:TEXACO REFINING AND MARKETING INC

Address:1111 RUSK ST

Box:City:HOUSTON

State:TX

ZIP:77002-3310

Country:US

Phone:713-650-5206

CAGE:2R503

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL,HYDROTREATED (SEVERE), PETROLEUM DISTILLATE,
HEAVY PARAFFINIC

CAS:64742-54-7

RTECS #:PY8035501

Fraction by Wt: 85-99%

Other REC Limits:NONE RE

COMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALATION OF VERY HIGH

CONCENTRATIONS OF VAPORS/MISTS MAY CAUSE IRRITATION OF NOSE &

THROAT, CNS EFFECTS. CONTACT MAY CAUSE EYE IRRITATION. INGESTION OF

MORE THAN SEVERAL MOTHFULLS MAY CAUSE G I TRACT IRRITATION.

CHRONIC: PROLONGED OR REPEATED EXPOSURE M

AY CAUSE SKIN DRYING OR IRRITATION.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:INHALED-NOSE/THROAT IRRITATION, HEADACHE, NAUSEA, DROWSINESS. INGESTED-ABDOMINAL DISCOMFORT, NAUSEA, DIARRHEA. EYES-MILD IRRITATION, TEMPORARY DISCOMFORT. SKIN-REDNESS, DEFATTING, DISCOMFORT.

Medical Cond Aggravated by Exposure:EXISTING DERMATITIS.

=====
First Aid Measures

First Aid:EYES-FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. SKIN-WASH WITH MILD SOAP & WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALED-REMOVE TO FRESH AIR. GET MEDICAL ATTENTION IF BREATHING DIFFICULT. INGESTED-IF CONSCIOUS, GIVE 1-2 GLASSES OF WATER. GET MEDICAL ATTENTION.

=====
Fire Fighting Measures

Flash Point Method:COC

Flash Point:370F,188C

Extinguishi

ng Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL FIRE EXPOSED CONTAINERS WITH WATER.

Unusual Fire/Explosion Hazard:NONE.

=====
Accidental Release Measures

Spill Release Procedures:VENTILATE AREA. AVOID BRETAHING VAPOR. WEAR APPROPRIATE PERSONAL PROTECTIVE GEAR. CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL AND PLACE IN CLEAN CONTAINER

FOR LATER IDSPOSAL. KEE P OUT OF WATERWAYS, SEWERS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage

Handling and Storage Precautions:WATER CONTAIMINATION SHOULD BE AVOIDED. PERIODS OF EXPOSURE TO HIGH TEMPERATURES SHOULD BE MINIMIZED. MINIMUM HANDLING TEMPS SHOULD BE MAINTAINED.

Other Precautions:STORE IN A COOL, DRY, WELL-VENTILATED PLACE AWAY FROM SOURCES OF IGNITION AND STRONG OXIDIZING AGENTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR OR AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IN ACCORDANCE WITH 29 CFR 1910.134 AND MANUFACTURER'S RECOMMENDATIONS.

Ventilation: USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves: NITRILE.

Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER. DLA-HMIS: EYE WASH STATION & SAFETY SHOWER.

Work Hygienic Practices: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC: V6

Spec Gravity: 0.8065

Viscosity: 32 CST @ 0C

Appearance and Odor: LIGHT, PALE LIQUID; MILD ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
STRONG OXIDIZING AGENTS.

Stability Condition to Avoid: DLA-HMIS: AVOID CONTACT WITH STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products: CARBON MONOXIDE AND CARBON DIOXIDE, IRRITATING ALDEHYDES AND KETONES.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL ENVIRONMENTAL REGULATIONS. IF MORE THAN 5,230,452 GALLONS IS SPILLED, REPORT SPILL IAW SARA 304 AND/OR CERCLA 102(A) REQUIREMENTS UNLESS IT QUALIFIES UNDER PETROLEUM EXEMPTION (CERCLA SEC. 101).

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.