View NSN Online: https://aerobasegroup.com/nsn/6850-01-412-0044

LPS LABORATORIES, INC. -- CFC-FREE ELECTRO CONTACT CLEANER, 03105

_____ MSDS Safety Information _____ FSC: 6850 NIIN: 01-412-0044 MSDS Date: 11/07/1996 MSDS Num: BYFHG Product ID: CFC-FREE ELECTRO CONTACT CLEANER,03105 MFN: 01 **Responsible Party** Cage: 66724 Name: LPS LABORATORIES, INC. Address: 4647 HUGH HOWELL ROAD Citv : TUCKER GA 30084-5096 Info Phone Number: 770-934-7800 Emergency Phone Number: 770-934-7800/800-424-9300(CHEMTREC) Resp. Party Other MSDS No.: P/N 03116,03101,03105,03155 _____ Item Description Information _____ Item Manager: S9G Item Name: CLEANING COMPOUND, SOLVENT Specification Number: NONE Type/Grade/Class: NONE Unit of Issue: CN Quantitative Expression: 0000000005GL **UI** Container Qty: 0 Type of Container: CAN _____ Ingredients ______ Cas: 107-83-5 RTECS #: SA2995000 Name: ISOHEXANE % low Wt: 70. % high Wt: 90. Other REC Limits: 1000 PPM STEL OSHA PEL: 500 PPM ACGIH TLV: 500 PPM -----Cas: 67-63-0 RTECS #: NT8050000 Name: ISOPROPYL ALCOHOL (SARA 313) % low Wt: 5. % high Wt: 20. Other REC Limits: 500 PPM STEL OSHA PEL: 400 PPM ACGIH TLV: 400 PPM/500STEL;9596

------Cas: 110-54-3 RTECS #: MN9275000 Name: HEXANE (N-HEXANE) (CERCLA) % low Wt: 2. % high Wt: 3. Other REC Limits: NONE RECOMMENDED OSHA PEL: 50 PPM ACGIH TLV: 50 PPM; 9596 EPA Rpt Qty: 1 LB DOT Rpt Qty: 1 LB _____ Health Hazards Data ______ LD50 LC50 Mixture: LD50 (ORAL, RAT) IS UNKNOWN. Route Of Entry Inds - Inhalation: YES Skin: YES Ingestion: NO Carcinogenicity Inds - N TP: NO IARC: NO OSHA: NO Effects of Exposure: TARGET ORGANS: EYE, SKIN, CENTRAL NERVOUS SYSTEM, RESPIRATORY TRACT. ACUTE- VAPOR AND LIQUID MAY CAUSE EYE IRRITATION. PROLONGED/REPEATED SKIN CONTACT MAY CAUSE DRYNESS. CAN BE ABSORBED THROUGH SKIN. INHALATION MAY CAUSE HEADACHE, LIGHT HEADEDNESS, CENTRAL NERVOUS SYSTEM DEPRESSION. MAY IRRITATE MUCOSAL TISSUE AT HIGH CONCENTRATION. INGESTIOPN IS UNLIKELY ROUTE OF EXPOSURE. HOWEVER, MINUTE AMOUNTS ASPIRATED INTO LUNGS DURING INGESTION M AY CAUSE CHEMICAL PNEUMONIA. CHRONIC - UNKNOWN. **Explanation Of Carcinogenicity: NONE** Signs And Symptions Of Overexposure: IRRITATION, HEADACHE, NAUSEA, VOMITING, DIZZINESS, SKIN DEFATTING AND DRYNESS, BLURRED VISION, TEARING Medical Cond Aggravated By Exposure: PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS OR IMPAIRED CNS OR RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT. First Aid: GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED: REMOVE TO FRESH AIR. PROVIDE OXYGEN IF NEEDED. EYES: FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN: WASH WITH SOAP & amp; WATER. APPLY MEDICATED CREAM. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. _____ Handling and Disposal _____

Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES OF IGNITION. VENT

ILATE AREA. CONTAIN AND PICK UP SPILL WITH NON-FLAMMABLE ABSORBENT SUCH AS SAND OR EXPLOSION-PROOF PUMP. GROUND ALL HANDLING EQUIPMENTS. P REVENT LIQUID FROM ENTERING SEWERS OR WATERWAYS. Neutralizing Agent: NOT RELEVANT Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS, RECYCLING OR INCINERATION FOR FUEL RECOVERY IS RECOMMENDED. HAZARDOUS WASTE NUMBER: D001. CERCLA REPORTABLE QUANTITY: 5000 LBS Handling And Storage Precautions: STORE IN COOL, VEN TILATED AREA. AWAY FROM FLAMES, SPARKS, HOT SURFACES & amp; STRONG OXIDIZING AGENTS. KEEP CONTAINER TIGHTLY CLOSED. Other Precautions: EXTREMELY FLAMMABLE, "EMPTY" CONTAINERS RETAIN RESIDUE AND CAN BE DANGEROUS. FOLLOW ALL LABEL INSTRUCTIONS. AVOID REPEATED/PROLONGED SKIN CONTACT. KEEP OUT OF REACH OF CHILDREN. DO NOT BREATHE VAPORS. _____ Fire and Explosion Hazard Information _____ Flash Point Method: TCC Flash Point: <-17.8C, 0.F Lower Limits: 1.2 Upper Limits: 7.7 Extinguishing Media: CARBON DIOXIDE, FOAM, SAND/DRY CHEMICAL. AVOID SPREADING ANY BURNING LIQUID WITH WATER SPRAY. WATER MAY BE INEFFECTIVE. Fire Fighting Procedures: WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. COOL FIRE-EXPOSED CONTAINERS WITH WATER SPRAY. Unusual Fire/Explosion Hazard: VAPOR IS HEAVIER THAN AIR AND CAN TRAVEL CONSIDERABLE DISTANCE TO A SOURCE OF I **GNITION AND FLASH BACK. CONTAINERS MAY** RUPTURE DUE TO VAPOR PRESSURE BUILDUP. ______ Control Measures ______ Respiratory Protection: IF TLV IS EXCEEDED, WEAR NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR OR AIR-PURIFYING RESPIRATOR. IN EMERGENCY, WEAR A NIOSH-APPROVED POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS. Ventilation: MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF) VENT ILATION TO MAINTAIN EXPOSURE BELOW TLV(S). Protective Gloves: RUBBER, NEOPRENE Eye Protection: CHEMICAL SAFETY GOGGLES Other Protective Equipment: EYE WASH STATION & SAFETY SHOWERS SHOULD BE AVAILABLE IN THE IMMEDIATE VICINITY OF ANY POTENTIAL EXPOSURE. Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH AFTER HANDLING AND BEFORE EATING OR DRINKING. _____

Physical/Chemical Properties

========

_______ HCC: F2 NRC/State LIC No: NOT RELEVANT Boiling Point: =60.6C, 141.F M.P/F.P Text: UNKNOWN Decomp Text: UNKNOWN Vapor Pres: 352 @ 100F Vapor Density: 3.0 Spec Gravity: 0.665 Viscosity: UNKNOWN Appearance and Odor: CLEAR, COLORLESS LIQUID - MILD ALCOHOL ODOR Percent Volatiles by Volume: 100 **Corrosion Rate: UNKNOWN** ______ Reactivity Data Stability I ndicator: YES Stability Condition To Avoid: HIGH HEAT, OPEN FLAMES, SPARKS, HOT SURFACES, ELECTRICAL ARCS, OTHER SOURCES OF IGNITION Materials To Avoid: STRONG OXIDIZING AGENTS, OXYGEN Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: NOT RELEVANT _____ **Toxicological Information** _____ Ecological Information **MSDS** Transport Information ______ _____ **Regulatory Information** _____ Sara Title III Information: YES, CAS # 110-54-3 ______

Othe

r Information _____ Transportation Information _____ Responsible Party Cage: 66724 Trans ID NO: 134673 Product ID: CFC-FREE ELECTRO CONTACT CLEANER,03105 MSDS Prepared Date: 11/07/1996 Review Date: 11/06/1998 **MFN: 1** Tech Entry NOS Shipping Nm: CONTAINS ISOHEXANE, ISOPROPANOL, N-HEXANE. Radioactivity: NOT RELEVANT Net Unit Weight: 27.9 LBS А F MMAC Code: NR Multiple KIT Number: 0 **Review IND: Y** Unit Of Issue: CN Container QTY: 0 Type Of Container: CAN GROUP PER MSDS. MAXIMUM ALLOWED BY CARG O AIR: 60 LITERS. _____ **Detail DOT Information** _____ DOT PSN Code: GJJ Symbols: G DOT Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S. Hazard Class: 3 **UN ID Num: UN1993** DOT Packaging Group: II Label: FLAMMABLE LIQUID Special Provision: T8,T31 Non Bulk Pack: 202

Additional Data: PROPER SHIPPING NAME, HAZARD CLASS, UN ID NUMBER AND PACKING Bulk Pack: 242 Max Qty Pass: 5L Max Qty Cargo: 60 L Vessel Stow Reg: B _____ Detail IMO Information _____ IMO PSN Code: HIN IMO Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. o IMDG Page Number: 3230 UN Number: 1993 UN Hazard Class: 3.2 IMO Packaging Group: I/II Subsidiary Risk Label: -EMS Number: 3-07

Μ

ED First Aid Guide NUM: T

Detail IATA Information

______ IATA PSN BV IATA UN ID Num: 1993 IATA Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. * IATA UN Class: 3 IATA Label: FLAMMABLE LIQUID UN Packing Group: II Packing Note Passenger: 305 Max Quant Pass: 5L Max Quant Cargo: 60L Packaging Note Cargo: 307 _____ Detail AFI Information ======== _____ AFI PSN BV AFI Symbols: * AFI Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S. AFI Hazard Class: 3 AFI UN ID NUM: UN1993 AFI Packing Group: II **Special Provisions: P5** Back Pack Reference: A7.3 _____ HAZCOM Label _____ Product ID: CFC-FREE ELECTRO CONTACT CLEANER,03105 Cage: 66724 Company Name: LPS LABORATORIES, INC. Street: 4647 HUGH HOWELL ROAD City: **TUCKER GA** Zipcode: 30085-5052 Health Emergency Phone: 770-934-7800/800-424-9300(CHEMTREC) Label Required IND: Y Date Of Label Review: 03/25/1999 Status Code: C MFG Label NO: UNKNOWN Year Procured: 1999 Origination Code: F Eye Protection IND: YES Skin Protection IND: YES Signal Word: DANGER **Respiratory Protection IND: NO** Health Hazard: Moderate Contact Hazard: Slight Fire Hazard: Severe Reactivity Hazard: None Hazard And Precautions: TARGET ORGANS: EYE, SKIN, CENTRAL NERVOUS SYSTEM, RESPIRATOR

Y TRACT. ACUTE- VAPOR AND LIQUID MAY CAUSE EYE IRRITATION. PROLONGED/REPEATED SKIN CONTACT MAY CAUSE DRYNESS. CAN BE ABSORBED THROUGH SKIN. INHALATION MAY CAUSE HEADACHE, LIGHT HEADEDNESS, CENTRAL NERVOUS SYSTEM DEPRESSION. MAY IRRITATE MUCOSAL TISSUE AT HIGH CONCENTRATION. INGESTIOPN IS UNLIKELY ROUTE OF EXPOSURE. HOWEVER, MINUTE AMOUNTS ASPIRATED INTO LUNGS DURING INGESTION MAY CAUSE CHEMICAL PNEUMONIA. CHRONIC - UNKNOWN.

Disc

laimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all

liability for such use. Any person

utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.