View NSN Online: https://aerobasegroup.com/nsn/8030-01-290-5136

Product ID:PR-1826 B-1/2, ACCELERATOR, (KIT) MSDS Date:10/25/1993 FSC:8030 NIIN:01-290-5136 Kit Part:Y MSDS Number: BYFMW === Responsible Party === Company Name: COURTAULDS AEROSPACE Address:5430 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Info Phone Num:818-240-206 0 Emergency Phone Num:800-228-5635,800-424-9300(CHEMTREC) Preparer's Name:NONE CAGE:83574 === Contractor Identification === Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY Address:5430 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Phone:818-240-2060 CAGE:83574 **Company Name: PRODUCTS RESEARCH & CHEMICAL CORPORATION** Address:5430 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Phone:800-228-5635 CAGE:8K647

======= Composition/I

nformation on Ingredients =========

Ingred Name:EPOXY NOVOLAC RESIN (EPOXY RESIN) CAS:28064-14-4 Fraction by Wt: 20% Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDANTOIN EPOXY RESIN CAS:15336-82-0 RTECS #:MT1919100 Fraction by Wt: 35% Other REC Limits:NONE RECOMMENDED

Ingred Name:ORGANOSILANE ESTER CAS:2530-83-8 RTECS #:VV4025000 Fraction by Wt: 5% Other REC Limits:NONE RECOMMENDED

Ingred Name:CARBON BLACK (FULLY ENCAPSULATED, NOT HAZARDOUS TO USERS UNDER NORMAL CIRCUMSTANCES. IF SANDED/GROUND USE RESP PROTECT) CAS:1333-86-4 RTECS #:FF5800000 Fraction by Wt: 5% Other REC Limits:NONE RECOMMENDED OSHA PEL:3.5 MG/M3 ACGIH TLV:3.5 MG/M3 9495

Ingred Name:CALCIUM CARBONATE (ENCAPSULATED,NOT HAZARDOUS TO USERS UNDER NORMAL CIRCUMSTANCES.IF SANDED/GROUND USE RESP PROTECTION) CAS:1317-65-3 RTECS #:EV9580000 Fraction by Wt: 35% Other REC Limits:NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST;9495

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 250 MG/KG(HYDANTOIN) Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: EYES: SEVERE IRRITANT AND CORROSIVE. SKIN: SEVERE IRRITANT, CORROSIVE, AND MAY CAUSE BURN OR SYSTEMIC POISONING. INHALATION: RESPIRATORY IRRITATION. INGESTION: MAY CAUSE NAUSEA, VOMITING. CHRON IC: MAY RARELY CAUSE AN ALLERGIC SKIN RESPONSE. TOXIC BY INGESTION OF L

ARGE AMOUNTS.
Explanation of Carcinogenicity:NONE Effects of Overexposure:EYES: IRRITATION, CORROSION. SKIN: IRRITATION,CORROSION, BURNS, SYSTEMIC POISONING. INHALATION: RESPIRATORY IRRITATION. INGESTION: ABDOMINAL PAIN, NAUSEA, VOMITING.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHI NG. WASH AREA WITH SOAP
AND WATER. IF SYMPTOMS PERSIST, GET MEDICAL ATENTION. INHALATION: MOVE TO FRESH AIR. IF SYMPTOMS ARE PRESENT GET MEDICALATTENTION. INGESTION: DRINK LARGE AMOUNTS OF WATER. DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.
======================================
Flash Point:>200F,>93C Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY. Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. Unusual Fire/Explosion Hazard:NONE KNOWN.
======================================
Spill Release Procedures: SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH A SUITABLE SOLVENT.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:AVOID INGESTION. Other Precautions:NONE.
========= Exposure Controls/Personal Protection ====================================
Respiratory Protection:NOT REQUIRED. Ventilation:GEN

ERAL VENTILATION. Protective Gloves:PLASTIC OR RUBBER GLOVES. Eye Protection:SAFETY GLASSES. Other Protective Equipment:NONE Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE USING. Supplemental Safety and Health KEY1:N1. THIS ENTRY DESCRIBES, "ACCELERATOR", 1ST PART OF A THREE PART KIT. SEE THIS SAME NSN, P/N IND'S E AND F, FOR THE KITS' 2ND AND 3RD PARTS' DATA.

================== Physical/Chemical Properties

=========================

HCC:V5 Boiling Pt:B.P. Text:NONE Vapor Density:NONE Spec Gravity:1.451 Evaporation Rate & amp; Reference:NON VOLATILE Appearance and Odor:BLACK PASTE Percent Volatiles by Volume:0.0

Stability Indicator/Materials to Avoid:YES
STRONG AMINES.
Stability Condition to Avoid:NOT KNOWN.
Hazardous Decomposition Products:OXIDES OF CARBON AND OXIDES OF SILICON MAY BE EVOLVED.
Conditions to Avoid Polymerization:WIL
L NOT OCCUR.

Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA REGULATIONS. CONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF SPILLAGE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate an d disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.