View NSN Online: https://aerobasegroup.com/nsn/6850-01-412-8882

BUCKEYE INTERNATIONAL INC. -- 5065 BUCKEYE MIDDLEWEIGHT-55 GAL -- 6850-01-412-8882

Product ID:5065 BUCKEYE MIDDLEWEIGHT-55 GAL

MSDS Date:06/01/1995

FSC:6850

NIIN:01-412-8882

MSDS Number: BYFPX === Responsible Party ===

Company Name: BUCKEYE INTERNATIONAL INC.

Address:2700 WAGNER PL City:MARYLAND HEIGHTS

State:MO ZIP:63043 Country:US

Info Phone Num:314-291-1900

Em

ergency Phone Num:800-228-5635 Preparer's Name:MARK GINDLING

**CAGE:BURKE** 

=== Contractor Identification ===

Company Name: BUCKEYE INTERNATIONAL INC

Address:2700 WAGNER PLACE City:MARYLAND HEIGHTS

State:MO ZIP:63043 Country:US

Phone:314-291-1900

**CAGE:BURKE** 

Company Name: BUCKEYE INTERNATIONAL INC.

Box:UNKNOW CAGE:0GY51

======= Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 91%

Other REC Limits: NONE RECOMMENDED

Ingred Na

me:SODIUM METASILICATE CAS:6834-92-0 RTECS #: VV9275000 Fraction by Wt: 3% Other REC Limits: NONE RECOMMENDED Ingred Name: SODIUM PHOSPHATE, TRIBASIC (CERCLA) CAS:7758-29-4 RTECS #:YK4570000 Fraction by Wt: 3% Other REC Limits: NONE RECOMMENDED EPA Rpt Qtv:5000 LBS DOT Rpt Qty:5000 LBS Ingred Name: PERFUME, COLORING AND ADDITIVES LESS TAHN 1% Fraction by Wt: 3% Other REC Limits: NONE RECOMMENDED Flash Point Method:TCC Flash Point :NONE Extinguishing Media: NONE SPECIFIED BY MANUFACTURER. DLA-HMIS: WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, FOAM. Fire Fighting Procedures: NONE, PER MFR MSDS. DLA-HMIS: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. Unusual Fire/Explosion Hazard: PRODUCTS OF COMBUSTION: OXIDES OF SULFUR, CARBON, SILICON AND PHOSPHOROUS. ===== Exposure Controls/Personal Protection ======== Supplemental Safety and Health ======= Physical/Chemical Propert ies ========= HCC:B1 Boiling Pt:=100.C, 212.F Spec Gravity: 1.04 pH:12.8 Evaporation Rate & Reference: 1 (WATER=1) Solubility in Water: COMPLETE Appearance and Odor:CLEAR PURPLE SOLUTION; CITRUS ODOR. Percent Volatiles by Volume:94 ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES

DO NOT MIX WITH CHLORINE BLEACH OR ACIDS. Stability Condition to Avoid: NONE KNOWN.

Disclaimer (provided with this information by the compilin

## g agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.