View NSN Online: https://aerobasegroup.com/nsn/3439-01-392-7039

Product ID:METEC 4080C MSDS Date:03/21/1994 FSC:3439 NIIN:01-392-7039 MSDS Number: BYGCF === Responsible Party === Company Name: METALLURGICAL TECHNOLOGIES, INC Address:14435 MAX ROAD City:PEARLAND State:TX ZIP:77581 Country:US Info Phone Num:713-485-7765 Emergency Phone Num:713-485-7765 CAGE:63726 === Contractor Identification === Company Name: METALLURGICAL TECHNOLOGIES, INC Address:14435 MAX ROAD Box:City:PEARLAND State:TX ZIP:77581 Country:US Phone:713-485-7765 CAGE:63726

Ingred Name:TUNGSTEN CARBIDE CAS:12070-12-1 RTECS #:YO7250000 Fraction by Wt: 44% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG W/M3 ACGIH TLV:5 MG W/M3

Ingred Name:NICKEL CAS:7440-02-0 RTECS #:QR5950000 Fraction by Wt: 40.2% Other REC Limits:NONE RECOMMENDED OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3

Ingred Name:COBALT CAS:7440-48-4 RTECS #:GF8750000 Fraction by Wt: 6% Other REC Limits:NONE RECOMMENDED OSHA PEL:0.1 MG/M3 ACGIH TLV:0.1 MG/M3

Ingred Name:CHROMIUM CAS:7440-47-3 RTECS #:GB4200000 Fraction by Wt: 6% Other REC Limits:NONE RECOMMENDED EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:SILICON CAS:7440-21-3 RTECS #:VW0400000 Fraction by Wt: 1.5% Other REC Limits:NONE RECOMMENDED

Ingred Name:ALUMINUM CAS:7429-90-5 RTECS #:BD0330000 Fract ion by Wt: 0.7% Other REC Limits:NONE RECOMMENDED ACGIH TLV:10 MG/M3

Ingred Name:BORON CAS:7440-42-8 RTECS #:ED7350000 Fraction by Wt: 1.0% Other REC Limits:NONE RECOMMENDED OSHA PEL:10 MG B203/M3 ACGIH TLV:10 MG B2O3/M3

Flash Point:NA Lower Limits:NA Upper Limits:NA Extinguishing Media:GRAPHITE, DOLOMITE OR SODIUM CHLORIDE. Fire Fighting Procedures:DO NOT USE WATER. Unusual Fire/Explosion Hazard:NOT CONSIDERED FLAMMABLE; HO WEVER, FINELY DIVIDED POWDER IN THE FORM OF A DUST CLOUD CAN IGNITE IF CONTACTED BY AN IGNITION SOURCE.

======= Exposure Controls/Personal Protection ==========

Supplemental Safety and Health

HCC:N1 Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M.P/F.P Text:2000F,1093C Decomp Temp:Decomp Text:NA Vapor Pres:1 MM Vapor Density:NA Spec Gravity:9.8 pH:NA Viscosity:NA Evaporation Rate & amp; Reference:NA Solubility in Water:INSOLUBLE. Appearance and Odor:METALLIC GREY POWDER. Percent Volatiles by Volume:NA Corrosion Rate:NA

Stability Indicator/Materials to Avoid:YES PURE OXYGEN OR OTHER OXIDIZERS. Stability Condition to Avoid:GENERATION OF AIRBORNE DUST.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.