View NSN Online: https://aerobasegroup.com/nsn/5640-01-133-9762

INSTA-FOAM PRODUCTS INC -- FROTH-PAK 110, 180, 600/UTILI-FOAM 1.75 DENSITY, A COMPONENT -- 5640-01-133-9762

============= Product Identification ==================

Product ID:FROTH-PAK 110, 180, 600/UTILI-FOAM 1.75 DENSITY, A COMPONENT

MSDS Date:07/17/1995

FSC:5640

NIIN:01-133-9762

Kit Part:Y

MSDS Number: BYGZC === Responsible Party ===

Company Name: INSTA-FOAM PRODUCTS INC

Address:1500 CEDARWOOD DR

Box:NONE City:JOLI

ΕT

State:IL ZIP:60435 Country:US

Info Phone Num:815-741-6800

Emergency Phone Num:815-741-6800

Preparer's Name: M ORTEGA

CAGE:54577

=== Contractor Identification ===

Company Name: INSTA-FOAM PRODUCTS INC

Address:1500 CEDARWOOD DR

Box:City:JOLIET

State:IL ZIP:60435 Country:US

Phone:815-741-6800

CAGE:54577

======= Composition/Information on Ingredients ========

Ingred Name: METHYLENE BISPHENYL ISOCYANATE (MDI) (SARA 313)

CAS:101-68-8

RTECS #:NQ9350000 Fraction by Wt: 40-70%

Other REC Li

mits:0.005 PPM OSHA PEL:C 0.02 PPM ACGIH TLV:0.005 PPM; 9495

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name: POLYMETHYLENE POLYPHENYLENE POLYISOCYANATE

CAS:9016-87-9

RTECS #:TR0350000 Fraction by Wt: 40-70%

Ingred Name: CHLORODIFLUOROMETHANE (SARA 313) (CERCLA)

CAS:75-45-6

RTECS #:PA6390000 Fraction by Wt: 7-13%

Other REC Limits:1000 PPM

OSHA PEL:1000 PPM

ACGIH TLV:1000 PPM; 9495 Ozone Depleting Chemical:2

LD50 LC50 Mixture:MD

I LD50 (ORAL RAT) 15 GM/LG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: CAUTION! CONTENTS UNDER PRESSURE.

IRRITATING TO EYES, SKIN & RESPIRATORY TRACT. MAY CAUSE

SENSITIZATIO BY SKIN CONTACT & INHALATION. EXPOSURE TO INDIVIDUALS W/ASTHMA, ECZEMA &/OR ALLERGIES MAY AGGRAVA T EXISTING CONDITIONS.

Explanation of Carcinogenicity:MANUFACTURER GAVE NO INFORMATION ABOUT CARCINOGENICITY. HMI

S FOUND NO LISTING & DOES NOT EXPECT IT TO BE CARCINOGENIC.

Effects of Overexposure:COUGHING, WHEEZING, SHORTNESS OF BREATH.

Medical Cond Aggravated by Exposure:EXPOSURE TO INDIVIDUALS W/ASTHMA,

ECZEMA &/OR ALLERGIES MAY AGGRAVATE EXISTING CONDITIONS.

First Aid:EYES:FLUSH W/CLEAN, LOW PRESSURE WATER FOR 15 MIN. WHILE HOLDING EYELIDS OPEN. SKIN:REMOVE CONTAMINATED CLOTHING, WASH W/SOAP & WATER. INHALATION:REMOV

============ Handling and Storage ===============

Handling and Storage Precautions: CONTENTS UNDER PRESSURE. AVOID OPEN FLAMES. DO NOT PUNCTURE OR INCINERATE. STORORAGE TEMPERATURE