View NSN Online: https://aerobasegroup.com/nsn/6830-01-355-4011

## NATIONAL REFRIGERANTS,INC. -- DICHLORODIFLUOROMETHANE -- 6830-01-355-4011

======== Product Identification ============

Product ID:DICHLORODIFLUOROMETHANE

MSDS Date:09/01/1995

FSC:6830

NIIN:01-355-4011

MSDS Number: BYHBM === Responsible Party ===

Company Name: NATIONAL REFRIGERANTS, INC.

Address:11401 ROOSEVELT BOULEVARD

Box:NONE

City:PHILADELPHIA

State:PA ZIP:19154 Country:US

Info Phone Num:215-834-0200

Emer

gency Phone Num:215-834-0200

Preparer's Name: M. BEATTY / G. WILSON

CAGE:7Y146

=== Contractor Identification ===

Company Name: DDRV STOCK MAINTENANCE DIV/DDRV-H

Address:8000 JEFFERSON-DAVIS HIGHWAY

Box:City:RICHMOND

State:VA ZIP:23297 Country:US

Phone:804-279-3125

CAGE:02LX8

Company Name: NATIONAL REFRIGERANTS INC

Address:11401 ROOSEVELT BLVD

Box:City:PHILADELPHIA

State:PA ZIP:19154 Country:US

Phone:215-834-0200

CAGE:7Y146

====== Composition/Information on Ingredients ========


Ingre

d Name:DICHLORODIFLUOROMETHANE (SARA III) CAS:75-71-8 RTECS #:PA8200000
Fraction by Wt: 100%
Other REC Limits:NONE SPECIFIED
OSHA PEL:1000 PPM ACGIH TLV:1000 PPM; 9192
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS
Ozone Depleting Chemical:1
======================================
LD50 LC50 Mixture:LC50 (RAT) = 800,000 MG/KG 15 MIN.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chron ic:INHALATION:VAPOR IS HEAVIER THAN AIR
AND CAN CAUSE SUFFOCATION BY REDUCING OXYGEN AVAILABLE FOR
BREATHING. INTENTIONAL MISUSE CAN BE FATAL. SKIN/EYE: IRRITATION AND FROSTBITE.
Explanation of Carcinogenicity:NOT LISTED AS A CARCINOGEN BY IARC, NTP OR OSHA.
Effects of Overexposure:LIGHT-HEADEDNESS, GIDDINESS, SHORTNESS OF BREATH, NARCOSIS, CARDIAC IRREGULARITIES, UNCONSCIOUSNESS OR DEATH, FROSTBITES.
Medical Cond Aggravated by Exposure:INDIVIDUALS W/PREEXISTING DISEASES OF THE CENTRAL NERVOUS SYSTEM OR CARDIOVASCULAR SUSTEM MAY HAVE INCREASED SUSCEPTABILITY TO THE TOXICITY OF EXCESSIVE EXPOSURE.
======================================
First Aid:IF IRRITATION PERSISTS OR IS SEVERE, GET MEDICAL ATTENTION. EYE:FLUSH W/WATER FOR 15 MIN. SKIN:WASH W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE. INHALED:REMOVE FROM EXPOSURE. A ID OR RESTORE BREATHING AS NEEDED. INGESTED:NO SPECIFIC INTERVENTI
ON IS INDICATED AS THE COMPOUND IS N OTLIKEL TO BE HAZARDOUS BY INGESTION. DO NOT INDUCE VOMITING. CALL PHYSICIAN.
======================================

Flash Point:NONE

Extinguishing Media:USE EXTINGUISHING MEDIA APPROPRIATE FOR COMBUSTIBLES.

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS IS REQUIRED IF CYLINDERS RUPTURE & CONTENTS ARE RELEASED UNDER FIRE CONDITIONS. Unusual Fire/Explosion Hazard:USE WATER SPRAY OR FOG TO COOL CONTAI



composition Products:DECOMPOSED BY HIGH TEMPERATURES (OPEN FLAMES, GLOWING METAL SURFACES, ETC.) FORMING HYDROCHLORIC AND HYDROFLUORIC ACIDS.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

====== Disposal Considerations ===========

Waste Disposal Methods: COMPLY W/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The

United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.