

SPRAYON PRODUCTS DIV SHERWIN-WILLIAMS CO -- COLORWORKS FROM KRYLON, GLOSS BLACK -- 8010-00-616-9143

===== Product Identification =====

Product ID:COLORWORKS FROM KRYLON, GLOSS BLACK

MSDS Date:03/23/1992

FSC:8010

NIIN:00-616-9143

MSDS Number: BYHJC

=== Responsible Party ===

Company Name:SPRAYON PRODUCTS DIV SHERWIN-WILLIAMS CO

Address:31500 SOLON RD (OLD COCHRAN RD)

City:SOLON

State:OH

ZIP:44139

-5000

Country:US

Info Phone Num:800-777-2966

Emergency Phone Num:216-292-7400

CAGE:09800

=== Contractor Identification ===

Company Name:GRAVES-HUMPHREYS CO

Address:5320 PETERS CREEK RD

Box:13407

City:ROANOKE

State:VA

ZIP:24033

Country:US

Phone:(800-336-5998)

CAGE:1B236

Company Name:SHERWIN-WILLIAMS DIVERSIFIED BRANDS, INC.

Address:26300 FARGO AVENUE

Box:City:BEDFORD HEIGHTS

State:OH

ZIP:44146

Country:US

Phone:216-292-7400 OR 216-595-8634

CAGE:09800

===== Composition/Information on Ingr

edients =====

Ingred Name:PROPANE.

CAS:74-98-6

RTECS #:TX2275000

Fraction by Wt: 15%

Other REC Limits:NONE SPECIFIED

OSHA PEL:1000 PPM

ACGIH TLV:ASPHYXIAN

Ingred Name:MINERAL SPIRITS

CAS:64475-85-0

RTECS #:PY8240000

Fraction by Wt: 6% %

Other REC Limits:300 PPM

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 3% %

Other REC Limits:NONE SPECIFIED

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Na

me:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 1% %

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM/150 STEL

ACGIH TLV:100 PPM/150STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 1% %

Other REC Limits:NONE RECOMMENDED

OSHA PEL:S,200PPM/250STEL

ACGIH TLV:S,200PPM/250STEL; 92

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BU

TANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 1% %

Other REC Limits:NONE RECOMMENDED

OSHA PEL:200 PPM/300 STEL

ACGIH TLV:200 PPM/300STEL 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:ISOBUTYL ACETATE (SARA III)

CAS:110-19-0

RTECS #:AI4025000

Fraction by Wt: 3% %

Other REC Limits:NONE RECOMMENDED

OSHA PEL:150 PPM

ACGIH TLV:150 PPM; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)

CAS:67-63-0

RTECS #:NT8050000

Fracti

on by Wt: 1% %

Other REC Limits:NONE RECOMMENDED

OSHA PEL:400 PPM/500 STEL

ACGIH TLV:400 PPM/500STEL;9192

Ingred Name:VOLATILE ORGANIC CONTENT

RTECS #:9999999VO

Fraction by Wt: 90% %

Other REC Limits:NONE RECOMMENDED

Ingred Name:ISOBUTYL ALCOHOL (SARA III)

CAS:78-83-1

RTECS #:NP9625000

Fraction by Wt: 2% %

Other REC Limits:NONE RECOMMENDED

OSHA PEL:50 PPM

ACGIH TLV:50 PPM; 9192

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:ETHYL-3-ETHOXYPROPIONATE

CAS:763-69-9

RTECS #:UF3325000

Fract

ion by Wt: 6% %

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:CAUSES IRRITATION OF EYES, SKIN AND
RESPIRATORY TRACT. MAY CAUSE NERVOUS SYSTEM DEPRESSION.
OVEREXPOSURE MAY RESULT IN UNCONSCIOUSNESS, DEATH.

Explanation of Carcinogenicity:THIS

COMPOUND CONTAINS NO INGREDIENTS AT

CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT
CARCINOGENS.

Effects of Overexposure:HEADACHE, DIZZINESS, NAUSEA, LOSS OF
COORDINATION, EYE REDNESS/ITCHING, SKIN REDNESS/ITCHING.

Medical Cond Aggravated by Exposure:NONE GENERALLY RECOGNIZED.

=====
===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES.

FLUSH UNDER LIDS BY LIFTING THEM OR ROLLING EY

ES. SEE DOCTOR ASAP.

SKIN: FLUSH WITH WATER. REMOVE CLOTHING AND CONTINUE FLUSHING.

INHALATION : REMOVE TO FRESH AIR AND RESTORE BREATHING. GET MEDICAL
HELP. INGESTION: GET PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point: