

SULZER PLASMA TECHNIK, INC. -- AMDRY 301 AND CDS 1301 POWDER -- 3439-01-380-6752
===== Product Identification =====

Product ID:AMDRY 301 AND CDS 1301 POWDER

MSDS Date:02/25/1992

FSC:3439

NIIN:01-380-6752

MSDS Number: BYHLP

=== Responsible Party ===

Company Name:SULZER PLASMA TECHNIK, INC.

Address:1972 MEIJER DRIVE

City:TROY

State:MI

ZIP:48084

Country:US

Info Phone Num:313-288-1200

Emergency Phone

Num:800-424-9300

CAGE:53654

=== Contractor Identification ===

Company Name:SULZER PLASMA TECHNIK INC

Address:1972 MEIJER DR

Box:84310

City:TROY

State:MI

ZIP:48084-0310

Country:US

Phone:313-288-1200

CAGE:53654

Company Name:SULZER PLASMA TECHNIK, INC.

Box:UNKNOW

CAGE:63765

===== Composition/Information on Ingredients =====

Ingred Name:TUNGSTEN

CAS:7440-33-7

RTECS #:YO7175000

Fraction by Wt: 88%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3

Ingred Name:C

OBALT
CAS:7440-48-4
RTECS #:GF8750000
Fraction by Wt: 12%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.1 MG/M3
ACGIH TLV:0.1 MG/M3

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS: LUNGS, DIGESTIVE
SYSTEM, SKIN. CHRONIC EXPOSURE MAY CAUSE CORNEAL DMAGE,
POLYCYTHEMIA, HYPERPLASIA OF THE THYROID GLAND, AND DAMAGE
TO THE
APLHA CELLS OF THE PANCREAS.
Explanation of Carcinogenicity:NOT LISTED.
Effects of Overexposure:NAUSEA, ABDOMINAL PAIN, VOMITING, DIARRHEA,
BURNING SENSATION, INTERSTITIAL PNEUMONITIS, MAY CAUSE
SENSITIZATION IN SUSCEPTIBLE INDIVIDUALS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYES-IRRIGATE IMMEDIATELY WITH COPIOUS AMOUNTS OF WATER. GET
MEDICAL ATTENTION. SKIN-IMMED
IATELY FLUSH SKIN WITH SOAP & WATER.
IF ANY IRRITATION PERSIST AFTER WASHING, GET MEDICAL ATTENTION.
INHALATIO N-MOVE TO FRESH AIR AT ONCE. IF BREATHING HAS STOPPED,
PERFORM CPR. KEEP WARM & AT REST. GET MEDICAL ATTENTION AS SOON AS
POSSIBLE. INGESTION-GIVE 2 GLASSES OF MILK OR WATER. INDUCE
VOMITING. GET AID.

=====
===== Fire Fighting Measures =====

Flash Point:NA
Autoignition Temp:Autoignition Temp Text:NA
Lower Limits:NA
Upper Limits:NA
Exting

Washing Media: DRY CHEMICAL OR SAND.

Fire Fighting Procedures: NONE SPECIFIED BY MANUFACTURER.

Unusual Fire/Explosion Hazard: FINELY DIVIDED DUST MAY IGNITE WHEN IN CONTACT WITH A FLAME.

===== Accidental Release Measures =====

Spill Release Procedures: PROTECTIVE EQUIPMENT SHOULD BE WORN TO PREVENT CONTACT OR INHALATION. COLLECT MATERIAL BY WET SWEEPING, DRY SWEEPING WITH A SWEEPING COMPOUND, OR BY VACUUM CLEANING WITH AN EXPLOSION PROOF APPARATUS EQUIPPED WITH A HEPA FILTER.

===== Handling and Storage =====

Handling and Storage Precautions: KEEP PRODUCT DRY AND IN CLOSED CONTAINERS. DO NOT STORE NEAR MINERAL ACIDS.

Other Precautions: HAZARD CLASS NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: USE NIOSH APPROVED PARTICULATE RESPIRATOR WHENEVER DUST MAY BE DETECTED IN THE AIR.

Ventilation: USE AN ADEQUATE LOCAL EXHAUST VENTILATION SYSTEM FOR ANY OPERATION

ERATIONS LIKELY TO PRODUCE DUST, MIST OR FUME.

Protective Gloves: IMPERVIOUS GLOVES, HEAT RESISTANT GLOVES

Eye Protection: SAFETY GLASSES, SHADED LENS GOGGLES.

Other Protective Equipment: WEAR SAFETY FOOTWEAR. WEAR PROTECTIVE CLOTHING AT ALL TIMES. EAR PROTECTION SHOULD BE WORN. SAFETY SHOWER & EYE WASH.

Work Hygienic Practices: WASH HANDS THOROUGHLY AFTER HANDLING POWDER OR ITS BY-PRODUCTS. KEEP WORK AREA CLEAN. DO NOT EAT OR DRINK IN WORK AREA.

Supplemental Safety and Health

LAUNDRY

PROTECTIVE CLOTHING AND GLOVES AS REQUIRED. CHANGE CLOTHING DAILY.

===== Physical/Chemical Properties =====

HCC: N1

Boiling Pt: B.P. Text: NA

Melt/Freeze Pt: M.P/F.P Text: NA

Decomp Temp: Decomp Text: NA

Vapor Pres: NA

Vapor Density: NA

Spec Gravity: NA

pH: NA

Evaporation Rate & Reference: NA

Solubility in Water: NONE

Appearance and Odor: DUSTY POWDER/NO ODOR.

Percent Volatiles by Volume: NA

Corrosion Rate: NA

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid: YES

CHLORINE TRIFLUORIDE, FLUORINE, NITROGEN DIOXIDE, NITROUS OXIDE, IODINE
PENTAFLUORIDE, LEAD OXIDE AND ACETYLENE.

Stability Condition to Avoid: OZONE & NITRIC OXIDE ARE FORMED BY HIGH
TEMPERATURE PLASMA OR COMBUSTION JET.

Hazardous Decomposition Products: NA

===== Disposal Considerations =====

Waste Disposal Methods: SALVAGE MATERIAL FOR ON-SITE REUSE OR RECYCLING,
OR CONTACT THE APPROPRIATE LOCAL GOVERN
MENT AUTHORITY FOR GUIDANCE
ON ACCEPTABLE WASTE STORAGE AND DISPOSAL METHODS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume
responsibility for the suitability of this information to their
particular situation.