View NSN Online: https://aerobasegroup.com/nsn/3439-01-386-0416

## METALLURGICAL TECHNOLOGIES, INC -- METEC 4011C -- 3439-01-386-0416

============= Product Identification ========================

Product ID:METEC 4011C MSDS Date:04/10/1991

FSC:3439

NIIN:01-386-0416

MSDS Number: BYHMG === Responsible Party ===

Company Name: METALLURGICAL TECHNOLOGIES, INC

Address:14435 MAX ROAD

City:PEARLAND

State:TX ZIP:77581 Country:US

Info Phone Num:713-485-7765

Emergency Phone Num:713-485-7765

CAGE:63726

=== Contractor Identification ===

Company Name: METALLURGICAL TECHNOLOGIES, INC

Address:14435 MAX ROAD

Box:City:PEARLAND

State:TX ZIP:77581 Country:US

Phone:713-485-7765

CAGE:63726

======= Composition/Information on Ingredients ========

Ingred Name:NICKEL

CAS:7440-02-0

RTECS #:QR5950000 Fraction by Wt: 80%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3

Ingred Name: ALUMINIUM

CAS:7429-90-5

RTECS #:BD0330000 Fraction by Wt: 20%

Other REC Limits: NONE RECOMMENDED

======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic:INHALATION: ACUTE-BRONCHITIS. CHRONIC-SIDEROSIS. EYE CONTACT: ACUTE-MECHANICAL IRRITATION. CHRONIC-CONJUNCTIVITIS. Explanation of Carcinogenicity:NICKEL METAL IS DEEMED A POSSIBLE CANCER HAZARD BY NTP. IARC HAS DESIGNATED NICKEL/NICKEL COMPOUNDS AS HUMAN CARCINOGENS Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER. Medical Cond Aggravated by Exposure:MAY CAUSE ALLERGIC SKIN REACTIONS OR ASTHMA IN INDIVIDUALS SENSITIVE TO NICKEL.
First Aid:EYES-IRRIGATE WITH WATER FOR AT LEAST 15 MIN. SKIN-WASH OFF IN FLOWING WATER. INGESTION-INDUCE VOMITING IF LARGE AMOUNTS ARE INGESTED. INHALATION-REMOVE TO FRESH AIR IF EFFECTS OCCUR. CONSULT PHYSICIA N.
========== Fir e Fighting Measures ======= Fir
Flash Point:NA Autoignition Temp:Autoignition Temp Text:NA Lower Limits:NA Upper Limits:NA Extinguishing Media:SALT, DRY SAND, TYPE D EXTINGUISHER. Fire Fighting Procedures:DO NOT USE WATER. DO NOT DISTURB BURNING POWDER UNTIL COOL. Unusual Fire/Explosion Hazard:NOT CONSIDERED FLAMMABLE; HOWEVER, FINELY DIVIDED POWDER IN THE FORM OF A DUST CLOUD CAN IGNITE IF CONTACTED BY AN IGNITION SOURCE.
========== Accidental Release Measures
Spill Release Procedures:VACUUMING RECOMMENDED INSTEAD OF DRY SWEEPING TO AVOID GENERATION OF AIRBORNE DUST. Neutralizing Agent:NA
======================================
Handling and Storage Precautions:DO NOT STORE ADJACENT TO STRONG OXIDIZERS. Other Precautions:NONE
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH APPROVED DUST RESPIRATORS WHENEVER DUST LEVELS ARE ENCOUNTERED. Vent

ilation:LOCAL EXHAUST REQUIRED OF OSHA STANDARD IS EXCEEDED.
Protective Gloves:IMPERVIOUS GLOVES.  Eye Protection:SAFETY GLASSES OR GOGGLES.
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
WARNING! CHROME AND/OR NICKEL AND/OR COBALT METAL. PROLONGED OR EXCESSIVE INHALATION MAY CAUSE CANCER. MAY CAUSE ALLERGIC SKIN REACTION.
=========== Physical/Chemical Properties ===========
HCC:N1
Boiling Pt:B.P. Text:NA
Melt/Freeze Pt:M.P/F.P Text:2642F,1450C
Decomp Temp:Decomp Text:NA
Vapor Pres:1 MM
Vapor Density:NA
Spec Gravity:8.4 pH:NA
Viscosity:NA
Evaporation Rate & Deference: NA
Solubility in Water:INSOLUBLE.
Appearance and Odor:METALLIC GREY POWDER
Percent Volatiles by Volume:NA
Corrosion Rate:NA
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES
PURE OXYGEN OR OTHER OXIDIZERS.
Stability Condition to Avoid:
DUSTING, EXPOSURE TO DIRECT FLAME INFINELY
DIVIDED FORM
Hazardous Decomposition Products:CONTACT WITH MINERAL ACIDS LIBERATE
HYDROGEN, WHICH MAY BE FIRE HAZARD.
======== Disposal Considerations ===========
Waste Disposal Methods:PROCEDURES COMPLYING WITH FEDERAL, STATE AND LOCAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United St

ates of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.