

METALLURGICAL TECHNOLOGIES,INC -- METEC 4160C COMP. 2 -- 3439-01-388-5661  
===== Product Identification =====

Product ID:METEC 4160C COMP. 2  
MSDS Date:08/01/1991  
FSC:3439  
NIIN:01-388-5661  
MSDS Number: BYHMJ  
=== Responsible Party ===  
Company Name:METALLURGICAL TECHNOLOGIES,INC  
Address:14435 MAX ROAD  
City:PEARLAND  
State:TX  
ZIP:77581  
Country:US  
Info Phone Num:713-485-7765  
Emergency Phone Num:713-485-7765  
CAGE:63726  
=== Contractor Identification ===  
Company Name:METALLURGICAL TECHNOLOGIES,INC  
Address:14435 MAX ROAD  
Box:City:PEARLAND  
State:TX  
ZIP:77581  
Country:US  
Phone:713-485-7765  
CAGE:63726

===== Composition/Information on Ingredients =====

Ingred Name:POLY-P-OXYBENZENE POLMER  
CAS:26099-71-8  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:UNKNOWN Ingestion:NO  
Reports of Carcin

ogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NONE SPECIFIED BY MANUFACTURER.  
Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.  
Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
First Aid Measures  
=====

First Aid:INHALATION-REMOVE PERSON FROM SOURCE, IF NOT BREATHING,  
PERFORM CPR, IF BREATHING ADMINISTER OXYGEN. INGESTION-HAVE PERSON  
DRINK WATER OR MILK AND INDUCE VOMITING. GET MEDICAL ATTENTION.

=====  
Fire Fighting Measures  
=====

Flash Point:NA  
Autoignition Temp:Autoignition Temp Text:NA  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:MATERIAL WILL NOT BURN.  
Fire Fighting Procedures:SURROUNDING FIRE MAY CAUSE THIS MATERIAL TO  
DECOMPOSE CAUSING IRRITATING FUMES. WEAR MSHA/NIOSH APPROVED  
SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:NO

=====  
Accidental Release Measures  
=====

Spill Release Procedures:THIS MATERIAL IS NON TOXIC AND CAN BE DISPOSED  
OF AS IF IT WERE COMMON PLASTIC WASTE.  
Neutralizing Agent:NA

=====  
Handling and Storage  
=====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.  
Other Precautions:NONE.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NIOSH APPROVED DUST RESPIRATORS.  
Ventilation:LOCAL EXHAUST-YES.

Protective Gloves:YES.  
Eye Protection:SAFETY GLASSES OR GOGGLES.  
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:NA  
Melt/Freeze Pt:M.P/F.P Text:ND  
Decomp Temp:Decomp Text:NA  
Vapor Pres:NA  
Vapor Density:NA  
Spec Gravity:1.44  
pH:NA  
Viscosity:NA  
Evaporation Rate & Reference:NA  
Solubility in Water:  
INSOLUBLE  
Appearance and Odor:STRAW COLORED POWDER ODORLESS.  
Percent Volatiles by Volume:NA  
Corrosion Rate:NA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
OPEN FLAME/FIRE.  
Stability Condition to Avoid:OPEN FLAME/FIRE.  
Hazardous Decomposition Products:POISONOUS GAS OR FUMES ON  
DECOMPOSITION.  
Conditions to Avoid Polymerization:FIRE MAY PRODUCE POISONOUS OR  
IRRITATING FUMES.

===== Disposal Considerations

=====

Waste Disposal Methods:SWEEP UP AND TREAT AS COMMON PLASTIC WASTE.LOCAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional

advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.