

QUANTIC INDUSTRIES INC (FORMERLY WHITTAKER ORDANAN) -- 2504-13 EXPLOSIVE BOLT --
1377-00-178-9481

===== Product Identification =====

Product ID:2504-13 EXPLOSIVE BOLT

MSDS Date:04/16/1993

FSC:1377

NIIN:00-178-9481

MSDS Number: BYNXV

=== Responsible Party ===

Company Name:QUANTIC INDUSTRIES INC (FORMERLY WHITTAKER ORDANAN)

Address:2751 SAN JUAN ROAD

Box:148

City:HOLLISTER

State:CA

ZIP:95023

Country:

US

Info Phone Num:408-637-5851

Emergency Phone Num:408-637-5851

Preparer's Name:JIM HART

CAGE:24576

=== Contractor Identification ===

Company Name:QUANTIC INDUSTRIES INC

Address:990 COMMERCIAL ST

Box:148

City:SAN CARLOS

State:CA

ZIP:94070

Country:US

Phone:415-595-1100;408-263-5210

CAGE:24576

Company Name:WHITTAKER ORDANCE INC SUB OF WHITTAKER CORP

Address:2751 SAN JUAN RD

Box:148

City:HOLLISTER

State:CA

ZIP:95024

Country:US

CAGE:10640

===== Composition/Information on Ingredients =====

=====

Ingred Name:LEAD STYPHNATE
CAS:15245-44-0

Ingred Name:LEAD AZIDE
CAS:13424-46-9
RTECS #:OF8650000

Ingred Name:PENTAERYTHRITOL TETRANITRATE
CAS:78-11-5
RTECS #:RZ6200000

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHALATION: MAY IRRITATE RESPIRATORY
SYSTEM. EYES: IRRITATION. OVEREXPOSURE TO LEAD MAY LEAD TO ADVERSE

AFFECTS ON BLOOD FORMING, URINARY, NERVOUS & REPRODUCTIVE SYSTEMS &
EMBRYO TOXIC EFFECTS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:SLEEPLESSNESS, APPETITE LOSS, ANEMIA, FATIGUE,
IRRITATION.

===== First Aid Measures =====

First Aid:FOLLOW APPROPRIATE LOCAL EMERGENCY REACTION PLANS. GIVE FIRST
AID APPROPRIATE TO INJURY. WARNING: EXPOSURE OF PERSONNEL TO
IGNITION OF THIS UNIT MAY RESULT IN PHYSICAL INJURY. AVOID
BREAT

HING/INGESTIN G PRODUCTS OF COMBUSTION. INHALATION: REMOVE TO
FRESH AIR. OBTAIN MEDICAL ATTENTION IN ALL CASES.

===== Fire Fighting Measures =====

Extinguishing Media:UTILIZE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:EVACUATE FROM IMMEDIATE AREA. DON'T FIGHT
CARGO FIRE. EVACUATE 1500 FT IN ALL DIRECTIONS. FOR TRUCK FIRES
PREVENT FROM REACHING CARGO W/CO2/WATER/DRY CHEMICAL.

Unusual Fire/Explosion Hazard:AUTOIGNITION TEMP: 265

F. DETONATION OF
UNIT WILL CREATE SOME FRAGMENTATION CAPABLE OF CAUSING SERIOUS
INJURY/DEATH.

===== Accidental Release Measures =====

Spill Release Procedures:IF UNIT BECOMES DAMAGED, CONSULT QUANTIC AT
408-637-5851.

===== Handling and Storage =====

Handling and Storage Precautions:DON'T STORE W/FLAMMABLE LIQUIDS,
STRONG ACIDS/BASES.

Other Precautions:KEEP UNIT SHUNTED UNTIL CONNECTION TO CIRCUITRY.
NEVER ATTE

MPT TO DISASSEMBLE, MACHINE/OTHERWISE MODIFY UNITS.
PHYSICAL INJURY HAZARD MAY RESULT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:TEST FIRE UNITS ONLY IN LOCATION ISOLATED FROM
PERSONNEL & VENTED TO OUTSIDE WORK AREA. USE A NIOSH APPROVED
ORGANIC VAPOR, ACID GAS CARTRIDGE RESPIRATOR W/DUST FILTERS.

EMERGENCY SITUATIONS: USE SCBA & FULL FACE PROTECTION.

Ventilation:LOCAL EXHAUST: TO OUTSIDE ATMOSPHERE.

Eye Protection:SAFETY GLASSE

S

Other Protective Equipment:FLAME RETARDANT/COTTON CLOTHING/CONDUCTIVE
FOOTWEAR/OPERATIONAL SHIELDING & HEARING PROTECTION.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Appearance and Odor:ELECTROSTATIC DEVICE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

FLAMMABLE LIQUIDS, STRONG ACIDS/BASES

Stability Condition to Avoid:FLAME, HIGH TEMP, ELECTROSTATIC DISCHARGE,

|

MPACT, ELECTRICAL CURRENT/RADIO FREQUENCY ENERGY
Hazardous Decomposition Products:UPON IGNITION: OXIDES OF NITROGEN, CO,
CO2 & LEAD. TOXIC SMOKE, FUMES & GASES.

===== Disposal Considerations =====

Waste Disposal Methods:UNITS MAY ONLY BE DISPOSED OF IAW/FEDERAL, STATE
& LOCAL REGULATIONS, AFTER COMPLETE FUNCTIONING BY TEST-FIRING
&/THERMAL TREATMENT IN APPROVED, PERMITTED FACILITY. CLASS C
EXPLOSIVE. UN: 0173. DISPOS E OF IAW/LOCAL, STATE & FEDER
AL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to thei
r
particular situation.