View NSN Online: https://aerobasegroup.com/nsn/1377-00-824-2916

WALTER KIDDE TECHNOLOGIES INC -- 805300-2 ACTUATING CARTRIDGE, POWER DEVICE - 1377-00-824-2916

Product ID:805300-2 ACTUATING CARTRIDGE, POWER DEVICE MSDS Date:07/30/1991 FSC:1377 NIIN:00-824-2916 MSDS Number: BYNZK === Responsible Party === Company Name:WALTER KIDDE TECHNOLOGIES INC Address:4200 NW AIRPORT DIRVE City:WILSON State:NC ZIP:27896-9643 Country:US Info Phone Num:919-237-7004 Emergency Phone Num:919-237-7004 Preparer's Name: GEORGE C HARRISON CAGE:MO057 === Contractor Identification === Company Name: KIDDE INC WALTER KIDDE DIV AEROSPACE OPNS Address:2500 AIRPORT DRIVE Box:City:WILSON State:NC ZIP:27893-9604 Country:US Phone:252-237-7004 CAGE:61423 Company Name: WALTER KIDDE TECHNOLOGIES INC Address:4200 NW AIRPORT DIRVE City:WILSON State:NC ZIP:27896-9643 Country:US Phone:919-237-7004 CAGE:MO057

======== Composition/Information on Ingredie

Ingred Name:LEAD AZIDE CAS:13424-46-9 RTECS #:OF8650000 ACGIH TLV:10 MG/CUM

Ingred Name:ZIRCONIUM POWDER OSHA PEL:5 MG/CUM

Ingred Name:POTASSIUM PERCHLORATE CAS:7778-74-7 RTECS #:SC9700000

Ingred Name:CARBON CAS:65996-77-2

Ingred Name:FLUOROPOLYMERS

Ingred Name:HEXANITROSTILBENE OSHA PEL:10 MG/CUM

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA: NO

Health Hazards Acute and Chronic:THE PRIMARY HAZARD FROM IMPROPER HANDLING/MISUSE IS PHYSICAL WOUNDS RESULTING FROM A DETONATION. (SEE SUPPLEMENTAL DATA)

Explanation of Carcinogenicity:NONE

Effects of Overexposure: THE PRIMARY HAZARD FROM IMPROPER HANDLING/MISUSE IS PHYSICAL WOUNDS RESULTING FROM A DETONATION.

First Aid:OBTAIN MEDICAL ATTENTION IN ALL CASES.

Extinguishing Media:NONE Fire Fighting Procedures:DON'T FIGHT FIRES W/EXPLOSIVES ENVOLVED. IMMEDIATELY EVACUATE PERSONNEL TO A SAFE LOCATION. Unusual Fire/Explosion Hazard:THESE UNITS CAN BE EXPLOSIVELY DETONATED BY FIRE, HEAT, IMPACT, ELECTRIC CURRENT & RADIO FREQUENCY ENERGY. AUTO-IGNITION TEMP: 480F.

Handling and Storage Precautions:STORE IAW/REQUIREMENTS OF CFR TITLE 27 REGULATING HANDLING & STORAGE OF EXPLOSIVE DEVICES, CLASS 1.45. Other Precautions:UNITS ARE TO BE HANDLED ONLY BY PERSONS TRAINED & QUALIFIED TO HANDLE EXPLOSIVE DEVICES. DON'T ATTEMPT TO OPEN/RMOVE THE INTERNAL EXPLOSIVE COMPONENTS. STATIC GROUNDING IS RECOMMENDED WHEN HANDLING UN SHUNTED UNITS.

Respiratory Protection:NOT REQUIRED FOR NORMAL USE. Protective Gloves:NONE Eye Protection: SAFETY GLASSES RECOMMENDED Work Hygienic Practices :USE GOOD HYGIENE PRACTICES CONSISTENT W/NORMAL INDUSTRIAL PRACTICE. Supplemental Safety and Health UPON ACTUATION, NOXIOUS FUMES ARE GENERATED. IN NORMAL USE, THE CARTRIDGE FIRES INTO A FIRE EXTINGUISHING BOTTLE WHICH WILL DILUTE THESE FUMES TO A CONCENTRATION WHICH IS IRRELEVANT. Appearance and Odor:METAL CASE W/VARIOUS TYPES OF ELECTRICAL CONNECTIONS. ======= Stability and Reactivity Data ===== _____ Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid: EXCESSIVE HEAT, FIRE, IMPACT, ELECTRICAL & RADIO FREQUENCY ENERGY, OPENING/REMOVING INTERNAL EXPLOSIVE COMPONENTS Hazardous Decomposition Products: SHRAPNEL, LEAD COMPOUNDS, ZIRCONIUM **OXIDES, NITROGEN OXIDES**

Waste Disposal Methods:UNITS MAY ONLY BE DISPOSED OF BY PEOPLE LICENSED TO DISPOSE OF ORDNANCE DEVICES/MATERIALS. DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.