View NSN Online: https://aerobasegroup.com/nsn/6510-01-168-4365 CONVATEC DIV OF BRISTOL MYERS SQUIBB CO -- 0003-1839-10 STOMAHESIVE PASTE 6510-01-168-4365 Product ID:0003-1839-10 STOMAHESIVE PASTE MSDS Date:02/23/1994 FSC:6510 NIIN:01-168-4365 MSDS Number: BYPCG === Responsible Party === Company Name: CONVATEC DIV OF BRISTOL MYERS SQUIBB CO Address:RT 206 PROVINCE LINE Box:5254 City:PRINCETON State:NJ ZIP:08543-5254 Countr v:US Info Phone Num:800-422-8811/908-281-2629 Emergency Phone Num:800-422-8811/908-281-2629 Preparer's Name: J FARKAS CAGE:63886 === Contractor Identification === Company Name: CONVATEC DIV OF BRISTOL MYERS SQUIBB CO Address: RT 206 PROVINCE LINE Box:5254 City:PRINCETON State:NJ ZIP:08543-5254 Country:US Phone:800-422-8811/908-281-2629 CAGE:63886 Ingred Name:2-BUTENEDIOIC ACID (Z), MONOBUTYL ESTER POLYMER W/METHOXYETHENE *95 -3* CAS:25119-68-0 RTECS #:EM6515000 Ingred Name:TRIACETIN *95-3* CAS:102-76-1 RTECS #:AK3675000

Ingred Name:CARBOXYMETHYLCELLULOSE (CELLULOSE, CARBOXYMETHYL ETHER, SODIUM SALT) *95-3* CAS:9004-32-4 RTECS #:FJ5950000

Ingred Name:GELATIN *95-3* CAS:9000-70-8 RTECS #:LX8580000

Ingred Name:PECTIN *95-3* CAS:9000-69-5 RTECS #:RX4280000 EC Limits:1900 MG/CUM OSHA PEL:1000 PPM ACGIH TLV:1000 PPM

Ingred Name: BUTANOL, N-BUTYL ALCOHOL, PROPYL CARBINOL, BUTYL ALCOHOL CAS:71-36-3 RTECS #:EO1400000 Other REC Limits:300 MG/CUM OSHA PEL:100 PPM ACGIH TLV:C 152 MG/CUM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NO ADVERSE REACTIONS ARE KNOWN TO EXIST FROM THE USE OF THIS PRODUCT. HOWEVER, A VERY SMALL PERCENTAGE OF THE POPULATION MAY BE ALLERGIC TO THIS PRODUCT. Explanation of Carcinogenicity:NONE Effects of Overexposure:NO ADVERSE REACTIONS ARE KNOWN TO EXIST FROM THE USE OF THIS PRODUCT. HOWEVER, A VERY SMALL PERCENTAGE OF THE POPULATION MAY BE ALLERGIC TO THIS PRODUCT. First Aid:EYES: FLUSH W/COPIOUS AMOUNTS OF WATER. SKIN: WASH W/SOA P & WATER. INHALATION: REMOVE TO FRESH AIR, IF DIFFICULTY IN BREATHING, GIVE OXYGEN. OBTAIN MEDICAL ATTENTION IN ALL CASES. Flash Point Method:TCC Flash Point:60F (ETHANOL) Lower Limits: 3.3 (ETHANOL Upper Limits:19 (ETHANOL) Extinguishing Media:WATER FOG, DRY CHEMICAL/CO2 Fire Fighting Procedures: USE A SELF CONTAINED BREATHING APPARATUS

W/FULL PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard: THIS MATERIAL IS FLA

MMABLE. AUTOIGNITION TEMP: 685F (ETHANOL)

Handling and Storage Precautions:STORE AT ROOM TEMPERATURE. KEEP AWAY FROM OPEN FLAME. USE FOR INTENDED USE ONLY.

Supplemental Safety and Health

APPEARANCE/ODOR CONT'D: A THICK, SMOOTH, HOMOGENEOUS, LIGHT TAN COLORED PASTE USED AS A FILLER SEALANT, & PROTECTIVE SKIN BARRIER W/OSTOMY APPLIANCES.

=====

Appearance and Odor:(SEE SUPP)

Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:OPEN FLAME Hazardous Decomposition Products:BY THERMAL DECOMPOSITON/BURNING: CO, CO2, NITROGEN OXIDES, HYDROGEN CYANIDE & OTHER TOXIC GASES

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of th is information to their particular situation.