

UNITED RESIN CORP -- FAST WELD PUTTY STICK RESIN

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 01-265-2895
MSDS Date: 05/24/1993
MSDS Num: BYPDD
Product ID: FAST WELD PUTTY STICK RESIN
MFN: 01
Kit Part: Y
Responsible Party
Cage: 1FD35
Name: UNITED RESIN CORP
Address: 4359 NORMANDY CT
City: ROYAL
OAK MI 48073
Info Phone Number: 313-455-8605
Emergency Phone Number: 810-549-8200
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====
Preparer Co. when other than Responsible Party Co.
=====

Cage: 1FD35
Name: UNITED RESIN CORPORATION
Address: 4359 NORMANDY COURT
City: ROYAL OAK MI 48073

=====
Contractor Summary
=====

=====
Cage: 1FD29
Name: PTI TECHNOLOGIES INC SUB OF HR TEXTRON INC
Address: UNKNOWN
Box: UNKNOW
City: NEWBURY PARK CA 91319
Phone: UNKNOWN
Cage: 1FD35
Name: UNITED RESIN CORPORATION
Address: 4359 NORMANDY COURT
City: ROYAL OAK MI 48073
Phone: 248-549-8200/
=====

=====
Item Description Information
=====

Item Manager: GSA
Item Name: SEALING COMPOUND
Unit of Issue: BX
Quantitative Expressio

n: 00000000024EA

UI Container Qty: 1

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====

Health Hazards Data
=====

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYES: SLIGHT IRR

ITANT. INHALATION: SLIGHT TO MODERATE

IRRITATION TO THE RESPIRATORY TRACT. INGESTION: MODERATELY TOXIC.

Explanation Of Carcinogenicity: NONE

Signs And Symptoms Of Overexposure: IRRITATION

First Aid: INHALATION: REMOVE TO FRESH AIR. EYES: IMMEDIATELY FLUSH W/GENEROUS

AMOUNTS OF WATER FOR 15 MINS. WASHING W/IN 1 MIN IS ESSENTIAL TO ACHIEVE

MAXIMUM EFFECTIVENESS. SKIN: WASH THOROUGHLY W/SOAP & WATER . INGESTION:

DON'T INDUCE VOMITING. GIVE LARGE AMOUNTS OF WATER/MILK IF AVAILABLE. OBTA

IN

MEDICAL ATTENTION IN ALL CASES.
=====

Handling and Disposal
=====

Spill Release Procedures: SMALL: MAY BE COLLECTED W/ABSORBENT MATERIAL, SUCH AS

CLAY/SAND. LARGE: SHOULD BE DIKED & CONTAINED W/ABSORBENT MATERIALS.

FLUSH AREA W/WATER SPRAY TO REMOVE RESIDUE. DISPOSE OF FLUSH LEGALLY. USE CAU

TIOUS JUDGEMENT WHEN CLEANING.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL, STA

TE & FEDERAL

REGULATIONS.

Handling And Storage Precautions: STORE AT AMBIENT TEMPERATURES IN WELL

VENTILATED AREA. PROTECT CONTAINER FROM PHYSICAL DAMAGE. USE ONLY W/ADEQUATE

VENTILATION.

Other Precautions: CONTAINERS, EVEN EMPTIED, CAN CONTAIN HAZARDOUS PRODUCT

RESIDUES. HANDLE IAW/GOOD INDUSTRIAL PRACTICES. AVOID PROLONGED/REPEATED

CONTACT W/SKIN. AVOID TOUCHING EYES WHEN USING THIS MATERIAL.
=====

Fire and Explosion Hazard Inform

ation

Flash Point Method: PMCC

Flash Point Text: >500F

Extinguishing Media: WATER FOG, FOAM, DRY CHEMICAL CO2

Fire Fighting Procedures: DON'T ENTER CONFINED FIRE SPACE W/O FULL PROTECTIVE GEAR & POSITIVE PRESSURE, SELF CONTAINED, NIOSH APPROVED BREATHING APPARATUS. COOL CONTAINERS W/WATER.

Unusual Fire/Explosion Hazard: CONTAINER AREAS EXPOSED TO INTENSE HEAT/FLAME SHOULD BE COOLED W/WATER TO PREVENT PRESSURE BUILD-UP & WEAKENING OF CONTAINER STRUCTURE.

Control Measures

Respiratory Protection: NIOSH/MSHA APPROVED RESPIRATOR W/ORGANIC VAPOR CARTRIDGE.

Ventilation: LOCAL EXHAUST: RECOMMENDED. MECHANICAL EXHAUST: CAN BE USED AS A BACK UP SYSTEM

Protective Gloves: CHEMICAL RESISTANT, RUBBER

Eye Protection: NIOSH APPROVED SAFETY GLASSES

Other Protective Equipment: GOGGLES W/SIDE SHIELD, POLYVINYL ALCOHOL GLOVES, CHEMICAL RESISTANT CLOTHING.

Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health: KEY1:N1. WASH W/SOAP/WATER BEFORE EATING, DRINKING, SMOKING, APPLYING COSMETICS/USING TOILET FACILITIES.

Physical/Chemical Properties

HCC: N1

Spec Gravity: 1.68

Solubility in Water: NEGLIGIBLE

Appearance and Odor: GREY DOUGH

Percent Vol

atiles by Volume: 0

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: UNSCHEDULED CONTACT W/CURING AGENTS

Materials To Avoid: STRONG OXIDIZING AGENTS, STRONG ACIDS & BASES & SECONDARY ALIPHATIC AMINES

Hazardous Decomposition Products: CO2, CO, ALDEHYDES, ACIDS & OTHER ORGANIC SUBSTANCES MAY BE FORMED DURING HIGH TEMPERATURE DEGRADATION

Hazardous Polymerizatio

n Indicator: NO

Conditions To Avoid Polymerization: MIXING RESIN & HARDENER IN UNCONTROLLABLE QUANTITIES.

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
HAZCOM Label
=====

Product ID: FAST WELD PUTTY STICK RESIN

Cage: 1FD35

Company Name: UNITED RESIN CORPO
RATION

Street: 4359 NORMANDY COURT

City: ROYAL OAK MI

Zipcode: 48073

Health Emergency Phone: 810-549-8200

Label Required IND: Y

Date Of Label Review: 12/16/1998

Status Code: C

Label Date: 12/16/1998

Origination Code: G

Hazard And Precautions: EYES: SLIGHT IRRITANT. INHALATION: SLIGHT TO MODERATE
IRRITATION TO THE RESPIRATORY TRACT. INGESTION: MODERATELY TOXIC.

I
RRITATION

=====
Disclaimer (provided with this information b

y the compiling agencies): This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person
uti

lizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.