View NSN Online: https://aerobasegroup.com/nsn/6515-01-324-3180

CONVATEC DIV OF BRISTOL MYERS SQUIBB CO -- 0003-0225-24 SUR-FIT FLEXIBLE PRE-CUT (W/TAN COLLAR) -- 6515-01-324-3180

Product ID:0003-0225-24 SUR-FIT FLEXIBLE PRE-CUT (W/TAN COLLAR)

MSDS Date:02/23/1994

FSC:6515

NIIN:01-324-3180

MSDS Number: BYPFF === Responsible Party ===

Company Name: CONVATEC DIV OF BRISTOL MYERS SQUIBB CO

Address:RT 206 PROVINCE LINE

Box:5254

C

ity:PRINCETON

State:NJ

ZIP:08543-5254

Country:US

Info Phone Num:800-422-8811/908-281-2629

Emergency Phone Num:800-422-8811/908-281-2629

Preparer's Name: J FARKAS

CAGE:63886

=== Contractor Identification ===

Company Name: CONVATEC DIV OF BRISTOL MYERS SQUIBB CO

Address:RT 206 PROVINCE LINE

Box:5254

City:PRINCETON

State:NJ

ZIP:08543-5254

Country:US

Phone:800-422-8811/908-281-2629

CAGE:63886

======= Composition/Information on Ingredients ========

Ingred Name:POLYISOBUTYLENE

CAS:9003-27

-4

RTECS #:UD1010000

Ingred Name:PECTIN *95-3*

CAS:9000-69-5

RTECS #:RX4280000

Ingred Name: GELATIN *95-3*

CAS:9000-70-8

RTECS #:LX8580000

Ingred Name: CARBOXYMETHYLCELLULOSE (CELLULOSE, CARBOXYMETHYL ETHER,

SODIUM SALT) *95-3*

CAS:9004-32-4

RTECS #:FJ5950000

Ingred Name: POLYETHYLENE, LOW DENSITY

Ingred Name: NON-WOVEN FABRIC (POLYESTER)

= Hazards Identification ==============
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:THIS PRODUCT W/A TAN SUPPORT COLLAR CAN CAUSE SKIN IRRITATION IN SOME USERS. Explanation of Carcinogenicity:NONE Effects of Overexposure:THIS PRODUCT W/A TAN SUPPORT COLLAR CAN CAUSE SKIN IRRITATION IN SOME USERS.
======================================
First Aid:OBTAIN M EDICAL ATTENTION IN ALL CASES.
======================================
Extinguishing Media:WATER FOG, DRY CHEMICAL/CO2 Fire Fighting Procedures:USE A SELF CONTAINED BREATHING APPARATUS.
======================================
Handling and Storage Precautions:STORE AT ROOM TEMPERATURE, AVOID REFRIGERATION & EXPOSURE TO HIGH HUMIDITY. USE FOR INTENDED USE ONLY.
====== Exposure Controls/Personal Protection ========
Supplemental Safety and Health APPEARANCE/ODOR CONT'D: PRODUCT IS COMPRISED OF AN ADHESIVE DISC, PICTURE FRAMED W/A FLEXIBLE SUPPORT ADHESIVE COLLAR. ATTACHED TO THE ADHESIVE DISC IS A FLANGE FOR THE ATTACHMENT OF A DISPOSABLE OSTO MY APPLIANCE. A PROTECTIVE REMOVABLE SILICONE RELEASE PAPER IS ATTACHED TO ONE SIDE OF THIS PRODUCT.
========= Physical/Chemical Properties ===========
Appearance and Odor:(SEE SUPP)
======== Stability and Reactivity Dat

a		 	 _	_	 	 _	_	_	_
-	=								=

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:BY THERMAL DECOMPOSITION/BURNING: CO,
CO2, NITROGEN OXIDES, HYDROGEN CYANIDE & OTHER TOXIC GASES.

====== Disposal Considerations ==========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.