

MAGNAFLUX CORPORATION -- SPOTCHECK CLEANER/REMOVER -- 6850-00-145-0255

=====
Product Identification
=====

Product ID:SPOTCHECK CLEANER/REMOVER

MSDS Date:05/04/1999

FSC:6850

NIIN:00-145-0255

Kit Part:Y

MSDS Number: BYRQC

=== Responsible Party ===

Company Name:MAGNAFLUX CORPORATION

Address:7300 W. LAWRENCE AVENUE

City:CHICAGO

State:IL

ZIP:60656-3504

Country:US

Info Phone Num:708-867-8000

Emergency

Phone Num:708-867-8000, CHEMTREC 800-424-9300

CAGE:37676

=== Contractor Identification ===

Company Name:ILLINOIS TOOL WORKS INC MAGNAFLUX DIV

Address:3624 WEST LAKE AVENUE

Box:City:GLENVIEW

State:IL

ZIP:60025

Country:US

Phone:847-657-5300/

CAGE:37676

Company Name:MAGNAFLUX CORP

Address:218 E INDUSTRIAL ST

Box:UNKNOW

City:DE WITT

State:IA

ZIP:52742

Country:US

Phone:319-659-8143

CAGE:0JNN1

=====
Composition/Information on Ingredients
=====

Ingred Name:VM & P NAPHTHA

CAS:64742-8

9-8

Minumum % Wt:60.

Maxumum % Wt:100.

Other REC Limits:TLV 300 PPM

ACGIH TLV:300 PPM 8 HR TWA

Ingred Name:CARBON DIOXIDE

CAS:124-38-9

RTECS #:FF6400000

Minumum % Wt:3.

Maxumum % Wt:7.

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5000 PPM

ACGIH TLV:NOT AVAILABLE

===== Hazards Identification =====

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE

Routes of Entry: Inhalation:UNKNOWN Skin:UNKNOWN Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN CONTACT MAY IRRITATE BY REMOVING NATURAL OILS ON LONG OR REPEATED EXPOSURE. MAY IRRITATE EYES. WHEN HEATED OR SPRAYED, INHALATION OF VAPORS MAY CAUSE DIZZINESS AND NAUSEA. NOT A SIGNIFICANT INGESTION HAZARD IN SMALL AMOUNTS.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:IRRITATING TO EYES, SKIN AND RESPIRATORY TRACT,

INHALATION MAY CAUSE DIZZINESS AND NAUSEA.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSIST, GET MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTI

ON: DO NOT INDUCE VOMITING. IF OCCURS,
KEEP HEAD BELOW HIPS. GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:=10.C, 50.F

FLAMMABLEAEROSOL

Lower Limits:1 %

Upper Limits:6.00 %

Extinguishing Media:FOAM, CARBON DIOXIDE

Fire Fighting Procedures:DO NOT SPRAY WATER DIRECTLY ON BURNING
PRODUCT. IT MAY FLOAT AND SPREAD FIRE. COOL TANKS AND CONTAINERS
EXPOSED TO FIRE WITH WATER.

Unusual Fire/Explosion Hazard:AER

OSOL CANS MAY BURST AT TEMPERATURES
OVER 130F AND SPRAY CONTENTS INTO FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION (FLAME, SPARK
SOURCES, HOT SURFACES). VENTILATE AREA. MOP UP OR SWEEP UP WITH
ABSORBENT.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HEAT SOURCE. AVOID EYE
CONTACT. AVOID REPEATED OR PROLONGED SKIN CONTACT. AVOID SPRAY
MIST. DO NOT SPRAY AROUND ARCS OR FLAMES.

Other Precautions:AVOID PHYSICAL DAMAGE. DO NOT PUNCTURE OR INCINERATE
CANS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE UNLESS SPRAYED. IF EXPOSURE MAY OR DOES
EXCEED OCCUPATION EXPOSURE LIMITS USE A NIOSH-APPROVED RESPIRATOR
TO PREVENT OVEREXPOSURE.

Ventilation:EXHAUST VENTILATION SUFFICIENT TO KEEP AIRBORNE
CONCENTRA

TIONS BELOW RESPECTIVE TLV'S.

Protective Gloves:RUBBER

Eye Protection:CHEMICAL GOGGLES, SAFETY GLASSES W/SIDES

Other Protective Equipment:CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health

KEY1:F1. THIS PRODUCT IS A KIT CONSISTING OF THREE PARTS: DEVELOPER,

CLEANER/REMOVER AND PENETRANT.

===== Physical/Chemical Properties =====

HCC:V3

Boiling Pt:=115.6C, 240.F

B.P. Text:240F,116C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres:105PSI@75F

Vapor Density:> 1

Spec Gravity:0.76

Evaporation Rate & Reference:FAST

Solubility in Water:NIL

Appearance and Odor:CLEAR, COLORLESS LIQUID, NAPHTHA ODOR

Percent Volatiles by Volume:100%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, OPEN FLAMES

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,

SMOKE, SOOT

===== Disposal Considerations =====

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

===== M

SDS Transport Information =====

Transport Information:PSN US DOT: CONSUMER COMMODITY, ORM-D. IATA:
AEROSOL, 2.1, UN1995. IMDG: AEROSOL, 2.1, UN1995.

===== Regulatory Information =====

SARA Title III Information:CERCLA: NOT REPORTABLE. SARA TITLE III SEC
313: NO REPORTABLE INGREDIENTS.

Federal Regulatory Information:ALL INGREDIENTS ARE ON THE TSCA
INVENTORY.

State Regulatory Information:CALIFORNIA PROPOSTION 65: CONTAINS NOTHING
ON THIS LIST.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.