

METCO INC, SUB OF THE PERKIN-ELMER CORP -- METCO 201B-NS-1 ZIRCONIUM OXIDE POWDER
-- 3439-01-391-8640

===== Product Identification =====

Product ID:METCO 201B-NS-1 ZIRCONIUM OXIDE POWDER
MSDS Date:05/05/1993
FSC:3439
NIIN:01-391-8640
MSDS Number: BYSHV
=== Responsible Party ===
Company Name:METCO INC, SUB OF THE PERKIN-ELMER CORP
Address:1101 PROSPECT AVENUE
City:WESTBURY
State:NY
ZIP:11590-2724
Country:US
Info Phone Num:516-334-1300
Emergency Phone Num:202-483-7616/800-424-9300(CHEMTREC)
CAGE:39918

=== Contractor Identification ===
Company Name:METCO INC, SUB OF THE PERKIN-ELMER CORP
Address:1101 PROSPECT AVENUE
Box:City:WESTBURY
State:NY
ZIP:11590-2724
Country:US
Phone:516-334-1300
CAGE:39918

===== Composition/Information on Ingredients =====

Ingred Name:ZIRCONIUM OXIDE
CAS:1314-23-4
RTECS #:ZH8800000
Fraction by Wt: 91.5%
Other REC Limits:NONE RECOMMENDED

Ingred

Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 5.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name:ORGANIC BINDER

Fraction by Wt: 1.0%

Other REC Limits:NONE RECOMMENDED

Ingred Name:HAFNIUM OXIDE

CAS:12055-23-1

Fraction by Wt: 2.0%

Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICON (II) OXIDE

CAS:10097-28-6

Fraction by Wt: 0.5%

Other REC Limits:NONE RECOMMENDED

=====
Hazards

Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ZIRCONIUM OXIDE:INHAL/SKIN

HAZ.NUISANCE DUST.IRRIT RESP TRACT.SKIN IRRIT,SKIN

GRANULOMAS.CALCIUM CARBONATE:INHAL/EYE HAZ.LUNG/EYE IRRIT.ORG

BINDER:MILDLY TOXIC BY INGEST.GENERAL PUPOSE FOOD ADDITIVE.HAFNIUM

OXIDE:SKIN/EYE/INHAL HAZ.RESP TRACT IRRIT,SKIN

/EYE MILD

IRRIT.SILICON OXIDE:INHAL/EYE HAZ.RESP TRACT IRRIT,(SUPPL)

Effects of Overexposure:POSSIBLE EYE IRRIT, POSSIBLE SKIN IRRIT, INHAL

IRRIT, POSSIBLE INGEST IRRIT.

Medical Cond Aggravated by Exposure:CONSULT PHYSICIAN. TARGET

ORGANS:RESP TRACT, SKIN, LUNGS, EYES, GASTROINTESTINAL TRACT.

=====
First Aid Measures =====

First Aid:EYE:FLUSH W/WATER.IF IRRIT PERSISTS CONSULT PHYSICIAN.

SKIN:WASH W/SOAP/WATER. INHAL:EXPOSE TO FRESH AIR.CONS

ULT PHYSICIAN

IF IRRIT OR RESPIRATORY DISTRESS PERSISTS. INGEST:CONSULT
PHYSICIAN.

===== Fire Fighting Measures =====

Extinguishing Media:NON-FLAMMABLE.

Fire Fighting Procedures:NONE.

Unusual Fire/Explosion Hazard:IF IGNITED, CALCIUM CARBONATE MAY PRODUCE
CARBON MONOXIDE/CARBON DIOXIDE.

===== Accidental Release Measures =====

Spill Release Procedures:VACUUM LOOSE POWDER ONLY W/VACUUMS EQUIPPED
W/HEPA FILTRATION. VA

CUUMS APPROPRIATE FOR USE W/METALLIC DUSTS

SHOULD BE UTILIZED. WIPE AREA CLEAN. DO NOT USE WAER FOR CLEAN UP
OPERATIONS. DO NOT DRY SWE EP. AVOID GENERATING AIRBORNE DUST.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLES.STORE
PROD CONTNRS IN WELL-VENTI,CLEAN,COOL,DRY AREA.STORE IN MANNER TO
MINIMIZE PUNCTURES/BREAKAGE OF CNTNRS.

Other Precautions

:AVOID INGEST/INHAL/EXCESSIVE SKIN CONTACT.AVOID

CONTACT OF POWDER W/WATER/OXIDIZERS.GOGG:COMBUST SPRAY

SHADE#5,PLASMA SPRAY UP TO 40KW SHADE#9,40-60KW SHADE#10,>60KW

SHADE#11.GOGG MAY BE APPROPRIATE T O AVOID EYE IRRIT DURING OTHER
PROD HNDL

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATOR APPROVED BY NIOSH W/FILTER CARTRIDGES
APPROVED FOR DUST/FUME/MISTS SHOULD BE WORN AT ALL TIMES DURING
THERMAL SPRAY PROCESS TO PR

OTECT OPERATOR FROM EXPO TO

DUST/FUMES.RESP MAY ALSO BE WORN WHEN PRODUCT HDNGL GENERATES
DUST.

Ventilation:PRODUCT SHOULD BE USED W/APPROPRIATE LOCAL EXHAUST
VENTILATION PROVIDED.

Protective Gloves:ALUMINIZED GLOVE-PLASMA SPRAY,RUBB-OTHER

Eye Protection:(SEE OTHER PRECAUTION SECITON OF MSDS.)

Other Protective Equipment:EAR PROT-EXCESS NOISE LEVELS.AL APRON-PLASMA
SPRAY PROCESS.OTH APPRO PROT CLOTH AS NECESSARY-PROD HDLG EXCESS
SKIN(SUPP)

Work Hygienic Practices:WASH HANDS A

FTER HANLDING.

Supplemental Safety and Health

HAZ DECOMP PROD:POWDER. ORGBINDER EMIT TOX NA2O FUMES WHEN HEAT TO
DECOMP. HEA HAZ:SILICOSIS,PULM FIB(IBROTIC CHANGES ON XRAY
EXAM,SHORT OF BREATH,COUGH,DECR CHEST EXPAN,LESS WORK CAP,INCRE
SUSC TO TUB ERCULOSIS)CONJ,EYE IRRIT. OTH PROT EQPT:CONTACT,EYEWASH
STATION,WASH FACI.

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:4500F,2482C

Spec Gravity:2.1

Solubility in Water:NEGATIV

E.

Appearance and Odor:POWDER, NO ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZERS,ACIDS,SULFUR,NI(NO3)2,COMBUST.SODIUM OXIDE IN ORG BINER VERY
REACTIVE-COMBINES VIOL W/WATER TO FORM NAOH.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:OZONE & NITRIC OXIDE ARE FORMED BY
PLASMA FLAME(SIMILAR TO WELDING FUMES).THIS ACTION IS INDEPENDENT
OF CERAMIC (SUPP)

=====

===== Disposal Considerations =====

Waste Disposal Methods:EMPTY PRODUCT CNTNRS/PROD WASTE/CLEANING MEDIA
SHOULD BE STORED & DISPOSE OF ACCORDING TO APPROPRIATE
LOC/STATE/FED REGULATORY GUIDELINES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be
accurate and

disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.