View NSN Online: https://aerobasegroup.com/nsn/6850-00-005-5305

MCGEAN-ROHCO INC -- CEE BEE R-679 -- 6850-00-005-5305

Product ID:CEE BEE R-679 MSDS Date:09/10/1992

FSC:6850

NIIN:00-005-5305

MSDS Number: BYSYK === Responsible Party ===

Company Name: MCGEAN-ROHCO INC

Address:1314 MURPHY AVENUE

City:ATLANTA

State:GA

ZIP:30310-4004 Country:US

Info Phone Num:216-441-4900

Emergency Phone Num:800-424-9300(CHEMTREC)

Preparer's Name:T SCA COORDINATOR

CAGE:8U841

=== Contractor Identification ===

Company Name: CHEMICAL COMMODITIES AGENCY, INC.

Address:27447 PACIFIC STREET

Box:City:HIGHLAND

State:CA

ZIP:92346-2640

Country:US

Phone:909-864-2310

CAGE:60777

Company Name: MCGEAN-ROHCO INC Address: 1314 MURPHY AVENUE S.W.

Box:City:ATLANTA

State:GA

ZIP:30310-4004

Country:US

Phone:216-441-4900

CAGE:8U841

====== Composition/Information on Ingredients ========

Ingred Name:BENZIN (AROMATIC PETROLEUM SOLVENT)

CAS:8030-30-6

RTE

CS #:DE3030000

Fraction by Wt: 10-20%

Other REC Limits: NONE RECOMMENDED

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000 Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:S, 50 PPM

ACGIH TLV:S, 25 PPM; 9495

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE

EFFECTS:POSSIBLE SLIGHT

IRRITATION, DROWSINESS. CHRONIC EFFECTS:DERMATITIS, CNS SYSTEM AFFECTS.

Effects of Overexposure:MILD EYE IRRIT. SKIN IRRIT, DEFATTING & DRYING OF SKIN WHICH CAN RESULT IN DERMATITIS. MAY BE IRRITATING TO NOSE/THROAT/RESP TRACT WHEN INHAL. HIGH VAP CAN CAUSE CNS DEPRESSION, DROWS, NARCOSIS. INGES T MAY CAUSE VOMITING. ASPIRATION OF VOMITUS INTO LUNGS MUST BE AVOIDED AS EVEN SM AMTS CAN RESULT IN PNEUMONITIS.

Medical Cond Aggravated by Exposure:

PRE-EXISTING EYE, SKIN &

RESPIRATORY DISORDERS. TARGET ORGANS:EYES, SKIN, RESP SYSTEM, CNS.

First Aid:EYE:FLUSH W/WATER FOR @LEAST 15MINS.IF ANY IRRIT PERSISTS GET MED ATTN. SKIN:FLUSH W/WATER THEN WASH W/SOAP/WATER.IF ANY IRRIT PERSIST GET MED ATTN. INHAL:REMOVE TO FRESH AIR.GET MED ATTN. INGEST:DO N OT INDUCE VOMIT.KEEP HEAD BELOW HIPS TOPREVENT ASPIRATION OF LIQUID INTO LUNGS.GET MED ATTN.

========

====== Fire Fighting Measures =============
Flash Point Method:TCC Flash Point:142F,61C Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER FOG. Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS SHOULD BE USED. Unusual Fire/Explosion Hazard:COOL CONTAINERS EXPOSED TO HEAT W/WATER TO PREVENT RUPTURE.
=========== Accidental Release Measures ============
Spill Release Procedures:COMBUSTIBLE.ELIMNATE POTENTIAL SOURCES OF IGNITION.SOAP UP RESIDUE W/ABSORBANT.PLACE IN CONTAINERS & SEAL TIGHTLY AWAITING PROPER DISPOSAL.WASH DOWN REMAINING TRACES W/SOAP/WATER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:STORE @TEMPS OF 30-90F AWAY FROM SPARKS/FLAME/HEAT.GROUND TRANSFER CONTAINERS & EQPMT TO PREVENT STATIC SPARK WHICH COULD IGNITE VAP. Other Precautions:NONE SPECIFIED BY MANUFACTURER.
======= Exposure Controls/Personal Protection =========
Respiratory Protection:IF TWA IS EXCEEDED MUST BE NIOSH OR MSHA ARPROVED. Ventilation:SUFFICIENT TO KEEP BELOW TWA LIMIT. Protective Gloves:NEOPRENE GLOVES. Eye Protection:CHEMICAL GOGGLES. Other Protective Equipment:SUFFICIENT TO PREVENT SKIN CONTACT.EYEWASH,SAFETY SHOWER. Work Hygienic Practices:WASH HANDS AFTER HANDLING. Supplemental Safety and Health
======================================

=100.C, 212.F Melt/Freeze Pt:=-3.C, 26.6F Spec Gravity:1.02 pH:8-10 Evaporation Rate & Ev