View NSN Online: https://aerobasegroup.com/nsn/6850-01-306-1382

MAGNAFLUX -- ZYGLO PENETRANT ZL-27A -- 6850-01-306-1382

============ Product Identification ==============

Product ID:ZYGLO PENETRANT ZL-27A

MSDS Date:09/23/1993

FSC:6850

NIIN:01-306-1382

MSDS Number: BYTCJ
=== Responsible Party ===
Company Name:MAGNAFLUX
Address:7301 W AINSLIE AVE

City:HARWOOD HTS

State:IL ZIP:60656 Country:US

Info Phone Num:708-867-8000

Emergency Phone Num:800-424-9300 (CHEMTREC)

Preparer's Na

me:CHERI A. ZELEZNIK

CAGE:59042

=== Contractor Identification ===

Company Name: ILLINOIS TOOL WORKS INC MAGNAFLUX DIV

Address:3624 WEST LAKE AVENUE

Box:City:GLENVIEW

State:IL ZIP:60025 Country:US

Phone:847-657-5300/

CAGE:37676

Company Name: MAGNAFLUX

Address:7300 WEST LAWRENCE AVE

City:CHICAGO

State:IL ZIP:60656 Country:US

Phone:708-867-8000

CAGE:59042

======= Composition/Information on Ingredients ========

Ingred Name:MINERAL OIL, WHITE; (WHITE MINERAL OIL (PETROLEUM)) CAS:8042-47-

RTECS #:PY8047000 Fraction by Wt: 30-60%

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:PHOSPHORIC ACID, ISODECYL DIPHENYL ESTER; (ISODECYL DIPHENYL PHOSPHATE) LD50: (ORAL, RAT) 15.8 G/KG

CAS:29761-21-5 RTECS #:TC6180000 Fraction by Wt: 30-60%

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name: CASTOR OIL

CAS:8001-79-4 RTECS #:FI4100000 Fraction by Wt: 10-30%

OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:PROPANE, 2-METHYL-; (ISOBUTANE (PROPELLANT))

CAS:75-28-5

RTECS #:TZ4300000 Fraction by Wt: 30%

OSHA PEL

:1000 PPM (MFR) ACGIH TLV:N/K

=========== Hazards Identification ==========================

LD50 LC50 Mixture: SEE INGREDIENT 2

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: SKIN: CAN IRRITATE BY REMOVING NATURAL

SKIN OILS ON LONG OR REPEATED EXPOSURES. EYES: MAY CAUSE

IRRITATION. INHALATION: NOT SIGNIFICANT AT ROOM TEMPERATURES. WHEN

HEATED OR SPRAYED, PRODUCT VAPORS MAY CAUSE

DIZZINESS & NAUSEA.

INGESTTION: NOT SIGNIFICANT IN SMALL (MOUTHFUL) AMOUNTS.

Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:NONE.

First Aid:SKIN: WASH OFF W/SOAP & WATER. USE SOOTHING LOTION. EYES: RINSE CAREFULLY UNDER UPPER & LOWER EYELIDS USING PLENTY OF WATER FOR AT LEAST 15 MIN. INHAL: REMOVE TO FRESH AIR IF DIZZY/NAUS. INGEST: D

O NO T INDUCE VOMIT. ACCIDENTAL INGEST OF SMMOUTHFUL IS NOT EXPECTED TO CAUSE SIGNIFICANT HARM. NOTE: IN ALL SEV CASES, CNTCT MD IMMED. LOC TELEPHONE OPERATORS CAN FURNISH NUMBER OF REGIONAL POIS CTL CTR.

============== Fire Fighting Measures =======================

Flash Point Method:PMCC Flash Point:200F.93C

Lower Limits:1% Upper Limits:6%

Extinguishing Media: CARBON DIOXIDE, FOAM.

Fire Fighting Procedures:USE NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP. KEEP CNTNRS COOL W

/WATER SPRAY. DO NOT SPRAY WATER DIRECTLY ON BURNING PROD. IT MAY FLOAT & SPREAD THE FIRE.

Unusual Fire/Explosion Hazard:AEROSOL CANS MAY BURST AT TEMPERATURES OVER 130F(54C) & SPRAY CONTENTS INTO FIRE. HAZARDOUS COMBUSTION PRODUCTS: SMOKE, SOOT, OXIDES OF CARBON & NITROGEN.

======== Accidental Release Measures ============

Spill Release Procedures: MOP UP OR SWEEP UP WITH ABSORBENT. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: AVOID BREATHING SPRAY MIST. AVOID EYE CONTACT. AVOID REPEATED OR PROLONGED SKIN CONTACT. STORE AWAY FROM HEAT SOURCE.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection ========

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR WITH FILTER IF SPRAYED IN ENCLOSED, UNVENTILATED SPACE.

Ventilation:NONE, UNLESS APPLIED AS SPRAY. USE WHERE VENTILATION WIL

CARRY SPRAY MIST AWAY FROM OCCUPIED AREAS.

Protective Gloves: NITRILE RUBBER GLOVES.

Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES .

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

VP: BULK: