View NSN Online: https://aerobasegroup.com/nsn/6850-00-959-3754

W A HAMMOND DRIERITE CO. -- INDICATING DRIERITE -- 6850-00-959-3754

Product ID:INDICATING DRIERITE MSDS Date:08/12/1994 FSC:6850 NIIN:00-959-3754 MSDS Number: BYVWG === Responsible Party === Company Name:W A HAMMOND DRIERITE CO. Address:138 DAYTON AVE Box:460 City:XENIA State:OH ZIP:45385 Country:US Info Phone Num:513-376-2927 Emergency Phone Num:513-376-2927 CA GE:IO383 === Contractor Identification === Company Name:W A HAMMOND DRIERITE CO Address:138 DAYTON AVE Box:460 City:XENIA State:OH ZIP:45385 Country:US Phone:513-376-2927 CAGE:IO383 Company Name:W.A.HAMMOND DRIERITE CO. Address:138 DAYTON AVE. Box:460 City:XENIA State:OH ZIP:45385-2830 Country:US Phone:937-376-2927 CAGE:70000

Ingred Name:CALCIUM SULFATE CAS:7778-18-9 RTECS #:WS6920000 Fraction by Wt: 97% OSHA PEL:15 MG/M3 TDU

ST ACGIH TLV:10 MG/M3 TDUST

Ingred Name:COBALT CHLORIDE CAS:7646-79-9 RTECS #:GF9800000 Fraction by Wt: 3% OSHA PEL:0.05 MG/M3 CO ACGIH TLV:0.05 MG/M3 CO

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO Health Hazards Acute and Chronic: EYES: PARTICLES MAY CAUSE IRRITATION. SKIN: THIS MATERIAL IS NOT TOXIC, MAY DRY OR IRRITATE SKIN. INHALATION: MAY CAUSE AN IRRITATION OF RESPIRATORY ORGANS OF SENSITIVE PERSONS RESULTING IN THE OBSTRU CTION OF AIRWAYS WITH SHORTNESS OF BREATH. INGESTION: MAY CAUSE VOMITING, DIARRHEA AND SENSATION OF WARMTH. Explanation of Carcinogenicity: COBALT CHLORIDE: IARC MONOGRAPHS ON EVALUATION OF CARCINOGENIC RISK OF CHEMICALS TO MAN, V 52, PG 363, 1991: GROUP 2B. Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure: PRE-EXISTING UPPER RESPIRATORY AND LUNG DISEASE SUCH AS, BUT NOT LIMITED TO, BRONCHITIS, EMPHYSEMA AND ASTHMA.

First Aid:EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. IF IRRITATION CONTINUES OBTAIN MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR. SKIN: WASH WITH WATER. INGESTION: IF CONSCIOUS, INDUCE VOMITING. OBTA IN MEDICAL ATTENTION.

Flash

Point:NONE

Extinguishing Media:MEDIA SUITABLE FOR SURROUNDING FIRE . NOT COMBUSTIBLE.

Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures:SWEEP OR VACUUM MATERIAL INTO APPROPRIATE WASTE CONTAINER FOR DISPOSAL. AVOID DUSTING CONDITIONS. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

====== Handling and

Handling and Storage Precautions:KEEP CONTAINER CLOSED. STORE IN A COOL, DRY PLACE. AVOID GENERATING DUST. Other Precautions:NONE SPECIFIED BY MANUFACTURER.

Respiratory Protection:MASK NIOSH/MSHA APPROVED FOR DUST. Ventilation:TO MEET TLV REQUIREMENTS. Protective Gloves:IMPERVIOUS GLOVES . Eye Protection:ANSI APPRVD CHEM WORKERS GOGGLES . Other Protective Equipment:PROTECTIVE CLOTHING IS N OT USUALLY NECESSARY BUT MAY BE DESIRABLE IN SPECIFIC WORK SITUATIONS.

Work Hygienic Practices:NONE SPECIFIC WORK SITUATIONS. Supplemental Safety and Health MP: 2642F,1450C DECOMPOSES.

Melt/Freeze Pt:M.P/F.P Text:SUPDAT Spec Gravity:1.87 (H*2O=1) Solubility in Water:0.25 G/L Appearance and Odor:BLUE GRANULES; NO ODOR.

Stability Indicator/Materials to A

void:YES STRONG ACIDS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:CL*2 AT 318C; SO*3 AT 1450C.

Waste Disposal Methods: THIS MATERIAL MUST BE DISPOSED OF IN ACCORDANCE WITH PROCEDURES ACCEPTABLE UNDER FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the De partment

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.