

DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV. -- HYSOL PC17M, PART B, PB2003 --  
5970-01-063-1200

===== Product Identification =====

Product ID:HYSOL PC17M, PART B, PB2003

MSDS Date:02/16/1996

FSC:5970

NIIN:01-063-1200

Kit Part:Y

MSDS Number: BYVWQ

=== Responsible Party ===

Company Name:DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV.

Address:211 FRANKLIN ST.

Box:NONE

City:OLEAN

State:NY

ZIP:1476

0-1297

Country:US

Info Phone Num:716-372-6300

Emergency Phone Num:716-372-6309

Preparer's Name:HSE - OLEAN, NY

CAGE:04347

=== Contractor Identification ===

Company Name:DEXTER CORP DEXTER ELECTRONIC MATERIALS DIV

Address:15051 E DON JULIAN RD

Box:City:LA PUENTE

State:CA

ZIP:91746

Country:US

Phone:818-968-6511

CAGE:12405

Company Name:DEXTER CORP THE DEXTER ELECTRONIC MATERIAL DIV

Address:211 FRANKLIN ST.

Box:City:OLEAN

State:NY

ZIP:14760-1297

Country:US

Phone:716-372-6300/6309

CAGE:04347

=====

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TOLUENE (SARA 313) (CERCLA)  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 36%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:200 PPM; Z-2  
ACGIH TLV:S, 50 PPM; 9495  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:POLYAMIDE RESIN  
CAS:68410-23-1  
Fraction by Wt: 30-60%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:TRIETHYLENE TETRAMINE  
CAS:112-24-3  
RTECS #:YE6650000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:PROPYLENE GLYCOL MONOMETHYL ETHER  
CAS:107-98-2  
RTECS #:UB7700000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:100 PPM  
ACGIH TLV:100 PPM/150STEL;9495

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:WARNING! POSSIBLE IRRITATION TO EYES,  
SKIN  
& RESPIRATORY TRACT. EYE:CONTACT MAY CAUSE IRRITATION.  
PROLONGED &/OR REPEATED SKIN CONTACT MAY CAUSE IRRITATION. HOT  
PRODUCT MAY CAUSE THERMAL BURNS.INHALATION:HARMFUL. MAY CAUSE  
ALLERGIC RESPIRATORY REACTION (ASTHMA). INGESTION:MODERATELY TOXIC,  
MAY CAUSE VOMITING.  
Explanation of Carcinogenicity:MFR GAVE THE ABOVE LISTINGS ON THE MSDS  
BUT NO OTHER COMMENTS WERE RECORDED ON THE MSDS.  
Effects of Overexposure:EYES:IRRITATION. PROLONGED &/OR REPEATED SKIN  
CONTACT:IRRITATION

N. HOT PRODUCT:THERMAL BURNS. INHALATION:HARMFUL,  
ALLERGIC RESPIRATORY REACTION (ASTHMA). INGESTION:MODERATELY TOXIC,  
VOMITING.

Medical Cond Aggravated by Exposure:PREEXISTING SKIN OR EYE DISORDERS,  
PREEXISTING SKIN OR LUNG ALLERGIES MAY BE AGGRAVATED BY EXPOSURE TO  
THIS PRODUCT.

===== First Aid Measures =====

First Aid:IF IRRITATION PERSISTS OR IS SEVERE, GET MEDICAL ATTENTION.

EYE:FLUSH W/WATER FOR 15 MIN. SKIN:WASH W/SOAP & WATER. RE  
MOVE

CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE. INHALED:REMOVE FROM  
EXPOSURE. A ID OR RESTORE BREATHING AS NEEDED. INGESTED:DO NOT  
INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION. TO  
PHYSICIAN:DIRECT TREATMENT TO CONTROL SYMPTOMS & CLINICAL  
CONDITIONS. THERE IS NOT ANTIDOTE.

===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:82.0F,27.8C

Extinguishing Media:WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting

Procedures:RECOMMENDED USE OF SELF-CONTAINED BREATHING  
APPARATUS (SCBA).

Unusual Fire/Explosion Hazard:NO UNUSUAL FIRE OR EXPLOSION HAZARDS.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL. ELIMINATE IGNITION SOURCES.

PREVENT RUNOFF TO SEWERS, WATERWAYS. SHOVEL OR SCRAPE UP INTO  
DISPOXAL CONTAINER. SEAL LID & LABEL PROPERLY. CLEAN UP SPILL  
IMMEDIATELY OBSERVING PRECAUTIONS INCLUDING VENTILATION & PERSONAL  
PROTECTI

ON.

Neutralizing Agent:MFR GAVE NO INFORMATION ON MSDS.

===== Handling and Storage =====

Handling and Storage Precautions:PLASTIC CONTAINERS MAY BE SLIPPERY  
WHEN HANDLING. STORE