

WATER CHEMISTRY, INC -- DISTILLED WATER, REAGENT -- 6810-01-327-6267

=====
Product Identification
=====

Product ID: DISTILLED WATER, REAGENT

MSDS Date: 11/13/1997

FSC: 6810

NIIN: 01-327-6267

MSDS Number: BYVXS

=== Responsible Party ===

Company Name: WATER CHEMISTRY, INC

Address: 3404 AERIAL WAY DR SW

Box: 4273

City: ROANOKE

State: VA

ZIP: 24015

Country: US

Info Phone Num: 540-989-0400

Emergency Phone Num: 540

-989-0400

CAGE: 66378

=== Contractor Identification ===

Company Name: UNITED PROCUREMENT

Address: 3655 RUFFIN RD SUITE 230

Box: City: SAN DIEGO

State: CA

ZIP: 92123

Country: US

Phone: 619-467-9880

CAGE: 0PHG7

Company Name: WATER CHEMISTRY, INC

Address: 3404 AERIAL WAY DR SW

Box: 4273

City: ROANOKE

State: VA

ZIP: 24018-1504

Country: US

Phone: 540-989-0400/343-3618

CAGE: 66378

=====
Composition/Information on Ingredients
=====

Ingred Name: WATER

CAS: 7732-18-5

RTECS #: ZC0110000

Fraction by Wt: 100%

%

Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:368 MG/KG

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGESTION OF LARGE AMOUNTS OF REAGENT WATER WILL CAUSE SERIOUS ILLNESS.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCI

NOGENS.

Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:IF LARGE QUANTITIES ARE CONSUMED, CONSULT A PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point:>212F,>100C

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:NONFLAMMABLE. USE EXTINGUISHING MEDIA SUITABLE FOR SURROUNDING FIRE

Fire Fighting Procedures:NON-FLAMMABLE

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ALLOW TO EVAPORATE OR FLOW TO DRAIN.

Neutralizing Agent:NONE

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:LDLO = 368 MG/KG

=====
===== Exposure Controls/Personal Protection =====

====

Respiratory Protection:NONE REQUIRED UNDER NORMAL CONDITIONS
Ventilation:NONE REQUIRED UNDER NORMAL CONDITIONS
Protective Gloves:NONE REQUIRED UNDER NORMAL CONDITIONS
Eye Protection:NONE REQUIRED UNDER NORMAL CONDITIONS
Other Protective Equipment:NONE REQUIRED UNDER NORMAL CONDITIONS
Work Hygienic Practices:NONE REQUIRED UNDER NORMAL CONDITIONS
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:N1
Boilin
g Pt:B.P. Text:212F,100C
Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C
Vapor Pres:17.53 MM
Vapor Density:1
Spec Gravity:1
pH:7
Evaporation Rate & Reference:1 (WATER=1)
Solubility in Water:100%
Appearance and Odor:CLEAR, ODORLESS LIQUID
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS AND STRONG BASES
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Product
s:NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE
FEDERAL, STATE, AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
discl

aims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.