

VARFLEX CORPORATION -- VARGLAS ACRYLIC A-397 & 343 SLEEVING -- 5970-01-367-7482  
===== Product Identification =====

Product ID:VARGLAS ACRYLIC A-397 & 343 SLEEVING

MSDS Date:07/19/1993

FSC:5970

NIIN:01-367-7482

MSDS Number: BYVYG

=== Responsible Party ===

Company Name:VARFLEX CORPORATION

Address:512 WEST COURT STREET

City:ROME

State:NY

ZIP:13440

Country:US

Info Phone Num:315-336-4400

Emergency Pho

ne Num:315-336-4400

CAGE:79074

=== Contractor Identification ===

Company Name:VARFLEX CORPORATION

Address:512 WEST COURT STREET

Box:City:ROME

State:NY

ZIP:13440

Country:US

Phone:315-336-4400

CAGE:79074

===== Composition/Information on Ingredients =====

Ingred Name:FIBERGLASS

Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYACRYLATE

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES

Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: SKIN-TRANSIENT MECHANICAL IRRITATION. EYE-DIRECT CONTACT WILL CAUSE MECHANICAL IRRITATION. CHRONIC: SKIN-NONE. EYE-NONE.

Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.

Effects of Overexposure:OBSERVE INDIVIDUAL, IF SYMPTOMS DEVELOP, CONSULT PHYSICIAN.

=====  
First Aid Measures  
=====

First Aid:OBSERVE INDIVIDUAL, IF SYMPTOMS DEVELOP, CONSULT PHYSICIAN.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:WATER, FOAM, CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

=====  
Handling and Storage  
=====

Handling and Storage Precautions:IF IN CONTACT WITH SENSITIVE SKIN, USE GLOVES. FOR PROLONGED PERIODS, STORE IN ABSENCE OF DIRECT SUNLIGHT.

Other Precautions:NONE.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NOT REQUIRED.

Ventilation:LOCAL EXHAUST, MECHANICAL (GENERAL).

Protective Gloves:USE WITH SENSITIVE SKIN.

Eye Protection:NOT REQUIRED.

Other Protective Equipment:NOT REQUIRED.

Work Hygienic Practices:NOT REGULATED BY DOT - WASH AND SHOWER NORMALLY AT THE END OF WORK DAY.

Supplemental Safety and Health  
NONE

=====  
Physical/Chemical Properties  
=====

HCC:N1

Spec Gravity:2.54

Solubility in Water:NEGLIGIBLE

LE

Appearance and Odor:CYLINDRICAL FIBERGLASS BRAID, ACRYLIC COATED WITH  
FAINT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:SIZING OR BINDERS MAY DECOMPOSE IN A  
FIRE TO CARBON MONOXIDE, CARBON DIOXIDE AND OTHER HYDROCARBONS.

===== Disposal Considerations =====

Waste Disposal Methods:T

HE PRIMARY METHOD OF DISPOSAL IS IN A MUNICIPAL

OR INDUSTRIAL LANDFILL. CHECK LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.