View NSN Online: https://aerobasegroup.com/nsn/8040-01-288-5856

DEXTER CORP, DEXTER AEROSPACE MATERIALS DIV -- EA 9394 SYSTEM, PART B, AS9277000 --

8040-01-288-5856

Product ID:EA 9394 SYSTEM, PART B, AS9277000

MSDS Date:12/01/1995

FSC:8040

NIIN:01-288-5856

Kit Part:Y

MSDS Number: BYYCW === Responsible Party ===

Company Name: DEXTER CORP, DEXTER AEROSPACE MATERIALS DIV

Address:2850 WILLOW PASS RD

City:PITTSBURG

State:CA ZIP:94 565-3299 Country:US

Info Phone Num:510-458-8000

Emergency Phone Num:510-458-8000,800-424-9300(CHEMTREC)

Preparer's Name: NONE

CAGE:33564

=== Contractor Identification ===

Company Name: DEXTER CORP THE DEXTER CROWN METRO AEROSPACE DIV

Address:31500 HAYMAN ST

Box:City:HAYWARD

State:CA

ZIP:94544-7120

Country:US

Phone:510-471-7171

CAGE:98795

Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS

Address:2850 WILLOW PASS ROAD

Box:312

City:BAY POINT

State:CA

ZIP:94565-3299 Country:US Phone:202-483-7 616 CAGE:33564

====== Composition/Information on Ingredients ========

Ingred Name: ALIPHATIC AMINES

Fraction by Wt: 60-100%

Other REC Limits: NONE RECOMMENDED

Ingred Name: SILICA, AMORPHOUS (FUMED)

CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: 5-10%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:6 MG/M3 ACGIH TLV:10 MG/M3

=========== Hazards Identification =================

LD50 LC50 Mixture:ORAL LD50 (RAT): 3160 MG/KG(INGRED #2).

Routes of Entry: Inhalation:YES

Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EYES: IRRITATION, CORROSIVE, CHEMICAL BURNS. SKIN: IRRITATION, CORROSIVE, CHEMICAL BURNS. INHALATION: IRRITATION OF NOSE AND THROAT. INGESTION: NOT A LIKELY SOURCE OF EXPOSURE. CHRONIC: REPEATE D OR PROLONGED SKIN CONTACT MAY RESULT IN BURNS AND POSSIBLE ALLERGIC SENSITIZATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYES: IRRITATION,CORROSIVE, C

HEMICAL BURNS.

SKIN: IRRITATION, CORROSIVE, CHEMICAL BURNS, ALLERGIC SENSITIZATION. INHALATION: IRRITATION OF NOSE AND THROAT.

INGESTION: NOT A LIKELY SOURCE OF EXPOSURE.
Medical Cond Aggravated by Exposure: SKIN SENSITIZATION.

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH AREA WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTEN

ITON. INHALATION: MOVE TO FR ESH AIR. IF ADVERSE SYMPTOMS DEVELOP, GET MEDICAL ATTENTION. INGESTION: DRINK PLENTY OF WATER. GET MEDICAL ATTENTION.
======================================
Extinguishing Media:DRY CHEMICAL, HALON FIRE EXTINGUISHER, WATER SPRAY, FOAM, FOG. Fire Fighting Procedures:WEAR SCBA AND FULL PROTECTIVE CLOTHING, SUCH
AS TURN-OUT GEAR. CARTRIDGE RESPIRATORS DON'T PROVIDE ADEQUATE PROTECTION FOR FIRE FIGHTERS OR EXOTHERM M TIGATION.
Jnusual Fire/Explosion Hazard:MAY LIBERATE LARGE QUANTITIES OF DENSE, FOUL-SMELLING SMOKE WHICH MAY CONTAIN UNIDENTIFIED TOXIC GASES.
========== Accidental Release Measures =============
Spill Release Procedures:WEAR PROTECTIVE CLOTHING. ABSORB SPILL WITH SORBENT MATERIAL SUCH AS VERMICULITE OR SAND. SCRAPE UP OR SHOVEL INTO DOT APPROVED WASTE CONTAINERS. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:THIS PRODUCT MAY BE STORED AT ROOM TEMPERATURE FOR UP TO 12 MONTHS. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.
Other Precautions:DO NOT CUT, GRIND, WELD, OR DRILL ON OR NEAR CONTAINER. AVOID MIXING RESIN (PART A) AND CURING AGENT (PART B) IN BATCHES >1 POUND UNLESS YOU PLAN TO USE IMMEDIATELY. DO NOT HEAT MIXED ADHESIVE ABOVE 1 25F UNLESS CURING SURFACES TO BE BONDED.
======= Exposure Controls/Personal Protection
Respiratory Protection: IF LOCAL EXHAUST VENTUATION IS INADEQUATE A

RESPIRATOR EQUIPPED WITH ORGANIC VAPOR CARTRIDGES MAY BE

Other Protective Equipment: CHEMICAL GOGGLES, EYE WASH STATION AND

Ventilation:PROVIDE LOCAL EXHAUST AT POINT OF USE.

Protective Gloves:BUTYL OR NITRILE RUBBER, OR PVC GLOVES. Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS/GOGGLES

SAFETY SHOWER, LONG-SLEEVED SHIRT AND TROUSERS. Work Hygienic Practices: WASH AFTER HANDLING AND BEFOR

APPROPRIATE.

E EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

KEY1:B2. THIS ENTRY DESCRIBES PART B OF A TWO PART KIT. SEE THIS SAME NSN, P/N IND F, FOR PART A DATA. EMPTY CONTAINERS RETAIN PRODUCT RESIDUE SO OBEY HAZARD WARNINGS AND HANDLE EMPTY CONTAINERS AS IF THEY WERE FULL.

======== Physical/Chemical Properties ==========

HCC:B2 Vapor Pres:

Supplemental Safety and Health