View NSN Online: https://aerobasegroup.com/nsn/8010-01-336-3032

DEFT INC CHEMICAL COATING DIV -- CAT, MIL-C-85285B, 16473, PC 03GY277CAT, GRAY, PART 2 -- 8010-01-336-3032

Product ID:CAT, MIL-C-85285B, 16473, PC 03GY277CAT, GRAY, PART 2

MSDS Date:06/30/1993

FSC:8010

NIIN:01-336-3032

Kit Part:Y

MSDS Number: BYYNM === Responsible Party ===

Company Name: DEFT INC CHEMICAL COATING DIV

Address:17451 VON KARMAN AVE

City:IRVINE State:CA

ZIP:92714-6205 Country:US

Info Phone Num:714-474-0400

Emergency Phone Num:800-424-9300 CHEMTREC

Preparer's Name: NORM GAUL

CAGE:33461

=== Contractor Identification === Company Name:DEFT, INC.

Address:17451 VON KARMAN AVE

City:IRVINE State:CA ZIP:92614 Country:US

Phone:949-474-0400

CAGE:33461

======= Composition/Information on Ingredients ========

Ingred Name:ALIPHATIC ISOCYANATE POLYMERS(WITH HEXAMETHYLENEDIISOCYANATE)

CAS:4035-89-6

RTECS #:NR0195000 Fraction by Wt: 45%

Other

REC Limits:MILES:CEILING.0.2 PP ACGIH TLV:TWA: 0.005 PPM

Ingred Name: METHYL ISOBUTYL KETONE (SARA III) (VP = 15 @ 68F)

CAS:108-10-1

RTECS #:SA9275000 Fraction by Wt: 25.0%

Other REC Limits: NONE SPECIFIED

OSHA PEL:50 PPM/STEL 75 ACGIH TLV:50 PPM/STEL 75

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:CYCLOHEXANONE (SARA III)(VP = 3.4 @ 68F)

CAS:108-94-1

RTECS #:GW1050000 Fraction by Wt: 25%

Other REC Limits: NONE SPECIFIED

OSHA PEL:25 PPM ACGIH TLV:25 PPM EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5

000 LBS

Ingred Name:ETHYL 3-ETHOXYPROPIONATE (VP = 0.7 @ 68F)

CAS:763-69-9

RTECS #:UF3325000 Fraction by Wt: 5%

Other REC Limits:50 PPM; STEL 100 PPM

Ingred Name: VOC= 552 G/L

RTECS #:9999999VO

Other REC Limits: NONE SPECIFIED

Ingred Name:1,6-DIISOCYANATOHEXANE (HEXAMETHYLENE DIISOCYANATE)

CAS:822-06-0

RTECS #:MO1740000

Fraction by Wt: 1

Spec Gravity: 0.96879

Evaporation Rate & Reference: 0.76(N-BUTYL ACETATE=1)

Solubility in Water: INSOLUBLE

Appearance and Odor: AMBER LIQUID WITH SOLVENT ODOR

Percent Volatiles by Volume:62.8
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES WATER, AMINES, STRONG BASES, ALCOHOLS, METAL COMPOUNDS AND SURFACE ACTIVE MATERIALS.
Stability Condition to Avoid:CONTACT WITH MOISTURE AND HIGH TEMPERATURES.
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, AND OXIDES OF NITROGEN, TRACES OF HCN AND HDI.
Conditions to Avoid Polymerization:CONTACT WITH MOISTURE AND HIGH
TEMPERATURES.
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH FEDERAL, STATE &

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH FEDERAL, STATE & LOCAL ENVIRONMENTAL CONTROL REGULATIONS. EMPTY CONTAINERS MUST BE HANDLED WITH CARE.DONT INCINERATE CLOSED CONTAINER. RCRA #: D001(IGNITABLE),F003, F005(NON -HALOGENATED SOLVENT WASTE).

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defe

nse. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.