View NSN Online: https://aerobasegroup.com/nsn/8030-01-369-0051

COURTAULDS AEROSPACE, INC -- PR1829 B-1/2, (1829B11) ACCELERATOR, PART 2 OF 2 -- 8030-01-369-0051

Product ID:PR1829 B-1/2, (1829B11) ACCELERATOR, PART 2 OF 2

MSDS Date:06/07/1994

FSC:8030

NIIN:01-369-0051

Kit Part:Y

MSDS Number: BYYTB === Responsible Party ===

Company Name: COURTAULDS AEROSPACE, INC

Address:5430 SAN FERNANDO RD.

Box:1800

City:GLENDALE

State:CA

ZΙ

P:91209 Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-424-9300 (CHEMTREC)

CAGE:83574

=== Contractor Identification ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

======= Composition/Information on Ingredients ========

Ingred Name: EPOXY RESIN

CAS:25068-38-6 RTECS #:SL6475000 Fraction by Wt: 40%

Other REC Limits: NONE RECOMMENDED

CAS:28064-14-4 Fraction by Wt: 30% Other REC Limits: NONE RECOMMENDED Ingred Name: CALCIUM CARBONATE LIMESTONE (AIRBORNE CONTAMINANT, FULLY **ENCAPSULATED**) CAS:1317-65-3 RTECS #:EV9580000 Fraction by Wt: 25% Other REC Limits: NONE RECOMMENDED OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3 Ingred Name: CARBON BLACK (AIRBORNE CONTAMINANT, FULLY ENCAPSULATED) CAS:1333-86-4 RTECS #:FF5800000 Fraction by Wt: 93C Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG. Fire Fighting Procedures: USE AIR-SUPPLIED RESPIRATOR. ======== Accidental Release Measures ============ Spill Release Procedures: SCOOP INTO CONTAINERS. CLEAN UP RESIDUE W/SUITABLE SOLVENT. ============ Handling and Storage =========================== Handling and Storage Precautions: WASH THOROUGHLY AFTER HANDLING & BEFORE SMOKING OR EATING, AVOID INGESTION. ====== Exposure Controls/Personal Protection ======== Res piratory Protection:NOT REQUIRED. Ventilation: GENERAL Protective Gloves: PLASTIC OR RUBBER Eye Protection: SAFETY GLASSES Supplemental Safety and Health KEY1:N1. ========= Physical/Chemical Properties =========== HCC:N1 Boiling Pt:B.P. Text:554F,290C Vapor Density:NONVOL. Spec Gravity:1.37 Appearance and Odor:BLACK PASTE Percent Volatiles by Volume:0 ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES STRONG AMINES Ha

Ingred Name:EPOXY NOVOLAC RESIN (LD50, ORAL RAT = >4000 MG/KG)

zardous Decomposition Products:OXIDES OF CARBON. ALSO OXIDES C	)F
SILICON MAY BE EVOLVED.	

====== Disposal Considerations ==========

Waste Disposal Methods: NOT HAZARDOUS WASTE PER EPA REGULATIONS. DISPOSE IN ACCORDANCE W/FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.