

MAINTEX INC. -- DOUBLE DUTY (CLEANER & NEUTRALIZER) -- 7930-01-412-1020

=====
Product Identification
=====

Product ID:DOUBLE DUTY (CLEANER & NEUTRALIZER)

MSDS Date:05/16/1994

FSC:7930

NIIN:01-412-1020

MSDS Number: BYZCY

=== Responsible Party ===

Company Name:MAINTEX INC.

Address:13300 NELSON AVE.

City:CITY OF INDUSTRY

State:CA

ZIP:91746

Country:US

Info Phone Num:818-961-1988

Emergency Phone Num:8

00-255-3924 (CHEMTEL)

Preparer's Name:ALI ABYANE

CAGE:NO277

=== Contractor Identification ===

Company Name:MAINTEX INC

Address:13300 NELSON AVE

Box:City:CITY OF INDUSTRY

State:CA

ZIP:91746

Country:US

Phone:818-961-1988

CAGE:0PWJ2

Company Name:MAINTEX INC.

Address:3614 EL MONTE AVE

Box:City:EL MONTE

State:CA

ZIP:91731

Phone:213-283-7380

CAGE:NO277

=====
Composition/Information on Ingredients
=====

Ingred Name:CITRIC ACID,

CAS:77-92-9

RTECS #:GE7350000

Fraction by Wt: 1-3%

Othe

r REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: DIRECT CONTACT W/CONCENTRATED
PROD. MAY CAUSE MODERATE IRRITATION, TEARING, REDNESS. SKIN: MILD
IRRITANT. REPEATED/PROLONGED CONTACT MAY IRRITATE OR DRY.
INHALATION: NOT EXPECTED TO BE A PROBLEM , UNLESS CONCENTRATED
PRODUCT HEATED &
INHALED. INGESTION: MAY IRRITATE GASTROINTESTINAL
TRACT, CAUSING NAUSEA/DIARRHEA.
Effects of Overexposure:OVEREXPOSURE MAY RESULT IN ALLERGIC SKIN
REACTIONS. EYES: STINGING, WATERING. SKIN: IRRITATION,
INFLAMMATION.

=====
===== First Aid Measures =====

First Aid:EYES: GENTLY IRRIGATE W/LARGE AMOUNTS COOL WATER 15 MINUTES.
SEEK MEDICAL ATTN. SKIN: WASH W/WATER. INHALATION: IF DISCOMFORT
EXPERIENCED, REMOVE TO FRESH AIR. IF BREATHING DIFFICULT,
GIVE
OXYGEN, CALL PHYSICIAN. INGESTION: WASH MOUTH AREA. GIVE MODERATE
AMOUNTS FLUID (WATER/MILK) TO DILUTE. DO NOT INDUCE VOMITING. SEEK
MEDICAL ATTN.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:>212F,>100C
Extinguishing Media:WATER SPRAY, FOAM, CO2, DRY CHEMICAL.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR POSITIVE PRESSURE
SCBA W/FULL FACE PIECE.
Unusual Fire/Explosion Hazard:USE WATER FOG/SPRAY TO COOL & L
OWER
PRESSURE OF FIRE-EXPOSED CONTAINERS, TO FLUSH VAPORS AWAY.

=====
===== Accidental Release Measures =====

Spill Release Procedures:LARGE (>55 GL): WEAR RUBBER BOOTS, GLOVES &
APPROPRIATE PROTECTIVE CLOTHING. SHUT OFF LEAK SOURCE IF SAFE.
DIKE/CONTAIN SPILL. SMALL: MOP & RINSE AREA.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP OUT OF REACH OF CHILDREN. DO NOT
GET IN EYES, ON SKIN OR CLOTHING

. DO NOT TAKE INTERNALLY. KEEP
PRODUCT FROM SPLASHING INTO EYES.

Other Precautions:WARNING: FLOORS MAY BE SLIPPERY. USE CARE WALKING,
WORKING, STANDING IN SPILL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FOR MISTS/SPRAYED MATERIAL USE NIOSH APPROVED
RESPIRATOR.

Ventilation:IN CONFINED AREAS PROVIDE ADEQUATE LOCAL EXHAUST
VENTILATION.

Protective Gloves:RUBBER: DECREASES DRYNESS/IRRITATION.

Eye Protection:CHEMICAL SPLASH GOGGLES.

S

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>212F,>100C

Melt/Freeze Pt:M.P/F.P Text:>32F,>0C

Vapor Pres:>17 @ 68F

Vapor Density:>1

Spec Gravity:1.01

pH:3-5

Evaporation Rate & Reference: