) State:CA ZIP:90058 Country:US

Info Phone Num:213-581-2036

Emergency Phone Num:310-928-3311/800-424-9300(CHEMTREC)

Preparer's Name: RICHARD J. EBERHARDT

CAGE:8Y842

=== Contractor Identification ===

Company Name: LUBRICATING SPECIALTIES CO. TECHNOLUBE PRODUCTS DIV

Address:3365 E. SLAUSON AVE

Box:City:LOS ANGELES

State:CA ZIP:90058 Country:US

Phone:562-776-4033; FAX:562-776-4003

CAGE:8Y842

Company Name: NAUGHTON ENERGY CORP

Address:RT 940

Box:709

City:POCONO PINES

State:PA

ZIP:18350-0709 Country:US

Phone:570-646-0422

CAGE:1DL10

======= Composition/Information on Ingredients ========

Ingred Name: POLYALPHAOLEFIN BASE STOCK/SYNTHETIC HYDROCARBON BASE

CAS:68649-12-7 Fraction by Wt: 200C

Extinguishing Media:WATER FOG, FOAM, DRY CHEMICAL/CARBON DIOXIDE. DON'T USE DIRECT STREAM OF WATER. PRODUCT WILL FLOAT AND CAN BE REIGNITED.

Fire Fighting Procedures:DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT PROPER PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF-CONTAINED BR

EATHING APPARATUS. Unusual Fire/Explosion Hazard:SLIGHTLY COMBUSTIBLE. WHEN HEATED ABOVE FLASH POINT, WILL RELEASE FLAMMABLE VAPORS WHICH CAN BURN IN OPEN OR BE EXPLOSIVE IN CONFIED SPACES. CAN MAY BURST.
======== Accidental Release Measures =========
Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. SPILLS CAN BE TAKEN UP ON SAND, CLAY, EARTH & SHOVELD INTO CONTAINERS. PREVENT RUN-OFF TO ENTER WATERWAYS, SEWERS. Neutralizing Agent:NOT RELEVANT
======= ======= Handling and Storage ====================================
Handling and Storage Precautions:STORE IN COOL, DRY, VENTILATED PLACE AWAY FROM STRONG OXIDIZERS. KEEP OUT OF REACH OF CHILDREN. Other Precautions:AVOID CONTACT WITH EYES AND SKIN. WASH THOROUGHLY AFTER HANDLING. LAUNDER CLOTHING BEFORE REUSE. AVOID INHALING MISTS. EMPTY CONTAINERS OF THIS PRODUCT MAY BE HAZARDOUS DUE TO THE RETENTION OF RESIDUE S. DO NOT TAKE INTERNALLY.
====== Exposure Controls/Personal Protection ========
Respiratory Protection: NONE NORMALLY REQUIRED. IF WORKING IN CONFINED
AREAS, IF EXCESSIVE MISTING IS EXPECTED OR IF EXPOSURE MAY OR DOES EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS (PEL), WEAR NIOSH-APPROVED ORGANIC VAPO R RESPIRATOR. Ventilation:GENERAL ROOM VENTILATION SHOULD BE SUFFICIENT. Protective Gloves:NITRILES IF PROLONGED/REPEATED CONTACT Eye Protection:SAFETY GOGGLES RECOMMENDED Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. INDU STRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND
EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS (PEL), WEAR NIOSH-APPROVED ORGANIC VAPO R RESPIRATOR. Ventilation:GENERAL ROOM VENTILATION SHOULD BE SUFFICIENT. Protective Gloves:NITRILES IF PROLONGED/REPEATED CONTACT Eye Protection:SAFETY GOGGLES RECOMMENDED Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. INDU
EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS (PEL), WEAR NIOSH-APPROVED ORGANIC VAPO R RESPIRATOR. Ventilation:GENERAL ROOM VENTILATION SHOULD BE SUFFICIENT. Protective Gloves:NITRILES IF PROLONGED/REPEATED CONTACT Eye Protection:SAFETY GOGGLES RECOMMENDED Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. INDU STRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DISCARD CONTAMINATED LEATHER GLOVES AND
EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS (PEL), WEAR NIOSH-APPROVED ORGANIC VAPO R RESPIRATOR. Ventilation:GENERAL ROOM VENTILATION SHOULD BE SUFFICIENT. Protective Gloves:NITRILES IF PROLONGED/REPEATED CONTACT Eye Protection:SAFETY GOGGLES RECOMMENDED Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER. INDU STRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED. Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DISCARD CONTAMINATED LEATHER GLOVES AND SHOES.

HCC:V6

NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:>599F,>315C

Vapor Pres:1

Spec Gravity:0.853
Solubility in Water:NEGLIGIBLE

Appearance and Odor:RED, OILY LIQUID - PETROLEUM ODOR

Percent Volati

========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:EXCESSIVE HEAT (HEATING ABOVE FLASH POINT) Hazardous Decomposition Products:CARBON MONOXIDE AND ASPHYXIANTS
======= Disposal Considerations ==========

Waste Disposal Methods:DISPOSE OF IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Discl

les by Volume:NIL

aimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.