View NSN Online: https://aerobasegroup.com/nsn/6550-01-344-6097

DIFCO LABORATORIES INC -- 3555 SPOTTEST NITRATE REAGENT B -- 6550-01-344-6097

Product ID:3555 SPOTTEST NITRATE REAGENT B

MSDS Date:03/01/1990

FSC:6550

NIIN:01-344-6097

MSDS Number: BZGCC === Responsible Party ===

Company Name: DIFCO LABORATORIES INC

Address:920 HENRY ST

Box:331058 City:DETROIT

State:MI

ZIP:48232-2532

Country:US

Info Phone Num:313-462-8500/800-521

-0851

Emergency Phone Num:313-462-8500/800-521-0851

Preparer's Name: ELLEN M BERNARD

CAGE:04487

=== Contractor Identification ===

Company Name: DIFCO LABORATORIES FORMERLY ON HENRY ST, DETROIT, MI

Address:17197 N LAUREL PARK DR SUITE 400

Box:City:LIVONIA

State:MI

ZIP:48152-2532 Country:US

Phone:313-462-8671

CAGE:04487

======= Composition/Information on Ingredients ========

Ingred Name: ACETIC ACID (GLACIAL)

CAS:64-19-7

RTECS #:AF1225000 Fraction by Wt: 28.4% OSHA PEL:25 MG/CUM

ACGIH

Ingred Name: N, N, DIMETHYL-ALPHA-NAPHTHYLAMINE CAS:85-56-6 RTECS #:QM2825000 Fraction by Wt: 0.6% ========== Hazards Identification =============== LD50 LC50 Mixture:ORAL LD50(RAT): 3530 MG/KG ACETIC ACID Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: SKIN/EYES: MAY CAUSE BLISTER/BURNS. **Explanation of Carcinogenicity:NONE Effects** of Overexposure: SKIN/EYES: MAY CAUSE BLISTERS/BURNS. First Aid:EYES/SKIN: IMMEDIATELY FLUSH W/PLENTY OF WATER FOR 15 MINS. OBTAIN MEDICAL ATTENTION IN ALL CASES. ======== Accidental Release Measures ============ Spill Release Procedures: USE RUBBER GLOVES. WIPE UP W/A DAMP SPONGE, RINSE DOWN DRAIN W/PLENTY OF WATER. ============= Handling and Storage ========================== Other Precaut ions:AVOID CONTACT. ====== Exposure Controls/Personal Protection ======== Protective Gloves: RUBBER Eye Protection: SAFETY GOGGLES Supplemental Safety and Health ======== Physical/Chemical Properties =========== Solubility in Water: COMPLETE Appearance and Odor: CLEAR, LIGHT YELLOW LIQUID W/AN ACETIC ACID ODOR ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES ====== Disposal Considerat

TLV:25 MG/CUM

EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

ions =========

Waste Disposal Methods:FLUSH DOWN DRAIN W/PLENTY OF WATER. DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document shou

Id seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.