View NSN Online: https://aerobasegroup.com/nsn/8030-01-104-5392

Product ID:NUTS 'N BOLTS 423, ANAEROBIC

MSDS Date:08/01/1993

FSC:8030

NIIN:01-104-5392

MSDS Number: BZHWY === Responsible Party ===

Company Name: HERNON MFG INC

Address:121 TECH DRIVE

City:SANFORD

State:FL ZIP:32771 Country:US

Info Phone Num:407-322-4000

Emergency Phone Num:407-322-4000

Preparer's

Name: JOSEF ARNON, TECH. DIR.

CAGE:61603

=== Contractor Identification ===

Company Name: HERNON MANUFACTURING

Address:121 TECH DRIVE

Box:City:SANFORD

State:FL ZIP:32771 Country:US

Phone: 407-322-4000/800-255-3924

CAGE:61603

======= Composition/Information on Ingredients ========

Ingred Name: POLYGLYCOL DIMETHACRYLATE

Fraction by Wt: 59-66%

Other REC Limits: NONE SPECIFIED

Ingred Name:SACCHARIN (SARA 313). SACCHARIN HAS BEEN SHOWN TO CAUSE TUMORS IN LAB ANIMALS WHEN FED IN LG AMTS

FOR PROLONGED PERIODS.

CAS:81-07-2

RTECS #:DE4200000 Fraction by Wt: 22-30%

Other REC Limits: NONE SPECIFIED

EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name: N, N-DIALKYLTOLUIDINE

CAS:99-97-8

Fraction by Wt: 0.1-2.0%

Other REC Limits: NONE SPECIFIED

Ingred Name: CUMENE HYDROPEROXIDE (SARA 313)

CAS:80-15-9

RTECS #:MX2450000 Fraction by Wt: 1-3% EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name: SILICA, AMORPHOUS TREATED

Fraction by Wt: 1-3%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:6 MG/M3

ACG

IH TLV:10 MG/M3

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7 RTECS #:XR2275000 Fraction by Wt: 0.1-1.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:10 MG/M3 DUST ACGIH TLV:10 MG/M3 DUST

Ingred Name: VOC = 13.3% 146.3 G/L

RTECS #:9999999VO Fraction by Wt: NA

Other REC Limits: NONE RECOMMENDED

OSHA PEL:NOT EST. ACGIH TLV:NOT EST.

Ingred Name: POLYGLYCOL OLEATE

CAS:9004-96-0

Fraction by Wt: 22-30%

Other REC Limits: NONE RECOMMENDED

LD50 LC50 Mixture: ORAL LD50 >10000MG/KG/ DERMAL >5000 Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Explanation of Carcinogenicity:IARC 2B Effects of Overexposure:PROLONGED CONTACT WITH SENSITIVE INDIVIDUALS MAY CAUSE DERMATITIS. Medical Cond Aggravated by Exposure:POSSIBLE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE PEOPLE.
======================================
First Aid:EYE: FLUSH WITH W ATER AT LEAST 15 MIN. SKIN: FLUSH WITH WATER. INGESTION: DO NOT INDUCE VOMITING, SEEK MEDICAL ATTENTION.
======================================
Flash Point Method:TCC Flash Point:200F,93C Lower Limits:6% METHANOL Upper Limits:36% METHANOL Extinguishing Media:FOAM, DRY CHEMICAL, CO2. Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN WHEN FIGHTING FIRES INVOLVING CHEMICALS.
========= Accidental
Release Measures ===============
Spill Release Procedures:SOAK UP IN INERT ABSORBENT. STORE IN PARTLY FILLED CLOSED CONTAINER UNTIL DISPOSAL.
======================================
Handling and Storage Precautions:AVOID PROLONGED SKIN CONTACT. KEEP AWAY FROM CHILDREN. STORE BELOW 110F TO PRESERVE SHELF LIFE.
======= Exposure Controls/Personal Protection =========
Ventilation:LOCAL EXHAUST NECESSARY. SPECIAL NORMALLY NOT NEEDED. Protective

Gloves:SAFETY GLOVES ARE RECOMMENDED.
Eye Protection:SAFETY GLASSES ARE RECOMMENDED
Other Protective Equipment:NOT NECESSARY.
Supplemental Safety and Health
NK

========= Physical/Chemical Properties ==========

Boiling Pt:B.P. Text:>300 F Vapor Pres: