View NSN Online: https://aerobasegroup.com/nsn/7930-01-184-3905

BEXAR CHEMICAL & SUPPLY, INC. -- FLOOR POLISH -- 7930-01-184-3905

Product ID:FLOOR POLISH MSDS Date:01/22/1993 FSC:7930 NIIN:01-184-3905 MSDS Number: BZHXF === Responsible Party === Company Name: BEXAR CHEMICAL & SUPPLY, INC. Address:599 U.S. HIGHWAY 90 W. City:CASTROVILLE State:TX ZIP:78000 Country:US Info Phone Num:210-538-3407 VOICE/210-931-3553 FAX Emergency Phone Num:210-530-3407 Preparer's Name: DAVID B. WIENCKOWSKI CAGE:0HXU7 === Contractor Identification === Company Name: BEXAR CHEMICAL & SUPPLY, INC Address:15303 TRADESMAN Box:City:SAN ANTONIO State:TX ZIP:78249 Country:US Phone:512-493-3171 CAGE:0HXU7

Ingred Name:DIETHYLENE GLYCOL MONOETHYL ETHER CAS:111-90-0 RTECS #:KK8750000 Fraction by Wt: 5-10% Other REC Limits:NONE RECOMMENDED

Ingred Name: ZINC AMMONIUM CARBONATE COMPOUN

D CAS:38714-47-5 Fraction by Wt: 1-3% Other REC Limits:NONE RECOMMENDED

Ingred Name:TRIBUTOXYETHYL PHOSPHATE CAS:70-51-3 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

Ingred Name:FORMALDEHYDE (SARA 302/313) (CERCLA) CAS:50-00-0 RTECS #:LP8925000 Fraction by Wt: 0.01% Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT EST. ACGIH TLV:NOT EST. EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Routes of Entry: Inhalation:YES Skin:Y
ES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: CAN CAUSE MILD TO MODERATE IRRIT.
SKIN: IRRITATION CAN OCCUR FOLLOWING CHRONIC CONTACT. INHAL: CAN CAUSE IRRIT TO NOSE/THROAT/UPPER RESPIRATORY TRACT. INGEST: CAN CAUSE NAUSEA/VOMITING/GI UPSET.
Effects of Overexposure:DEPENDING ON ROUTE OF ENTRY, FREQUENCY & DURATION OF EXPOSURE, TOXICITY MAY AFFECT CNA/PERIPHERAL NERVOUS SYSTEM.

======= First Aid Mea

First Aid:FLUSH EYES W/WATER 15 MIN. IF IRRIT DEVELOPS CALL DR. SKIN: REMOVE CONTAM CLOTHES/SHOES. WASH W/SOAP & WATER. INHAL: GET TO FRESH AIR. IF SYMPTOMS DEVELOP GET IMMED MED AID. IF NOT BREATHING GIVE ARTI F RESP. INGESTION: GET MED AID UNLESS ADVISED OTHERWISE. INDUCE VOMITING BY GIVING 2 GLASSES WATER OR BY STICKING FINGERS DOWN THROAT. DON'T GIVE ANYTHING BY MOUTH IF UNCONSCIOUS/DROWSY/NO GAG REFLEX.

======= Fire Fig

Flash Point:NOT AVAILABLE Lower Limits:NA **Upper Limits:NA** Extinguishing Media:WATER/FOAM/DRY CHEM/CO2. WATER-BASED. NOT EXPECTED TO BURN UNTIL WATER BOILED AWAY. RESIDUAL SOLID/CNTNR MAY COMBUST. Fire Fighting Procedures: FIREFIGHTERS SHOULD WEAR APPROVED POSITIVE PRESSURE SCBA & FULL PROTECTIVE CLOTHING. Unusual Fire/Explosion Hazard:NONE KNOWN. Spill Release Procedures: STOP DISCH ARGE, CONTAIN MATERIAL. USE ABSORBENT SUCH AS CLAY/EARTH. USE SAFETY MEASURES/PROTECTIVE EQUIPMENT. DON'T FLUSH TO SEWER/STREAM/OTHER BODIES WATER. Handling and Storage Precautions: STORE IN COOL, DRY, VENTILATED AREA. PROTECT FROM FREEZING. DON'T STORE >120F. Respiratory Protection: IF AIRBORNE CONCENTRATIONS EXCESSIVE, WEAR NIOSH/MSHA APPROVE D EQUIPMENT. Ventilation: GENERAL VENTILATION MAY BE ACCEPTABLE. LOCAL EXHAUST VENTILATION RECOMMENDED IF VAPORS/MISTS/GASES RELEASED.APORS/ Protective Gloves: RECOMMENDED TO MINIMIZE SKIN CONTACT. Eve Protection: CHEM SPLASH/SAFETY GLASSES W/SIDE SHIELD Other Protective Equipment: WASH CONTAM GOGGLES, FACE SHIELD, GLOVES. PROFESSIONALLY LAUNDER CONTAM CLOTHES. DISCARD CONTAM SHOES. Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING. Supplemental Safety and Health NK _____ HCC:B3 Boiling Pt:B.P. Text:0F,-18C Vapor Pres:NOT EST. Vapor Density:NOT EST. Spec Gravity:1.03 pH:7-10 Solubility in Water: INSOLUBLE Appearance and Odor:MILKY WHITE LIQUID, MILD ODOR Stability Indicator/Materials to Avoid:YES NK Hazardous Decomposition Products: IF HEATED TO HIGH TEMPS, MAY EMMIT

FOLLOWING COMPOUNDS: TOXIC FUMES (CARBON DIOXIDE, CARBON MONOXIDE).

======

Waste Disposal Methods: IF DISCHARGED IN ORIGINAL UNUSED FORM, SHOULD BE MANAGED AT AUTHORIZED FACILITY IN COMPLIANCE W/APPLIC REGS. BE SURE TO CONTACT APPROPRIATE GOVERNMENT/ENVIRONMENTAL AGENCIES IF FURTHER DISPOSAL GUIDAN CE REQUIRED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.